

CATALOGUE OFFROAD & ATV OCTOBER 2026

ADLY		RT 2T 12" Wheels	50	17/20	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	
AJP		ENDURO	125	08	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3	ENDURO / ENDURO PRO	125	08/14	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3	ENDURO / ENDURO PRO	125	15/16	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3	ENDURO / ENDURO PRO	125	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR3	SM	125	12/13	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3	SUPERMOTO / PRO	125	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR3	SUPERMOTO / PRO	125	08/14	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3	SUPERMOTO / PRO	125	15/16	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR4	ENDURO / ENDURO PRO	125	10/11	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR4	ENDURO PRO	125	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR4	ENDURO / SM	125	04	331	L	S	255	108	3,5	6	6,5	060	R	S	210	108	3,5	6	6,5
AJP	PR4	ENDURO / SM	125	05/09	731 / 731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
AJP	PR4	ENDURO / SM	125	05/09	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
AJP	PR4	ENDURO / SM	125	05/09	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
AJP	PR4	SUPERMOTO / PRO	125	10/11	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR4	SUPERMOTO PRO	125	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR3	ENDURO	200	04/09	331	L	S	255	108	3,5	6	6,5	060	R	S	210	108	3,5	6	6,5
AJP	PR3	ENDURO / PRO	200	08/11	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3	ENDURO / SM	200	12/13	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3	MX 4T / MX PRO	200	07/11	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3	SUPERMOTO / PRO	200	10/11	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR4	ENDURO / ENDURO PRO	200	10/11	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR4	SUPERMOTO	200	04/09	331	L	S	255	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR4	SUPERMOTO / PRO	200	10/11	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR3	ENDURO / PRO / MX PRO	240	15/16	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3	ENDURO / ENDURO PRO	240	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR3	MX PRO	240	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR3	SUPERMOTO	240	15/16	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3	SUPERMOTO / PRO	240	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR4	ENDURO PRO	240	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR4	EXTREME PRO	240	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR4	SUPERMOTO PRO	240	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP		ENDURO	250	05	731 / 731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
AJP		ENDURO	250	05	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
AJP		ENDURO	250	05	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
AJP	PR5	ENDURO	250	11	1178	L	S	240	108	3,5	6	6,5	-	R	S	-	-	-	-	-
AJP	PR5	SUPERMOTARD	250	11	1178	L	S	240	108	3,5	6	6,5	-	R	S	-	-	-	-	-
AJP	PR5	ENDURO	250	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR5	EXTREME	250	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR5	SUPERMOTO	250	19/20	-X	L	S	260	-	-	6	-	-X	R	S	220	-	-	-	-
AJP	PR7 ADVENTURE	650	600	16/19	1568X	L	F00,0	300	124,3	5,0	6	6,5	1569X	R	S	240	110	4,2	6	6,5
AJP	PR7 ADVENTURE	650	600	16/19	1878X	L	F00,0	300	124,3	5,2	6	6,5	1879X	R	S	240	110	4,2	6	6,5
AJP		PR7 650 ADVENTURE (600cc)	600	20/25	1878X	L	F00,0	300	124,3	5,2	6	6,5	1879X	R	S	240	110	4,2	6	6,5
AJS		JSM 2T	50	19/20	-X	L	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
AKT		TT ADVENTOUR	250	16/21	-	L	S	262	123	4,0	6	10,5	-	R	S	258	105	4,0	6	10,5
ALFER		MINI	50	01/02	600	L	S	207	45	3,0	5	6,5	426	R	S	150	45	3,0	5	6,5
ALFER		150	65	06	918	L	S	210	-	3,0	4	6,5	389	R	S	150	45	3,0	4	6,5
ALFER		150	65	06									650SP	R	S	150	45	3,0	4	6,5
ALFER		150	65	06									1570X	R	FIM	150	45	3,0	4	6,5
ALFER		VRE NO LIMITS	125	03	338	L	S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
ALFER		VRE NO LIMITS	125	03	1690X	L	F00,0	260	108	3,0	6	6,5								
ALFER		VR	250	01/03	338	L	S	260	108	3,5	6	6,5	302	L	S	220	108	4,0	6	6,5
ALFER		VR	250	01/03	1690X	L	F00,0	260	108	3,0	6	6,5	1057X	L	S	220	108	4,0	6	6,5
ALFER		VR	250	01/03									1057	L	S	220	108	3,5	6	6,5
ALFER		VR NO LIMITS	250	01/03	022	L	F00,0	320	108	4,0	6	6,5	302	L	S	220	108	4,0	6	6,5
ALFER		VR NO LIMITS	250	01/03	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	L	S	220	108	4,0	6	6,5
ALFER		VR NO LIMITS	250	01/03	1613 / 1613X	L	F00,0	320	108	5,0	6	6,5	1057	L	S	220	108	3,5	6	6,5
ALFER		VR NO LIMITS	250	01/03	1613SP	L	F00,0	320	108	5,0	6	6,5								
APRILIA		MX	50	03/05	163	L	S	230	112	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
APRILIA		PEGASO	50	01/05	274	L	S	230	112	4,5	6	6,5	189	R	S	220	110	4,0	6	6,5
APRILIA	SCARABEO	QUATTRO	50	09	291	L	S	220	60	4,0	5	6,5	-	-	-	-	-	-	-	-
APRILIA	SR	LIMITED	50	15/16	081	L	S	260	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
APRILIA	SR	LIMITED	50	15/16	-	L	F00,0	260	90	4,0	6	MH								
APRILIA	SR	SLOW SEAT	50	19	-	L	S	260	-	-	6	-	-	R	S	220	-	-	-	-
APRILIA		SX / SX FACTORY	50	19/22	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
APRILIA		SX / SX FACTORY	50	19/22	xxxxX	L	F00,0	260	90	4,0	6	MH								

APRILIA		SX / SX FACTORY ABS	50	06/18	866 / 866X	L	T/S	300	108	4,0	6	7,5	351	R	S	180	62	3,5	3	10,5
APRILIA		SX / SX FACTORY ABS	50	06/18	867	L	T	300	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
APRILIA		SX / SX FACTORY ABS	50	06/18	841 / 841X	L	S	300	108	3,5	6	6,5								
APRILIA		SX / SX FACTORY ABS	50	06/18	2196	L	S	300	108	4	6	6,5								
APRILIA		SX RACING SUPER MOTARD	50	06/10	-	L	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5
APRILIA		SX RACING SUPER MOTARD	50	06/10									089X	R	S	180	62	3,8	3	10,5
APRILIA		TUONO	50	03/07	289	L	S	280	155	4,0	5	6,5	290	R	S	220	102	4,0	5	8,5
APRILIA		MX	125	04/07	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	288	R	S	220	110	4,0	6	6,5
APRILIA		MX	125	04/07	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
APRILIA		MX SUPERMOTARD	125	04/07	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	5,0	6	6,5
APRILIA		MX SUPERMOTARD	125	04/07	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
APRILIA		RX 125	125	18/26	1931X	L	S	260	108	4,0	6	6,5	2400X / 2400	R	S	218	62,3	4,0	3	10,5
APRILIA		RX 4T FACTORY	125	18	841 / 841X	L	S	300	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
APRILIA		RX 125 FACTORY	125	18	2196	L	S	300	108	4	6	6,5	2197	R	S	220	62	3,5	3	8,5
APRILIA		SX	125	08/09	-	L	S	260	-	-	6	-	-	L	S	220	-	-	6	-
APRILIA		SX 125	125	23/26	841 / 841X	L	S	300	108	3,5	6	6,5	2400 / 2400X	R	S	218	62,3	4	3	10,5
APRILIA		SX 125	125	23/25	2196	L	S	300	108	4	6	6,5	2197	R	S	220	62	3,5	3	8,5
APRILIA		TERRA	125	16/21	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
APRILIA		TERRA	150	20/21	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
APRILIA		TERRA	250	21	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
APRILIA		MXV	450	05/12	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5
APRILIA		RXV / SXV	450	05/12	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5
APRILIA		RXV / SXV	550	05/12	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5
APRILIA	PEGASO	i.e.	650	01/04	324	L	S	300	105	5,0	6	6,5	325 / 325X	R	S	240	110	5,0	6	6,5
APRILIA	PEGASO	PEGASO i.e.	650	01/04	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
APRILIA	PEGASO	i.e.	650	01/04	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
APRILIA	PEGASO	i.e.	650	07/08	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
APRILIA	PEGASO	i.e.	650	07/08	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
APRILIA	PEGASO	FACTORY	650	05/10	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
APRILIA	PEGASO	FACTORY	650	05/10	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
APRILIA	PEGASO	STRADA	650	04	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
APRILIA	PEGASO	STRADA	650	04	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
APRILIA	PEGASO	STRADA	650	05/10	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5
APRILIA	PEGASO	STRADA	650	05/10	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
APRILIA	PEGASO	TRAIL	650	05/08	324	L	S	300	105	5,0	6	6,5	325 / 325X	R	S	240	110	5,0	6	6,5
APRILIA	PEGASO	PEGASO TRAIL	650	05/08	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
APRILIA	PEGASO	TRAIL	650	05/08	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
APRILIA	PEGASO	TUSCANY TIBET RAID	650	04	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	5,0	6	6,5
APRILIA	PEGASO	PEGASO TUSCANY TIBET RAID	650	04	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
APRILIA	PEGASO	TUSCANY TIBET RAID	650	04	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
APRILIA		TUAREG 660	660	22/26	2194	L/R	F00,0	300	142	4,5	5	8,5	2195	R	S	260	142	5,0	5	10,5
APRILIA		TUAREG RALLY 660	660	24/26	2194	L/R	F00,0	300	142	4,5	5	8,5	2195	R	S	260	142	5,0	5	10,5
APRILIA	SMV DORSODURO	ABS	750	08/16	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5
APRILIA	SMV DORSODURO	ABS	750	08/16	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
APRILIA	SMV DORSODURO	FACTORY ABS	750	08/14	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5
APRILIA	SMV DORSODURO	SL SHILVER ABS / GT ABS	750	08/14	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
APRILIA		DORSODURO ABS	896	17/22	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
APRILIA		DORSODURO ABS	896	17/22	.	L/R	F10,5	320	64	4,5	6	8,5								
APRILIA		DORSODURO ABS	896	17/22	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5								
APRILIA		ETV CAPONORD	1000	01/07	1091	L/R	S	300	140	5,0	6	8,5	1361	R	S	272	140,5	5,0	6	8,5
APRILIA		ETV CAPONORD RALLY RAID	1000	01/05	1091	L/R	S	300	140	5,0	6	8,5	1361	R	S	272	140,5	5,0	6	8,5
APRILIA		CAPONORD	1200	13	1579G / 1579XG	L/R	F9,7	320	64	5	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
APRILIA	CAPONORD	ABS / RALLY ABS	1200	14/17	1560 / 1560X	L/R	F00,0	320	140	5,0	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
APRILIA	CAPONORD	TRAVEL PACK ABS	1200	14/17	1560 / 1560X	L/R	F00,0	320	140	5,0	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
APRILIA	SMV DORSODURO	ATC ABS	1200	11	1579G / 1579XG	L/R	F9,7	320	64	5	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
APRILIA	SMV DORSODURO	ATC ABS	1200	12/17	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
APRILIA	SMV DORSODURO	ATC ABS	1200	12/17	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
APRILIA		SXV	1200	15/17	1560 / 1560X	L/R	F00,0	320	140	5,0	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
BENELLI		TRK	125	19	--X	L	F00,0	280	-	4,0	6	-	--X	R	S	240	-	5,0	-	-
BENELLI		TRK 251 ABS	250	18/24	1885X / 1885	L	F00,0	280	114	4,0	6	8,5	2113X / 2113	R	S	240	110	5,0	6	6,5
BENELLI		BKX 300 292 cc	292	24/25	--	L	Fxx,xx	300	-	-	-	-	2113X / 2113	R	S	240	110	5,0	6	6,5
BENELLI		BKX 300 S 292 cc	292	24/25	--	L	Fxx,xx	300	-	-	-	-	2113X / 2113	R	S	240	110	5,0	6	6,5
BENELLI		TRK ABS	302	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BENELLI		BX	499	07	159	L	S	260	110	4,0	6	6,5	288	L	S	220	110	4,0	6	6,5
BENELLI		LEONCINO 500 T ABS	500	17	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	2020 / 2020X	R	S	260	110	5,0	6	6,5
BENELLI		LEONCINO 500 T ABS	500	17	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI		LEONCINO 500 TRAIL ABS	500	17/26	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	2020 / 2020X	R	S	260	110	5,0	6	6,5
BENELLI		LEONCINO 500 TRAIL ABS	500	17/26	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI		TRK 502	500	16/17	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	2020 / 2020X	R	S	260	110	5,0	6	6,5
BENELLI		TRK 502	500	16/17	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								

BENELLI	TRK 502 500 cc	500	18/25	1956G / 1956XG	L/R	F10,5	320	112	5,0	6	8,5	2020 / 2020X	R	S	260	110	5,0	6	6,5
BENELLI	TRK 502 X 500 cc	500	17/26	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	2020X / 2020	R	S	260	110	5,0	6	6,5
BENELLI	TRK 502 X 500 cc	500	17/26	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	ENDURO	510	08	159	L	S	260	110	4,0	6	6,5	288	R	S	220	110	4,0	6	6,5
BENELLI	TRK 602 X 554cc	554	26	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	2020X / 2020	R	S	260	110	5,0	6	6,5
BENELLI	TRK 602 X 554cc	554	26	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	SUPERMOTO	570	08	-	-	-	-	-	-	-	-	288	R	S	220	110	4,0	6	6,5
BENELLI	TRK 702	698	23/24	1956G / 1956XG	L/R	F10,5	320	112	5,0	6	8,5	2020 / 2020X	R	S	260	110	5,0	6	6,5
BENELLI	TRK 702 X	698	23/26	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	2020X / 2020	R	S	260	110	5,0	6	6,5
BENELLI	TRK 702 X	698	23/26	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	LEONCINO 800 TRAIL ABS	800	20/26	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	2020X / 2020	R	S	260	110	5,0	6	6,5
BENELLI	LEONCINO 800 TRAIL ABS	800	20/26	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TRK 800	800	23	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	2020X / 2020	R	S	260	110	5,0	6	6,5
BENELLI	TRK 800	800	23	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TRK 802 ABS	800	22	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	2020X / 2020	R	S	260	110	5,0	6	6,5
BENELLI	TRK 802 ABS	800	22	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TRK 802 X	800	21/22	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	2020X / 2020	R	S	260	110	5,0	6	6,5
BENELLI	TRK 802 X	800	21/22	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TRK 902 STRADALE 904 cc	904	25/26	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	2020 / 2020X	R	S	260,00	110	5,0	6	6,5
BENELLI	TRK 902 STRADALE 904 cc	904	25/26	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TRK 902 XPLOER 904 cc	904	25/26	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TRK 902 XPLOER 904 cc	904	25/26	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BETA	MINICROSS ELECTRIC F: 12" / R: 10" Wheel	E	17/25	-	L	S	170	-	3,0	4	6,5	-	-	S	170	-	3,0	4	6,5
BETA	MINITRIAL ELECTRIC F: 16" / R: 16" Wheel	E	17/25	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0
BETA	MINITRIAL ELECTRIC F: 20" / R: 19" Wheel	E	17/25	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0
BETA	MINITRIAL ELECTRIC XL F: 20" / R: 19" Wheel	E	17/25	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0
BETA	ENDURO URC6 - RR	50	02/03	114	L	S	240	72	3,5	6	6,5	-	-	-	-	-	-	-	-
BETA	MINI TRIAL 16" / 20" Wheels	50	15	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0
BETA	MOTARD 50 2T	50	23/24	342X / 342	L	S	260	90	3,5	6	6,25	310X / 310	R	S	220	105	3,5	6	6,5
BETA	MOTARD 50 2T SPORT	50	23/24	342X / 342	L	S	260	90	3,5	6	6,25	310X / 310	R	S	220	105	3,5	6	6,5
BETA	MOTARD 50 2T TRACK	50	23/24	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	MOTARD / SPORT / TRACK	50	14/15	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	R	50	12/14	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	REV-3	50	05/06	646	L	S	175	45	3,5	5	6,5	647	L	S	150	45	3,5	5	6,5
BETA	RK 6 T / RK 6 T SM	50	01	440	L	S	240	72	3,5	6	6,5	442	R	S	185	45	3,5	5	6,5
BETA	RR FACTORY MOTOREX	50	15/17	1585X	L	S	260	72	3,2	6	6,5	1587X	R	S	223	45	3,5	5	6,5
BETA	RR 2T 50 ENDURO	50	24/25	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 2T 50 ENDURO RACE	50	19/25	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR ENDURO / RACING	50	05	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	-
BETA	RR ENDURO	50	06/12	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5
BETA	RR ENDURO ALU	50	03	721	L	S	260	120	3,0	4	8,5	720	R	S	200	100	3,5	4	6,5
BETA	RR ENDURO FACTORY	50	12	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	-
BETA	RR END. MOTARD / RACING	50	06	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5
BETA	RR ENDURO SPORT	50	15	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	-
BETA	RR 2T 50 ENDURO SPORT	50	17/25	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR SPORT / RACING	50	19/24	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR MOTARD	50	12	ND / NA	L	S	260	120,2	3,5	4	9,5	1252X	-	S	220	100	3,5	4	6,5
BETA	RR 2T 50 MOTARD	50	15/25	342X / 342	L	S	260	90	3,5	6	6,5	310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR MOTARD 2T	50	15/24	-	L	F00,0	260	90	4,0	6	MH								
BETA	RR MOTARD PISTA	50	19/20	310 / 310X	R	S	220	105	3,5	6	6,5	310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR MOTARD PISTA	50	19/20	xxxxX	L	F00,0	260	90	4,0	6	MH								
BETA	RR 2T 50 MOTARD SPORT	50	19/25	342X / 342	L	S	260	90	3,5	6	6,5	310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR 2T 50 MOTARD SPORT	50	19/25	-	L	F00,0	260	90	4,0	6	MH								
BETA	RR MOTARD STANDARD	50	12	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	-
BETA	RR MOTARD TRACK	50	14/17	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	-
BETA	RR 2T 50 MOTARD TRACK	50	19/25	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR MOTARD 2T 50 - XEDITION ESPECIAL	50	19/24	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 2T 50 MOTARD - XEDITION ESPECIAL	50	25	342X / 342	L	S	260	90	3,5	6	6,5	310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR SPORT / RR TRACK	50	15/18	342X / 342	L	S	260	90	3,5	6	6,5	310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR SPORT / RR TRACK	50	15/18	-	L	F00,0	260	90	4,0	6	MH								
BETA	RR SUPERMOTARD	50	01/03	440	L	S	240	72	3,5	6	6,5	442	R	S	185	45	3,5	5	6,5
BETA	RR 4T	50	05/09	1263X	L	S	260	1	3,5	4	8,5	-	-	-	-	-	-	-	-
BETA	RR-T	50	01	440	L	S	240	72	3,5	6	6,5	442	R	S	185	45	3,5	5	6,5
BETA	RR-T	50	05	907	L	S	240	72	3,0	6	6,5	908	R	S	185	45	3,5	5	6,5
BETA	RR-T	50	05	907X	L	S	240	72	3,5	6	6,5	908X	R	S	185	45	3,5	5	6,5
BETA	RR-T ENDURO	50	04/05	114	L	S	240	72	3,5	6	6,5	127	R	S	185	45	3,5	5	6,5
BETA	RR-T ENDURO	50	08/09	201 / 201X	L	S	260	72	3,0	6	6,5	465	R	S	200	45	3,5	5	6,5
BETA	RR-T ENDURO / SPORT / SM	50	14/15	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR-T MOTARD	50	04/05	114	L	S	240	72	3,5	6	6,5	127	R	S	185	45	3,5	5	6,5
BETA	RR-T MOTARD / S.M. R.E.	50	08	907	L	S	240	72	3,0	6	6,5	908	R	S	185	45	3,5	5	6,5

BETA	RR-T MOTARD / S.M. R.E.	50	08	907X	L	S	240	72	3,5	6	6,5	908X	R	S	185	45	3,5	5	6,5
BETA	RR-T RACING / FACTORY	50	14	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR-T FACTORY	50	15	201X / 201	L	S	260	72	3,0	6	6,5	1252X	R	S	220	100	3,5	4	6,5
BETA	SUPERMOTARD	50	14/15	201 / 201X	L	S	260	72	3,0	6	6,5	-	-	-	-	-	-	-	-
BETA	SUPERMOTARD	50	16	728	L	S	260	90	3,5	6	6,5	-	-	-	-	-	-	-	-
BETA	SUPERMOTARD	50	16	-	L	F00,0	260	90	4,0	6	MH	-	-	-	-	-	-	-	-
BETA	SUPERMOTARD RR	50	01/03	440	L	S	240	72	3,5	6	6,5	442	R	S	185	45	3,5	5	6,5
BETA	EVO 2T 80 Junior 19" / 17" Wheel	80	09/25	646	L	S	175	45	3,5	5	6,5	647	R	S	150	45	3,5	5	6,5
BETA	EVO Senior 21" / 18" Wheels	80	09/17	626	L	S	185	-	3,0	4	10,0	647	R	S	150	45	3,5	5	6,5
BETA	EVO Senior 21" / 18" Wheels	80	09/17	626X	L	S	185	-	2,7	4	10,0	-	-	-	-	-	-	-	-
BETA	EVO Senior 21" / 18" Wheels	80	18/23	626	L	S	185	-	3,0	4	10,0	905	R	S	150	45	2,5	4	6,5
BETA	EVO Senior 21" / 18" Wheels	80	18/23	626X	L	S	185	-	2,7	4	10,0	-	-	-	-	-	-	-	-
BETA	EVO 2T 80 Senior 21" / 18" Wheel	80	24/25	1588X	L	S	185	-	2,7	4	10,5	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T 80 Senior 21" / 18" Wheel	80	24/25	-	-	-	-	-	-	-	-	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T 80 Senior 21" / 18" Wheel	80	24/25	-	-	-	-	-	-	-	-	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T 80 Senior 21" / 18" Wheel	80	24/25	-	-	-	-	-	-	-	-	1594X	L	FIM	160	-	2,5	4	6,0
BETA	REV 3	80	02/08	646	L	S	175	45	3,5	5	6,5	647	R	S	150	45	3,5	5	6,5
BETA	ALP 4T	125	01	128	L	S	220	108	3,5	6	6,5	352	R	S	200	45	3,5	6	6,5
BETA	ALP 4T	125	02/03	128	L	S	220	108	3,5	6	6,5	465	R	S	200	45	3,5	5	6,5
BETA	ALP 4T	125	12	1087	L	S	260	120	4,0	6	6,5	-	-	-	-	-	-	-	-
BETA	ALP 4T	125	15/16	-	L	S	245	-	-	-	-	-	R	S	220	-	-	-	-
BETA	EVO 2T	125	09/16	626	L	S	185	-	3,0	4	10,0	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T	125	09/16	626X	L	S	185	-	2,7	4	10,0	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T	125	09/16	1588X	L	S	185	-	2,7	4	10,5	-	-	-	-	-	-	-	-
BETA	EVO 2T	125	09/16	-	-	-	-	-	-	-	-	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T	125	09/16	-	-	-	-	-	-	-	-	1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 2T 125	125	17/25	1588X	L	S	185	-	2,7	4	10,5	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T 125	125	17/25	-	-	-	-	-	-	-	-	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T 125	125	17/25	-	-	-	-	-	-	-	-	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T 125	125	17/25	-	-	-	-	-	-	-	-	1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 2T 125 FACTORY	125	17/25	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T 125 FACTORY	125	17/25	-	-	-	-	-	-	-	-	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T 125 FACTORY	125	17/25	-	-	-	-	-	-	-	-	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T 125 FACTORY	125	17/25	-	-	-	-	-	-	-	-	1594X	L	FIM	160	-	2,5	4	6,0
BETA	RE 4T	125	12	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5
BETA	RE 4T	125	08/18	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RE SUPERMOTARD	125	17/18	-	L	S	-	-	-	-	-	1252X	R	S	220	100	3,5	4	6,5
BETA	REV 3	125	01/02	316	L	S	185	-	3,5	4	10,5	317 / 317SP	L	S	165	-	3,5	4	10,5
BETA	REV 3	125	03/08	626	L	S	185	-	3,0	4	10,0	645	L	S	165	-	3,0	4	10,5
BETA	REV 3	125	03/08	626X	L	S	185	-	2,7	4	10,0	-	-	-	-	-	-	-	-
BETA	REV 3	125	03/08	1588X	L	S	185	-	2,7	4	10,5	-	-	-	-	-	-	-	-
BETA	RR 2T	125	18/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 2T	125	18/23	1254XK09	L	KF	*270	-	3,0	6	6,5	-	-	-	-	-	-	-	-
BETA	RR 2T	125	18/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5	-	-	-	-	-	-	-	-
BETA	RR ENDURO / RR MOTARD	125	06	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5
BETA	RR ENDURO / RR MOTARD	125	06	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5
BETA	RR 2T 125 RACING	125	18/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 2T 125 RACING	125	18/24	1254XK09	L	KF	*270	-	3,0	6	6,5	-	-	-	-	-	-	-	-
BETA	RR 2T 125 RACING	125	18/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5	-	-	-	-	-	-	-	-
BETA	RR 125 L.C.	125	11/12	ND / NA	L	S	260	120,2	3,5	4	9,5	1252X	-	S	220	100	3,5	4	6,5
BETA	RR 4T A.C. / L.C.	125	08/17	1608 / 1608X	L	S	300	90	4,0	6	6,5	310 / 310X	R	S	220	105	3,5	6	6,5
BETA	RR 4T A.C. / L.C.	125	18/20	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 4T 125 ENDURO-X Special Edition	125	24/25	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 4T 125 ENDURO R	125	23/25	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 4T 125 T	125	23/24	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 4T L.C.	125	18/22	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 4T MOTARD L.C. CBS	125	18/21	1608X / 1608	L	S	300	90	4,0	6	6,5	310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR 4T MOTARD L.C. CBS	125	22	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 4T 125 MOTARD R	125	23/25	2323X	L	S	300	105	3,5	4	10,4	1252X	R	S	220	100	3,5	4	6,5
BETA	RR 4T 125 MOTARD T	125	23/25	342X / 342	L	S	260	90	3,5	6	6,5	310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR 4T 125 MOTARD T - X SPECIAL EDITION	125	23/24	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
BETA	RR RACE 125 2T	125	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 125 2T	125	25	1254X	L	S	*270	-	3	6	6,5	-	-	-	-	-	-	-	-
BETA	RR RACE 125 2T	125	25	1254XBH	L	S	*270	-	3	6	6,5	-	-	-	-	-	-	-	-
BETA	RR RACE 125 2T	125	25	1733X / 1733	L	S	*300	127	5	6	6,5	-	-	-	-	-	-	-	-
BETA	RR RACE 125 2T	125	25	2025XG / 2025G	L	S	*320	127	5	6	6,5	-	-	-	-	-	-	-	-
BETA	RR SUPERMOTARD 4T	125	08/09	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	-
BETA	RR X-PRO 2T 125	125	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 2T 125	125	25/26	1254X	L	S	*270	-	3	6	6,5	-	-	-	-	-	-	-	-
BETA	RR X-PRO 2T 125	125	25/26	1254XBH	L	S	*270	-	3	6	6,5	-	-	-	-	-	-	-	-

BETA	RR X-PRO 2T 125	125	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR X-PRO 2T 125	125	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	SINCRO 125 2T	125	26/27	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
BETA	SINCRO 125 2T	125	26/27									1152	L	S	160	-	2,5	4	6,5
BETA	SINCRO 125 2T	125	26/27									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	SINCRO 125 2T	125	26/27									1594X	L	FIM	160	-	2,5	4	6,0
BETA	URBAN	125	12/15	1087	L	S	260	120	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
BETA	URBAN SPECIAL	125	10/11	1608 / 1608X	L	S	300	90	4,0	6	6,5	310 / 310X	R	S	220	105	3,5	6	6,5
BETA	ALP	200	01	128	L	S	220	108	3,5	6	6,5	352	R	S	200	45	3,5	6	6,5
BETA	ALP	200	02/03	128	L	S	220	108	3,5	6	6,5	465	R	S	200	45	3,5	5	6,5
BETA	ALP	200	06	1836	L	S	245	110	3,5	6	6,5	189	R	S	220	110	4,0	6	6,5
BETA	ALP	200	12	1087	L	S	260	120	4,0	6	6,5	-	-	-	-	-	-	-	-
BETA	ALP	200	16/17	159	L	S	260	110	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
BETA	ALP	200	18/22	1836	L	S	245	110	3,5	6	6,5	189	R	S	220	110	4,0	6	6,5
BETA	ALP 200	200	23/24	1836	L	S	245	110	3,5	6	6,5	150	R	S	220	110	4,0	6	6,5
BETA	EVO 2T / EVO 2T FACTORY	200	09/16	626	L	S	185	-	3,0	4	10,0	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	200	09/16	626X	L	S	185	-	2,7	4	10,0	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	200	09/16	1588X	L	S	185	-	2,7	4	10,5	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T / EVO 2T FACTORY	200	09/16									1594X	L	FIM	160	-	2,5	4	6,0
BETA	REV 3	200	01/02	316	L	S	185	-	3,5	4	10,5	317 / 317SP	L	S	165	-	3,5	4	10,5
BETA	REV 3	200	03/08	626	L	S	185	-	3,0	4	10,0	645	L	S	165	-	3,0	4	10,5
BETA	REV 3	200	03/08	626X	L	S	185	-	2,7	4	10,0	645	L	S	165	-	3,0	4	10,5
BETA	REV 3	200	03/08	1588X	L	S	185	-	2,7	4	10,5								
BETA	RR 2T	200	18/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 2T	200	18/24	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 2T	200	18/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACE 200 2T	200	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 200 2T	200	25	1254X	L	S	*270	-	3	6	6,5								
BETA	RR RACE 200 2T	200	25	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR RACE 200 2T	200	25	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR RACE 200 2T	200	25	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR RACING 2T	200	18/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACING 2T	200	18/23	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACING 2T	200	18/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR X-PRO 2T 200	200	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 2T 200	200	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 2T 200	200	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 2T 200	200	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR X-PRO 2T 200	200	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	URBAN	200	12/15	1087	L	S	260	120	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
BETA	URBAN SPECIAL	200	10/11	1608 / 1608X	L	S	300	90	4,0	6	6,5	310 / 310X	R	S	220	105	3,5	6	6,5
BETA	URBAN SPECIAL	200	12/14	1087	L	S	260	120	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
BETA	XTRAINER 2T 200	200	27	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	XTRAINER 2T 200	200	27	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	XTRAINER 2T 300	300	27	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	ALP	250	01/03	128	L	S	220	108	3,5	6	6,5	352	R	S	200	45	3,5	6	6,5
BETA	EVO 2T 250	250	19/25	1588X	L	S	185	-	2,7	4	10,5	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T 250	250	19/25									1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T 250	250	19/25									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T 250	250	19/25									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 2T / EVO 2T FACTORY	250	09/18	626	L	S	185	-	3,0	4	10,0	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	250	09/18	626X	L	S	185	-	2,7	4	10,0	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	250		1588X	L	S	185	-	2,7	4	10,5	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T / EVO 2T FACTORY	250	09/18									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 2T 250 FACTORY	250	19/25	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T 250 FACTORY	250	19/25									1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T 250 FACTORY	250	19/25									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T 250 FACTORY	250	19/25									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 4T / REV 4T RACING	250	09/16	626	L	S	185	-	3,0	4	10,0	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 4T / REV 4T RACING	250	09/16	626X	L	S	185	-	2,7	4	10,0	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 4T / REV 4T RACING	250	09/16	1588X	L	S	185	-	2,7	4	10,5	1594X	L	FIM	160	-	2,5	4	6,0
BETA	REV 3	250	01/02	316	L	S	185	-	3,5	4	10,5	317 / 317SP	L	S	165	-	3,5	4	10,5
BETA	REV 3	250	03/08	626	L	S	185	-	3,0	4	10,0	645	L	S	165	-	3,0	4	10,5
BETA	REV 3	250	03/08	626X	L	S	185	-	2,7	4	10,0								
BETA	REV 3	250	03/08	1588X	L	S	185	-	2,7	4	10,5								
BETA	REV 3 LONG RANGE	250	07/08	626	L	S	185	-	3,0	4	10,0	645	L	S	165	-	3,0	4	10,5
BETA	REV 3 LONG RANGE	250	07/08	626X	L	S	185	-	2,7	4	10,0								
BETA	REV 3 LONG RANGE	250	07/08	1588X	L	S	185	-	2,7	4	10,5								
BETA	REV 4T	250	07/09	626	L	S	185	-	3,0	4	10,0	905	R	S	150	45	2,5	4	6,5
BETA	REV 4T	250	07/09	626X	L	S	185	-	2,7	4	10,0								

BETA	REV 4T	250	07/09	1588X	L	S	185	-	2,7	4	10,5								
BETA	RR ENDURO 4T	250	05/12	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR 2T	250	12/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 2T	250	12/23	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 2T	250	12/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACE 250 2T	250	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 250 2T	250	25	1254X	L	S	*270	-	3	6	6,5								
BETA	RR RACE 250 2T	250	25	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR RACE 250 2T	250	25	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR RACE 250 2T	250	25	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR RACING 2T	250	12/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACING 2T	250	12/23	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACING 2T	250	12/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR X-PRO 2T 250	250	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 2T 250	250	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 2T 250	250	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 2T 250	250	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR X-PRO 2T 250	250	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RX 250 2T	250	25/27	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RX 250 2T	250	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RX 250 2T	250	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RX 250 2T	250	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RX 250 2T	250	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RX 250 4T	250	27	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RX 250 4T	250	27	1254X	L	S	*270	-	3	6	6,5								
BETA	RX 250 4T	250	27	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RX 250 4T	250	27	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RX 250 4T	250	27	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	XTRAINER 2T 250	250	17/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	XTRAINER 2T 250	250	17/26	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	XTRAINER 2T 250	250	17/26	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	REV 3	270	03/08	626	L	S	185	-	3,0	4	10,0	645	L	S	165	-	3,0	4	10,5
BETA	REV 3	270	03/08	626X	L	S	185	-	2,7	4	10,0								
BETA	REV 3	270	03/08	1588X	L	S	185	-	2,7	4	10,5								
BETA	EVO 2T	290	09/11	626	L	S	185	-	3,0	4	10,0	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T	290	09/11	626X	L	S	185	-	2,7	4	10,0	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T	290	09/11	1588X	L	S	185	-	2,7	4	10,5	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T	290	09/11									1594X	L	FIM	160	-	2,5	4	6,0
BETA	CROSSTRAINER	300	15/18	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	CROSSTRAINER	300	15/18	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	CROSSTRAINER	300	15/18	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	EVO 2T 300	300	25	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,5	4	6,5
BETA	EVO 2T 300	300	25									1152	L	S	160	-	2,7	4	6,5
BETA	EVO 2T 300	300	25									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T 300	300	25									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 2T 300 / EVO 2T 300 SS	300	20/24	1588X	L	S	185	-	2,7	4	10,5	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T 300 / EVO 2T 300 SS	300	20/24									1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T 300 / EVO 2T 300 SS	300	20/24									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T 300 / EVO 2T 300 SS	300	20/24									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 2T - 4T / FACTORY	300	09/16	626	L	S	185	-	3,0	4	10,0	1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T - 4T / FACTORY	300	09/16	626X	L	S	185	-	2,7	4	10,0	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T - 4T / FACTORY	300	09/16	1588X	L	S	185	-	2,7	4	10,5	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T - 4T / FACTORY	300	09/16									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 4T 300	300	21/25	1588X	L	S	185	-	2,7	4	10,5	1152X	R	S	160	-	2,5	4	6,5
BETA	EVO 4T 300	300	21/25									1152	R	S	160	-	2,7	4	6,5
BETA	EVO 4T 300	300	21/25									1530X / 1530XSP	R	S	160	-	2,5	4	6,0
BETA	EVO 4T 300	300	21/25									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 4T 300 FACTORY	300	21/25	1588X	L	S	185	-	2,7	4	10,5	1152X	R	S	160	-	2,7	4	6,5
BETA	EVO 4T 300 FACTORY	300	21/25									1530X / 1530XSP	R	S	160	-	2,5	4	6,0
BETA	EVO 4T 300 FACTORY	300	21/25									1152	R	S	160	-	2,5	4	6,5
BETA	EVO 4T 300 FACTORY	300	21/25									1594X	R	FIM	160	-	2,5	4	6,0
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18									1152	L	S	160	-	2,5	4	6,5
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18									1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 4T / EVO FACTORY 4T	300	19/20	1588X	L	S	185	-	2,7	4	10,5	1152X	R	S	160	-	2,7	4	6,5
BETA	EVO 4T / EVO FACTORY 4T	300	19/20									1530X / 1530XSP	R	S	160	-	2,5	4	6,0
BETA	EVO 4T / EVO FACTORY 4T	300	19/20									1152	R	S	160	-	2,5	4	6,5
BETA	EVO 4T / EVO FACTORY 4T	300	19/20									1594X	R	FIM	160	-	2,5	4	6,0
BETA	EVO FACTORY 2T 300	300	19/25	1588X	L	S	185	-	2,7	4	10,5	1594X	L	FIM	160	-	2,5	4	6,0

BETA	EVO FACTORY 2T 300	300	19/25									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO FACTORY 2T 300	300	19/25									1152X	L	S	160	-	2,7	4	6,5
BETA	EVO FACTORY 2T 300	300	19/25									1152	L	S	160	-	2,5	4	6,5
BETA	REV 4T RACING	300	09/16	626	L	S	185	-	3,0	4	10,0	1152	L	S	160	-	2,5	4	6,5
BETA	REV 4T RACING	300	09/16	626X	L	S	185	-	2,7	4	10,0	1152X	L	S	160	-	2,7	4	6,5
BETA	REV 4T RACING	300	09/16	1588X	L	S	185	-	2,7	4	10,5	1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	REV 4T RACING	300	09/16									1594X	L	FIM	160	-	2,5	4	6,0
BETA	RR 2T	300	12/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 2T	300	12/24	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 2T	300	12/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACE 300 2T	300	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 300 2T	300	25	1254X	L	S	*270	-	3	6	6,5								
BETA	RR RACE 300 2T	300	25	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR RACE 300 2T	300	25	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR RACE 300 2T	300	25	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR RACING 2T	300	12/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACING 2T	300	12/24	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACING 2T	300	12/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR X-PRO 2T 300	300	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 2T 300	300	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 2T 300	300	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 2T 300	300	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR X-PRO 2T 300	300	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RX 2T 300	300	23/25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RX 2T 300	300	23/25	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RX 2T 300	300	23/25	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	SINCRO 300 2T	300	26/27	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
BETA	SINCRO 300 2T	300	26/27									1152	L	S	160	-	2,5	4	6,5
BETA	SINCRO 300 2T	300	26/27									1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	SINCRO 300 2T	300	26/27									1594X	L	FIM	160	-	2,5	4	6,0
BETA	XTRAINER 2T 300	300	15/27	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	XTRAINER 2T 300	300	15/27	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	XTRAINER 2T 300	300	15/27	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	ALP 350 X	350	23/25	2324	L	S	290	110	4	6	6,5	160	R	S	220	110	4,0	6	6,5
BETA	ALP 4.0 350	350	23/25	2324	L	S	290	110	4	6	6,5	160	R	S	220	110	4,0	6	6,5
BETA	ALP 4.0	350	03/20	159	L	S	260	110	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
BETA	ALP 4.0	350	05	731 / 731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
BETA	ALP 4.0	350	05	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
BETA	ALP 4.0	350	05	1690X	L	F00,0	260	108	3,0	6	6,5								
BETA	M4 / M4 4T / M4 SM	350	05/07	684	L	S	310	140	4,0	MH	MH	160	R	S	220	110	4,0	6	6,5
BETA	RR Efi ENDURO 4T	350	13/14	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR 4T	350	13/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 4T	350	13/24	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 4T	350	13/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACE 350 4T	350	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 350 4T	350	25	1254X	L	S	*270	-	3	6	6,5								
BETA	RR RACE 350 4T	350	25	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR RACE 350 4T	350	25	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR RACE 350 4T	350	25	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR RACING 4T	350	13/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACING 4T	350	13/23	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACING 4T	350	13/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR X-PRO 4T 350	350	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 4T 350	350	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 350	350	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 350	350	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR X-PRO 4T 350	350	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR S 4T	350	17→	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR S 4T	350	17→	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR S 4T	350	17→	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RX 350 2T	350	25/27	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RX 2T 350	350	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RX 2T 350	350	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RX 2T 350	350	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RX 2T 350	350	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR 4T	390	14/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 4T	390	14/23	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 4T	390	14/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACE 390 4T	390	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 390 4T	390	25	1254X	L	S	*270	-	3	6	6,5								

BETA	RR RACE 390 4T	390	25	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR RACE 390 4T	390	25	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR RACE 390 4T	390	25	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR RACING 4T	390	14/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACING 4T	390	14/24	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACING 4T	390	14/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR X-PRO 4T 390	390	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 4T 390	390	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 390	390	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 390	390	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR X-PRO 4T 390	390	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR S 4T	390	17→	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR S 4T	390	17→	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR S 4T	390	17→	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	MOTARD 4.0	400	06	684	L	S	310	140	4,0	MH	MH	189	R	S	220	110	4,0	6	6,5
BETA	RR ENDURO / 4T	400	05/12	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR 4T / RR RACING 4T	400	13/18	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 4T / RR RACING 4T	400	13/18	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 4T / RR RACING 4T	400	13/18	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR SM	400	05/07	392	L	S	260	120	3,5	4	6,5	648	R	S	240	112	4,0	4	9,5
BETA	RR SM	400	05/07	910 / 910X	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR SM	400	05/07	910SP	L	S	260	120	3,0	4	6,5								
BETA	RR SM	400	05/07	1164X	L	F00,0	260	120	3,0	4	6,5								
BETA	RR 4T	430	15/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 4T	430	15/23	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 4T	430	15/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACE 430 4T	430	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 430 4T	430	25	1254X	L	S	*270	-	3	6	6,5								
BETA	RR RACE 430 4T	430	25	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR RACE 430 4T	430	25	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR RACE 430 4T	430	25	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR RACING 4T	430	15/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACING 4T	430	15/24	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACING 4T	430	15/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR S 4T	430	17→	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR S 4T	430	17→	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR S 4T	430	17→	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR X-PRO 4T 430	430	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 4T 430	430	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 430	430	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 430	430	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR X-PRO 4T 430	430	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR EN / 4T	450	05/13	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR 4T / RR RACING 4T	450	14/18	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 4T / RR RACING 4T	450	14/18	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 4T / RR RACING 4T	450	14/18	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR SM	450	05/07	392	L	S	260	120	3,5	4	6,5	648	R	S	240	112	4,0	4	9,5
BETA	RR SM	450	05/07	910 / 910X	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR SM	450	05/07	910SP	L	S	260	120	3,0	4	6,5								
BETA	RR SM	450	05/07	1164X	L	F00,0	260	120	3,0	4	6,5								
BETA	RX 450 4T	450	23/27	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RX 450 4T	450	23/27	1254X	L	S	*270	-	3	6	6,5								
BETA	RX 450 4T	450	23/27	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RX 450 4T	450	23/27	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RX 450 4T	450	23/27	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR EFI 4T	480	15/24	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR EFI 4T	480	15/24	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR EFI 4T	480	15/24	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR EFI RACING 4T	480	15/23	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR EFI RACING 4T	480	15/23	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR EFI RACING 4T	480	15/23	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR RACE 480 4T	480	25	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR RACE 480 4T	480	25	1254X	L	S	*270	-	3	6	6,5								
BETA	RR RACE 480 4T	480	25	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR RACE 480 4T	480	25	1733X / 1733	L	S	*300	127	5	6	6,5								
BETA	RR RACE 480 4T	480	25	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR X-PRO 4T 480	480	25/26	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR X-PRO 4T 480	480	25/26	1254X	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 480	480	25/26	1254XBH	L	S	*270	-	3	6	6,5								
BETA	RR X-PRO 4T 480	480	25/26	1733X / 1733	L	S	*300	127	5	6	6,5								

BETA	RR X-PRO 4T 480	480	25/26	2025XG / 2025G	L	S	*320	127	5	6	6,5								
BETA	RR 4T / RR RACING 4T	498	13/18	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR 4T / RR RACING 4T	498	13/18	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR 4T / RR RACING 4T	498	13/18	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR ENDURO 4T	500	14	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR S 4T	500	17→	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
BETA	RR S 4T	500	17→	1254XK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR S 4T	500	17→	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
BETA	RR ENDURO 4T	520	10/11	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
BETA	RR ENDURO 4T	525	05/09	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
BLATA	ENDURO	125	10/11	1170X	L	S	280	71	4,0	6	8,5	1168X	R	S	220	68	4,0	3	8,5
BLATA	MOTARD	125	10/11	1169X	L	S	280	71	4,0	6	8,5	1167X	R	S	220	68	4,0	3	8,5
BMW	G 310 GS	310	16/26	1814	L	S	300	111	5,0	5	10,5	1772	R	S	240	118	4,5	5	10,5
BMW	G X	450	08/11	1240XSP	L	S	260	105	3,2	5	6,0	1241	R	S	220	103	4,0	6	6,5
BMW	G X	450	08/11	1162XK16	L	KF	*270	105	3,0	5	6,5								
BMW	G X	450	08/11	1146XK27	L	KF	*320	105	5,0	5	6,5								
BMW	F F B GS DAKAR	650	01	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F F B GS DAKAR	650	01	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F F B GS DAKAR	650	01	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F CS F GS / F CS SCARVER	650	01/07	324	R	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F CS F GS / F CS SCARVER	650	01/07	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F CS F GS / F CS SCARVER	650	01/07	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F F ENDURO	650	01/03	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F F ENDURO	650	01/03	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F F ENDURO	650	01/03	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F FL	650	01/05	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F FL	650	01/05	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F FL	650	01/05	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F GS	650	08/12	324	R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS	650	08/12	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS	650	08/12	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	01/07	1232	R	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F GS ABS	650	01/07	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	01/07	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	08/15	1232	R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS ABS	650	08/15	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	08/15	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS Bicilindrico	650	07	1232	R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS Bicilindrico	650	07	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS Bicilindrico	650	07	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F ST STRADA	650	01	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F ST STRADA	650	01	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F ST STRADA	650	01	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F SCARVER 324 SL	650	02/06	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F SCARVER 324 SL	650	02/06	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F SCARVER 324 SL	650	02/06	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	G GS / SERTÃO / ABS	650	09/15	1232	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	G GS / SERTÃO / ABS	650	09/15	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	G GS / SERTÃO / ABS	650	09/15	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	G X CHALLENGE / COUNTRY	650	07/09	324	L	S	300	105	5,0	6	6,5	1090 / 1090X	L	S	240	105	4,5	6	6,5
BMW	G X CHALLENGE / COUNTRY	650	07/09	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	G X CHALLENGE / COUNTRY	650	07/09	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	G X COUNTRY ABS	650	07/10	1232	R	S	300	105	5,0	6	6,5	1090 / 1090X	L	S	240	105	4,5	6	6,5
BMW	G X COUNTRY ABS	650	07/10	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	G X COUNTRY ABS	650	07/10	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	G X MOTO	650	06/07	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	G X MOTO	650	06/07	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BMW	G X MOTO	650	08/09	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1342 / 1342X	L	S	240	102	5,0	5	8,5
BMW	G X MOTO	650	08/09	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BMW	F GS	700	12/16	324	L/R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS	700	12/16	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS	700	12/16	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	700	17/18	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS ABS	700	17/18	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS	800	06/16	324	L/R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS	800	06/16	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS	800	06/16	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ADVENTURE ABS	800	19	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS ADVENTURE ABS	800	19	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS / F GS ADVENTURE ABS	800	17/18	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0

BMW	F GS / F GS ADVENTURE ABS	800	17/18	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ADVENTURE ABS	800	12/16	1232	L/R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS ADVENTURE ABS	800	12/16	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ADVENTURE ABS	800	12/16	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5								
BMW	F 850 GS	850	18/25	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	F 850 GS ADVENTURE	850	19/25	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	F 850 GS + TRIPLE BLACK	850	23	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	R GS	850	01/07	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
BMW	F 750 GS ABS (853cc)	853	18/24	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	F 800 GS (895cc)	895	24	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	F 900 GS	900	23/25	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	F 900 GS ADVENTURE	900	23/25	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	R GS / R GS ABS	1150	01/05	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
BMW	R GS ADVENTURE	1150	02	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
BMW	R GS ADVENTURE	1150	03	2363 / 2363X	L/R	S	320	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
BMW	R GS ADVENTURE	1150	03	2091G / 2091XG	L/R	F7,0	320	181	5,0	5	MH								
BMW	HP 2	1170	06/07	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	HP 2	1170	08/10	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	HP 2 ENDURO	1170	05/07	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	HP 2 ENDURO	1170	08/09	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	HP 2 MEGAMOTO	1170	07	2363 / 2363X	L	S	320	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	HP 2 MEGAMOTO	1170	07	2091G / 2091XG	L	F7,0	320	181	5,0	5	MH								
BMW	HP 2 MEGAMOTO	1170	08/10	1046 / 1046X	L	S	320	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	HP 2 MEGAMOTO	1170	08/10	2091G / 2091XG	L	F7,0	320	181	5,0	5	MH								
BMW	HP 2 SM	1170	06	2363 / 2363X	L/R	S	320	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	HP 2 SM	1170	06	2091G / 2091XG	L/R	F7,0	320	181	5,0	5	MH								
BMW	R 1200 GS ABS	1170	08/12	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	R 1200 GS ABS	1170	02/07	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	R 1200 GS ABS	1170	13/18	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1200 GS ABS	1170	13/18	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS ABS	1170	13/18	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS ABS	1170	13/18	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS ABS	1170	13/18	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS ABS Aluminium Wheel	1170	06/07	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	R 1200 GS K25	1170	02/07	2362 / 2362X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	R 1200 GS K25	1170	08/13	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	R 1200 GS ADVENTURE / ABS	1170	11/13	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
BMW	R 1200 GS ADVENTURE / ABS	1170	11/13	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS ADVENTURE / ABS	1170	11/13	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS ADVENTURE / ABS	1170	11/13	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS ADVENTURE / ABS	1170	11/13	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS ADVENTURE / ABS	1170	14/18	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1200 GS ADVENTURE / ABS	1170	14/18	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS ADVENTURE / ABS	1170	14/18	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS ADVENTURE / ABS	1170	14/18	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS ADVENTURE / ABS	1170	14/18	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS EXCLUSIVE / ABS	1170	13/18	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1200 GS EXCLUSIVE / ABS	1170	13/18	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS EXCLUSIVE / ABS	1170	13/18	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS EXCLUSIVE / ABS	1170	13/18	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS EXCLUSIVE / ABS	1170	13/18	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS LC / LC ADVENTURE	1170	13	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1200 GS RALLYE / RIDE / ABS	1170	17/18	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1200 GS RALLYE / RIDE / ABS	1170	17/18	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS RALLYE / RIDE / ABS	1170	17/18	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1200 GS RALLYE / RIDE / ABS	1170	17/18	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS RALLYE / RIDE / ABS	1170	17/18	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1200 GS TRIPLE BLACK Spoke Wheels	1170	11→	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	-	-	-	-	-	-	
BMW	R 1250 GS ABS	1254	19/24	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1250 GS ABS	1254	19/24	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS ABS	1254	19/24	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS ABS	1254	19/24	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS ABS	1254	19/24	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS ADVENTURE ABS	1254	19/24	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1250 GS ADVENTURE ABS	1254	19/24	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS ADVENTURE ABS	1254	19/24	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS ADVENTURE ABS	1254	19/24	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS ADVENTURE ABS	1254	19/24	2091XGK28	L/R	KO	*320	181	4,8	5	MH								

BMW	R 1250 GS ADVENTURE TROPHY ABS	1254	19/23	1046XK28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS ADVENTURE TROPHY ABS	1254	19/23	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS ADVENTURE TROPHY ABS	1254	19/23	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS TRIPLE BLACK	1254	23	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1250 GS TRIPLE BLACK	1254	23	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS TRIPLE BLACK	1254	23	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS TRIPLE BLACK	1254	23	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS TRIPLE BLACK	1254	23	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS TROPHY ABS	1254	19/23	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434 / 1434X	L	S	276	136,5	5,0	5	10,5
BMW	R 1250 GS TROPHY ABS	1254	19/23	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS TROPHY ABS	1254	19/23	1046K28	L/R	KO	*320	181	4,8	5	14,0								
BMW	R 1250 GS TROPHY ABS	1254	19/23	2091GK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1250 GS TROPHY ABS	1254	19/23	2091XGK28	L/R	KO	*320	181	4,8	5	MH								
BMW	R 1300 GS ADVENTURE Forged Enduro Wheel	1300	24/26	2315G / 2315XG	L/R	F10,7	310	80,2	5	6	8,5	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS ADVENTURE Spoked Wheel	1300	24/26	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS ADVENTURE Spoked Wheel	1300	24/26	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS Aluminium Wheel	1300	22/26	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS Aluminium Wheel	1300	22/26	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS Forged Enduro Wheel	1300	23/26	2315G / 2315XG	L/R	F10,7	310	80,2	5	6	8,5	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS OPTION 719 KARAKORUM Spoked Wheel	1300	25	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS OPTION 719 KARAKORUM Spoked Wheel	1300	25	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS OPTION 719 TRAMUNTANA Forged Wheel	1300	24	2315G / 2315XG	L/R	F10,7	310	80,2	5	6	8,5	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS OPTION 719 TRAMUNTANA Spoked Wheel	1300	24	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS OPTION 719 TRAMUNTANA Spoked Wheel	1300	24	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS RACING RED Spoked Wheel	1300	25	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS RACING RED Spoked Wheel	1300	25	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS Spoked Wheel	1300	23/25	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS Spoked Wheel	1300	23/25	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS TRIPLE BLACK Aluminium Wheel	1300	23/25	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS TRIPLE BLACK Aluminium Wheel	1300	23/25	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS TRIPLE BLACK Forged Wheel	1300	23/25	2315G / 2315XG	L/R	F10,7	310	80,2	5	6	8,5	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS TRIPLE BLACK Spoked Wheel	1300	23/25	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS TRIPLE BLACK Spoked Wheel	1300	23/25	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BMW	R 1300 GS TROPHY Forged Enduro Wheel	1300	24	2315G / 2315XG	L/R	F10,7	310	80,2	5	6	8,5	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS TROPHY Spoked Wheel	1300	24	2314 / 2314X	L/R	S	310	180,3	4,8	5	14,0	2316 / 2316X	L	S	285	140,5	4,8	5	8,75
BMW	R 1300 GS TROPHY Spoked Wheel	1300	24	2313G / 2313XG	L/R	F7,0	310	181,3	5	5	8,5								
BRIXTON	ARCHIVE 4T SCRAMBLER	50	17/19	-	-	-	-	-	-	-	-	2148	R	S	220	58	4	4	10,5
BRIXTON	FELSBERG CBS or ABS	125	19/23	2149G	L	F22,0	276	56	4	6	8,5	2148	R	S	220	58	4	4	10,5
BRIXTON	FELSBERG FT	125	23	2149G	L	F22,0	276	56	4	6	8,5	2148	R	S	220	58	4	4	10,5
BRIXTON	FELSBERG XC CBS	125	19/23	2149G	L	F22,0	276	56	4	6	8,5	2148	R	S	220	58	4	4	10,5
BRIXTON	CROSSFIRE XC ABS	500	19/23	-	R	F00,0	320	-	-	-	-	-	R	S	240	-	-	-	-
BRIXTON	STORR	500	23	-	R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-
BSA	SCRAMBLER 652cc	652	25	-	R	S	320	-	-	-	-	-	L	S	255	-	-	-	-
BULTACO	ALBERO 2,5 / 4,5	E	18/19	1463X	L	S	203	-	1,8	6	5,0	1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO C 2,5 / 4,5	E	17/19	1463X	L	S	203	-	1,8	6	5,0	1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO DISCOVERY 6.0 L.E.	E	18/19	1463X	L	S	203	-	1,8	6	5,0	1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO R 6,0	E	18/19	1463X	L	S	203	-	1,8	6	5,0	1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO R-B 6,0	E	18/19	1463X	L	S	203	-	1,8	6	5,0	1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO R-E 2,5 / 4,5	E	18/19	1463X	L	S	203	-	1,8	6	5,0	1463X	L	S	203	-	1,8	6	5,0
BULTACO	LOBITO	50	01/14	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
CAGIVA	CANYON	500	01	456	L	S	296	144	4,5	6	10,5	-	-	-	-	-	-	-	-
CAGIVA	CANYON	500	01	110 / 110X	L	S	296	144	5,0	6	10,5								
CANNONDALE	XC	400	01/03	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	L	S	220	121	5,0	4	10,5
CANNONDALE	E / X / X S	440	01/03	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	L	S	220	121	5,0	4	10,5
CCM	S. MOTO / REGOLITÀ	50	11/12	275	L	S	260	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
CCM	C-XR S	230	07/08	1079	L	S	320	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	C-XR E	230	07/08	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM		230	07/08	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	F-T35 FLAT TRACKER	230	07/08	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	F-T35 FLAT TRACKER	230	07/08	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	F-T35 FLAT TRACKER	230	07/08	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
CCM	F-T35 FLAT TRACKER	230	07/08	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	SR	400	07/08	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	SR	400	07/08									1057	R	S	220	108	3,5	6	6,5
CCM	SR	400	07/08									1057X	R	S	220	108	4,0	6	6,5
CCM	SUPERMOTO	400	07/08	1079	L	S	320	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	R EXCALIBUR	400	03	-	-	-	-	-	-	-	-	302	R	S	220	108	4,0	6	6,5
CCM	R EXCALIBUR	400	03									1057	R	S	220	108	3,5	6	6,5
CCM	R EXCALIBUR	400	03									1057X	R	S	220	108	4,0	6	6,5
CCM	DS	450	07/08	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5

CCM	E F	450	12	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CCM	E F	450	12									654SP	R	S	240	121,5	4,0	4	6,5
CCM	R	450	07/08	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	R	450	07/08	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	R	450	07/08	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	R	450	07/08	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
CCM	R	450	07/08	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	E S. MOTO / RS ROADSTER	600	01/03	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	E S. MOTO / RS ROADSTER	600	01/03	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	E S. MOTO / RS ROADSTER	600	01/03	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	E S. MOTO / RS ROADSTER	600	01/03	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	644	644	07/08	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	DS	644	02/06	-	-	-	-	-	-	-	-	129 / 129X	R	S	220	110	4,2	6	6,5
CCM	DS	644	02/06									129SP / 129XSP	R	S	220	110	4,2	6	6,5
CCM	DS MY	644	02	300	L	S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
CCM	DUAL SPORT SUPERMOTO	644	03	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	DUAL SPORT TRAIL	644	03	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	DUAL SPORT TRAIL	644	03									1057	R	S	220	108	3,5	6	6,5
CCM	DUAL SPORT TRAIL	644	03									1057X	R	S	220	108	4,0	6	6,5
CCM	R30	644	02/06	022	L	F00,0	320	108	4,0	6	6,5	129 / 129SP	R	S	220	110	4,2	6	6,5
CCM	R30	644	02/06	1204X	L	F00,0	318	108	4,0	6	6,5	129X / 129XSP	R	S	220	110	4,2	6	6,5
CCM	R30	644	02/06	1613	L	F00,0	320	108	5,0	6	6,5								
CCM	R30	644	02/06	1613SP	L	F00,0	320	108	5,0	6	6,5								
CCM	R30	644	02/06	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	R45	644	07/09	-	-	-	-	-	-	-	-	302	R	S	220	108	4,0	6	6,5
CCM	R45	644	07/09									1057	R	S	220	108	3,5	6	6,5
CCM	R45	644	07/09									1057X	R	S	220	108	4,0	6	6,5
CCM	FT-S	710	07/09	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	FT-S	710	07/09	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	FT-S	710	07/09	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	FT-S	710	07/09	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
CCM	FT-S	710	07/09	1613X	L	F00,0	318	108	5,0	6	6,5								
CF MOTO	CX-2E	E	23/24	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	--
CF MOTO	CX-5E	E	23/24	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	--
CF MOTO	450 MT	450	23/26	2285	R	F00,0	320	119	4,5	5	10,5	2378	R	S	240	100	4,5	5	10,5
CF MOTO	650 ADVENTURA ABS	650	22	2128XG	L/R	F00,0	300	80	4,5	5	10,5	-X	R	S	240	-	-	-	-
CF MOTO	650 MT	650	23/24	-X	L/R	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
CF MOTO	700 CL-X ADVENTURE (693cc)	693	22	-	L	F00,0	320	-	-	-	-	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	700 CL-X ADVENTURE (693cc)	693	23/24	-	L	F00,0	300	-	-	-	-	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	700 MT (693cc)	693	23/25	-	L/R	F00,0	300	-	-	-	-	-	R	S	240	-	-	-	-
CF MOTO	800 MT	800	22/26	1565 / 1565X	L/R	F00,0	320	64	5	5	8,5	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	800 MT	800	22/26	1565G / 1565XG	L/R	F00,0	320	64	5	5	8,5								
CF MOTO	800 MT EXPLORE	800	23/26	1565 / 1565X	L/R	F00,0	320	64	5	5	8,5	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	800 MT EXPLORE	800	23/26	1565G / 1565XG	L/R	F00,0	320	64	5	5	8,5								
CF MOTO	800 MT EXPLORE EDITION	800	25	1565 / 1565X	L/R	F00,0	320	64	5	5	8,5	-	R	S	260	-	-	-	-
CF MOTO	800 MT EXPLORE EDITION	800	25	1565G / 1565XG	L/R	F00,0	320	64	5	5	8,5								
CF MOTO	800 MT SPORT	800	22/26	1565 / 1565X	L/R	F00,0	320	64	5	5	8,5	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	800 MT SPORT	800	22/26	1565G / 1565XG	L/R	F00,0	320	64	5	5	8,5								
CF MOTO	800 MT TOURING	800	22/24	1565 / 1565X	L/R	F00,0	320	64	5	5	8,5	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	800 MT TOURING	800	22/24	1565G / 1565XG	L/R	F00,0	320	64	5	5	8,5								
CF MOTO	800 MT-X	800	25/26	1565 / 1565X	L/R	F00,0	320	64	5	5	8,5	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	800 MT-X	800	25/26	1565G / 1565XG	L/R	F00,0	320	64	5	5	8,5								
CF MOTO	1000 MT-X	1000	28	1565 / 1565X	L/R	F00,0	320	64	5	5	8,5	-	R	S	260	100,4	5,0	5	10,5
CF MOTO	1000 MT-X	1000	26	1565G / 1565XG	L/R	F00,0	320	64	5	5	8,5								
CH RACING	WSM MOTARD / RACING	50	05	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
CH RACING	WSM WXE	50	05	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
CH RACING	WSM / WXE / WXR	125	05	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
CH RACING	WSM SPARTA	125	05	640	L	S	260	108	3,0	6	6,5	781	R	S	200	45	3,0	5	6,5
CLIPIC	CJ E FIRST	50	-	003	L	S	220	108	4,0	6	6,5	002	R	S	185	60	3,5	6	6,5
CLIPIC	CJ E FIRST	50	-	026	L	S	220	108	4,0	6	6,5								
CLIPIC	CJ R2	80	01/09	062	L	S	185	72	4,0	6	15,5	259	R	S	150	45	3,0	5	6,5
CPI	SUPERMOTO / BASIC	50	07/09	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5
CPI	SUPERMOTO LIMITED	50	07/08	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5
CPI	SUPER CROSS LIMITED	50	07/09	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5
CPI	SM SUPERMOTARD	50	05/08	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5
CPI	SM BLACK TIGER	50	09	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5

CPI		SX SUPERCROSS	50	07/08	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5
CPI		SM ENDURO	250	09	1075	L	S	267	-	3,5	6	6,5	ND / NA	R	S	227	-	4,0	6	6,5
DERBI		DRD EDITION	50	02/06	618	L/R	S	240	125	3,5	6	7,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		DRD EDITION	50	02/06	632	L/R	S	240	125	3,5	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI		DRD PRO	50	04/05	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		DRD PRO	50	04/05	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		DRD PRO SM	50	06/07	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI		DRD PRO SM	50	06/07	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		DRD PRO SM	50	06/07	2196	L	S	300	108	4	6	6,5								
DERBI		DRD RACING	50	02	828	L	T	260	108	4,0	6	7,5	099	R	S	220	57	4,0	6	6,5
DERBI		DRD RACING R	50	05/06	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		DRD RACING R	50	05/06	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		DRD RACING SM	50	05	841 / 841X	L	S	300	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		DRD RACING SM	50	05	2196	L	S	300	108	4	6	6,5								
DERBI		DRD RACING SM	50	05	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		DRD RACING SM	50	06	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI		DRD RACING SM	50	06	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		DRD RACING SM	50	06	2196	L	S	300	108	4	6	6,5								
DERBI		DRD SM LIMITED EDITION	50	06	618	L/R	S	240	125	3,5	6	7,5	099	R	S	220	57	4,0	6	6,5
DERBI		DRD SM LIMITED EDITION	50	06	632	L/R	S	240	125	3,5	6	7,5								
DERBI		GPX 1	50	06	471	L	T	245	125	3,5	5	6,5	734	L	T	180	60	3,5	3	10,5
DERBI	SENDA	BLACK DEVIL	50	05/07	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA	BLACK DEVIL	50	05/07	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA	EXTREME	50	03	-	-	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA	EXTREME	50	03									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	L	50	01	-	-	-	-	-	-	-	-	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI		SENDA R	50	01	614	L	S	259	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA	R	50	01/03	335	L	S	240	108	3,5	6	6,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	R DRD	50	02/03	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA	R DRD	50	06	868	L	T	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
DERBI	SENDA	R DRD DEVIL	50	04/05	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA	R DRD DEVIL	50	04/05	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA	R LE	50	01/03	088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	R RACER	50	02/03	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA	R RACER	50	02/03									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	R X-TREME	50	01	614	L	S	259	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA	R X-TREME	50	01									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	R X-TREME	50	03/04	193 / 840X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA	R X-TREME	50	03/04									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	R X-TREME	50	18	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA	R X-TREME	50	18	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA	RACING SM	50	18/20	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA	RACING SM	50	18/20	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA	SM LIMITED	50	19/20	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA	SM LIMITED	50	19/20	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA	SM X-TREME	50	04	-	-	-	-	-	-	-	-	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA	SM X-TREME	50	04									238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA	SM X-TREME / X RACE SM	50	08/09	193 / 840X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA	SM X-TREME / X RACE SM	50	08/09									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	SR	50	01	614	L	S	259	108	3,5	6	6,5	-	-	-	-	-	-	-	-
DERBI	SENDA	SR	50	01	088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	X RACE SM	50	06	-	-	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA	X RACE SM	50	06	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA	X-TREME	50	18	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA	X-TREME	50	18	-	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA	X-TREME R	50	15/20	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA	X-TREME SM	50	05/06	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA	X-TREME SM	50	19/20	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA	X-TREME SM	50	19/20	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA	X-TREME SM CAMO	50	19/20	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA	X-TREME SM CAMO	50	19/20	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA	DRD	50	03	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD	EDITION	50	04	841 / 841X	L	S	300	108	3,5	6	6,5	-	-	-	-	-	-	-	-
DERBI	SENDA DRD	EDITION	50	04	2196	L	S	300	108	4	6	6,5								
DERBI	SENDA DRD	EVO	50	08/09	801	L	T	300	90	4,0	6	6,5	8021	R	T	218	57	3,5	6	6,5
DERBI	SENDA DRD	EVO	50	08/09	1103	L	F00,0	300	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD	EVO	50	08/09	1068	L	F00,0	300	90	4,0	6	6,5								
DERBI	SENDA DRD	SM PRO	50	06/13	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD	SM PRO	50	06/13	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD	SM PRO	50	06/13	2196	L	S	300	108	4	6	6,5								

DERBI	SENDA DRD	RACING / SM	50	08/09	868	L	T	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD	RACING / SM	50	08/09	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD	RACING R	50	11	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD	RACING R	50	11	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD	RACING SM	50	11	868	L	T	260	108	3,5	6	6,5	8021	R	T	218	57	3,5	6	6,5
DERBI	SENDA DRD	RACING SM	50	11	193 / 840X	L	S	260	108	3,5	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD	RACING SM	50	17	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD	RACING SM	50	17	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA DRD	SM	50	02	618	L/R	S	240	125	3,5	6	7,5	-	-	-	-	-	-	-	-
DERBI	SENDA DRD	SM	50	02	632	L/R	S	240	125	3,5	6	7,5								
DERBI	SENDA DRD	X-TREME R / SM	50	11	868	L	T	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD	X-TREME R / SM	50	11	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD	X-TREME R	50	16/17	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD	X-TREME R	50	16/17	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI	SENDA DRD	X-TREME SM LTD	50	14/17	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD	X-TREME SM LTD	50	14/17	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI		SM RACER	50	02/03	193	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI		SM RACER	50	02/03	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
DERBI		SM X-TREM	50	01/03	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI		SM X-TREM	50	05/06	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		X-RACE	50	04/05	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI		X-RACE	50	04/05									089X	R	S	180	62	3,8	3	10,5
DERBI		X-RACE R	50	05/09	335	L	S	240	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		X-RACE SM	50	05/07	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		X-TREME / X-TREME R	50	04/09	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI		X-TREME / X-TREME R	50	04/09									089X	R	S	180	62	3,8	3	10,5
DERBI		X-TREME SM	50	05	193	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI		X-TREME SM	50	05	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
DERBI		X-TREME SM	50	06/07	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		X-TREME DRD SM LIMITED	50	17	081	L	S	260	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
DERBI		X-TREME DRD SM LIMITED	50	17	xxxxX	L	F00,0	260	90	4,0	6	MH								
DERBI		CROSS CITY	125	07/13	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		CROSS CITY	125	07/13	2024X	L	S	280	108	4,0	6	6,5								
DERBI		CROSS CITY	125	07/13	1327 / 1327X	L	S	280	108	4,0	6	7,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		DRD R / DRD R SM	125	06	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		DRD R / DRD R SM	125	06	193	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		MULHACEN	125	06/12	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		MULHACEN	125	06/12	2024X	L	S	280	108	4,0	6	6,5								
DERBI		SENDA BAJA 4T SM	125	07/13	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI		SENDA BAJA 4T SM	125	07/13	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		SENDA BAJA 4T SM	125	07/13	2196	L	S	300	108	4	6	6,5								
DERBI		SENDA BAJA R 4T	125	05/13	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		SENDA R 4T	125	05/08	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		SENDA R DRD DEVIL 4T	125	04/05	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		SENDA R DRD DEVIL 4T	125	04/05	193	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		SENDA SM 4T	125	04/06	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI		SENDA SM 4T	125	04/06	2196	L	S	300	108	4	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		SENDA STREET	125	06/07	8019	L	T	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
DERBI		SENDA STREET	125	06/07	2024X	L	S	280	108	4,0	6	6,5								
DERBI		TERRA	125	06/13	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI		TERRA	125	06/13	2024X	L	S	280	108	4,0	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		TERRA ADVENTURE	125	07/13	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI		TERRA ADVENTURE	125	07/13	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI		TERRA ADVENTURE	125	07/13	2196	L	S	300	108	4	6	6,5								
DUCATI		DESMO250 MX	250	27	2358X	L	S	260	114	3	6	6,5	-X	R	S	240	130	4	4	6,25
DUCATI		DESMO450 MX	450	25/27	2358X	L	S	260	114	3	6	6,5	-X	R	S	240	130	4	4	6,25
DUCATI		DESMO450 FACTORY	450	26/27	2358X	L	S	260	114	3	6	6,5	-X	R	S	240	130	4	4	6,25
DUCATI		DESMO450 EDS	450	26/27	2358X	L	S	260	114	3	6	6,5	-X	R	S	240	130	4	4	6,25
DUCATI		HYPERMOTARD 698 MONO (659cc)	698	24/26	PF2329G	L	F00,0	330	72	5	5	8,5	1713	R	S	245	115	4	6	8,5
DUCATI		HYPERMOTARD 698 MONO RVE (659cc)	698	24/26	PF2329G	L	F00,0	330	72	5	5	8,5	1713	R	S	245	115	4	6	8,5
DUCATI		HYPERMOTARD ABS	796	10/13	1302 / 1302X	L/R	F10,0	305	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD / SP	821	13/15	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD / SP	821	13/15	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		HYPERMOTARD / SP ABS	821	13/16	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD / SP ABS	821	13/16	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	HYPERMOTARD	HYPERMOTARD TOURING	821	13	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
DUCATI	HYPERMOTARD	TOURING	821	13	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	HYPERMOTARD	HYPERMOTARD TOURING ABS	821	13	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI	HYPERMOTARD	TOURING ABS	821	13	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		HYPERSTRADA	821	13/15	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5

DUCATI		HYPERSTRADA	821	13/15	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		HYPERSTRADA ABS	821	14/16	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERSTRADA ABS	821	14/16	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		DESERTX V2 890cc	890	26	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI		DESERTX V2 890cc	690	26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		DESERTX V2 890cc	890	26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		HYPERMOTARD V2 890cc	890	26	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1713	R	S	245	115	4,0	6	8,5
DUCATI		HYPERMOTARD V2 890cc	890	26	1845ZG	L/R	F9,7	320	72	4,5	5	8,25								
DUCATI		HYPERMOTARD V2 890cc	890	26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		HYPERMOTARD V2 890cc	890	26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		HYPERMOTARD V2 SP 890cc	890	26	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1713	R	S	245	115	4,0	6	8,5
DUCATI		HYPERMOTARD V2 SP 890cc	890	26	1845ZG	L/R	F9,7	320	72	4,5	5	8,25								
DUCATI		HYPERMOTARD V2 SP 890cc	890	26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		HYPERMOTARD V2 SP 890cc	890	26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		MULTISTRADA V2 890cc	890	25/26	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,25	1839	R	S	265	71,5	60	5	8,5
DUCATI		MULTISTRADA V2 890cc	890	25/26	1845ZG	L/R	F9,7	320	72	4,5	5	8,25								
DUCATI		MULTISTRADA V2 890cc	890	25/26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		MULTISTRADA V2 890cc	890	25/26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		MULTISTRADA V2 S 890cc	890	25/26	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,25	1839	R	S	265	71,5	60	5	8,5
DUCATI		MULTISTRADA V2 S 890cc	890	25/26	1845ZG	L/R	F9,7	320	72	4,5	5	8,25								
DUCATI		MULTISTRADA V2 S 890cc	890	25/26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		MULTISTRADA V2 S 890cc	890	25/26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		MULTISTRADA V2 S Travel 890cc	890	25/26	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,25	1839	R	S	265	71,5	60	5	8,5
DUCATI		MULTISTRADA V2 S Travel 890cc	890	25/26	1845ZG	L/R	F9,7	320	72	4,5	5	8,25								
DUCATI		MULTISTRADA V2 S Travel 890cc	890	25/26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		MULTISTRADA V2 S Travel 890cc	890	25/26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		DESERTX 937cc	937	22/26	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI		DESERTX 937cc	937	22/26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		DESERTX 937cc	937	22/26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		DESERTX 937cc DISCOVERY	937	26	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI		DESERTX 937cc DISCOVERY	937	26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		DESERTX 937cc DISCOVERY	937	26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI		DESERTX 937cc RALLY	937	24/26	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI		DESERTX 937cc RALLY	937	24/26	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		DESERTX 937cc RALLY	937	24/26	2187G	L/R	F10,0	320	72	5,5	5	8,5								
DUCATI	HYPERMOTARD	HYPERMOTARD 950 ABS / SP ABS	937	16/17	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD 950 ABS / SP ABS	937	16/17	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		HYPERMOTARD 950 / 950 SP 937cc	937	18/25	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD 950 RVE ABS (937cc)	937	20/24	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI	HYPERSTRADA	HYPERMOTARD 950 ABS / SP ABS	937	16/17	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI	HYPERSTRADA	950 ABS / SP ABS	937	16/17	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	HYPERSTRADA	950 ABS / SP ABS	937	18/20	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		MULTISTRADA 950	937	17	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI		MULTISTRADA 950	937	17	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		MULTISTRADA 950 ABS	937	18/21	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA 950	HYPERMOTARD 950 ENDURO / SPORT / ABS	937	17/18	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1721	R	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA 950	ENDURO / SPORT / ABS	937	17/18	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA 950	S ABS Spoke Wheels	937	18/20	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA 950	S ABS Aluminium Wheels	937	18/21	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA 950	S GP ABS Aluminium Wheels	937	21	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA 950	HYPERMOTARD 950 TOURING / URBAN / ABS	937	17/18	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA 950	TOURING / URBAN / ABS	937	17/18	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI		MULTISTRADA 950 V2 ABS (937cc)	937	22/24	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI		MULTISTRADA 950 V2 S ABS (937cc)	937	22/24	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA 950	V2 S TRAVEL ABS	937	22	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI		PANIGALE V2 ABS	955	20/23	1957ZG	L/R	F15,0	320	72	4,5	5	8,5								
DUCATI		PANIGALE V2 BAYLISS ABS	955	20/23	1957ZG	L/R	F15,0	320	72	4,5	5	8,5								
DUCATI		HYPERMOTARD 1100	1100	07/09	1302 / 1302X	L/R	F10,0	305	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD 1100 EVO	1100	10/12	1302 / 1302X	L/R	F10,0	305	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD 1100 EVO SP	1100	10/12	1302 / 1302X	L/R	F10,0	305	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD 1100 EVO SP CORSE	1100	12	1302 / 1302X	L/R	F10,0	305	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5
DUCATI		HYPERMOTARD 1100 S	1100	07/09	1302 / 1302X	L/R	F10,0	305	72											

DUCATI		MULTISTRADA V4 1158 S SPORT	1158	21/24	1722G	L/R	F10,0	330	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA	MULTISTRADA ABS	1200	10/15	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA	ABS	1200	10/15	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	MULTISTRADA ABS	1200	16/18	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA	ABS	1200	16/18	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	MULTISTRADA ENDURO ABS	1200	16/19	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA	ENDURO ABS	1200	16/19	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	MULTISTRADA ENDURO PRO ABS	1200	18/19	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA	ENDURO PRO / ABS	1200	18/19	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	MULTISTRADA S / ABS	1200	10/12	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA	S / ABS	1200	10/12	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	MULTISTRADA S GT	1200	12/13	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA	S GT	1200	12/13	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	MULTISTRADA S PIKES PEAK ABS	1200	11/14	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA	S PIKES PEAK ABS	1200	11/14	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	S PIKES PEAK ABS	1200	15/17	1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA	S PIKES PEAK ABS	1200	15/17	1722G	L/R	F10,0	330	72	5,0	5	8,5								
DUCATI	MULTISTRADA	MULTISTRADA S SPORT / TOURING / ABS	1200	10/14	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA	S SPORT / TOURING / ABS	1200	10/14	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA	ABS	1262	18/20	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA	ENDURO ABS	1262	19	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	1839	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA	ENDURO ABS	1262	20/21	1845G / 1845XG	L/R	F9,7	320	72	4,5	5	8,5	--	R	S	265	76	6,0	4	-
DUCATI	MULTISTRADA	S ABS	1262	18/20	1722G	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA	S D-AIR ABS	1262	18/20	1722G	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA	S GRAND TOUR ABS	1262	20/21	1722G	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA	PIKES PEAK ABS	1262	18/20	1722G	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
ELECTRIC MOTION		EM SPORT / EM LITE	E	14/19	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EM SPORT / EM LITE	E	14/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EM SPORT / EM LITE	E	14/19									1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE COMP	E	20/21	1905 / 1905X	L	S	182	-	3,0	4	15,5	1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE COMP	E	20/21									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE COMP	E	20/21									1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE COMP	E	22/23	1905X / 1905	L	S	182	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE COMP	E	22/23									1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE COMP	E	22/23									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE LITE	E	20/21	1905 / 1905X	L	S	182	-	3,0	4	15,5	1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE LITE	E	20/21									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE LITE	E	20/21									1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE RACE	E	20/21	1905 / 1905X	L	S	182	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE RACE	E	20/21									1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE RACE	E	20/21									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE RACE	E	22	1905X / 1905	L	S	182	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE RACE	E	22									1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE RACE	E	22									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE SPORT	E	20/21	1905 / 1905X	L	S	182	-	3,0	4	15,5	1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE SPORT	E	20/21									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		EPURE SPORT	E	20/21									1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	15/19	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	15/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	15/19									1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	20/21	1905 / 1905X	L	S	182	-	3,0	4	15,5	1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	20/21									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	20/21									1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	22	1905X / 1905	L	S	182	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE	E	22									1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE R	E	22									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE R	E	22	1905X / 1905	L	S	182	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE R	E	22									1906	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ESCAPE R	E	22									650SP	R	S	150	45	3,0	4	6,5
ELECTRIC MOTION		ETREK	E	17/20	1624X	L	S	257	108	3,5	6	6,5	1057X / 1057XK	L	S	220	108	4,0	6	6,5
ENERGICA		EXPERIA ABS	E	21/23	1517	L/R	F00,0	330	78	5,0	5	8,5	-	R	S	240	-	-	-	-
ENERGICA		EXPERIA ABS	E	21/23	2004G / 2004XG	L/R	F00,0	330	78	5,0	5	8,5								
F.B. MONDIAL		FLAT TRACK ABS	125	19/21	-X	L	S	280	-	-	-	-	-X	R	S	240	-	-	-	-
F.B. MONDIAL		SMX ENDURO / MOTARD	125	17/20	-X	L	S	280	-	-	-	-	-X	R	S	220	-	-	-	-
FACTORY BIKE		CHRONO SM	50	02	295	L	S	260	108	4,0	6	6,5	1057 / 1057SP	L	S	220	108	3,5	6	6,5
FACTORY BIKE		CHRONO SM	50	02									1057X	L	S	220	108	4,0	6	6,5
FACTORY BIKE		CHRONO SM	50	02									821	L	T	220	108	4,0	6	6,5
FACTORY BIKE		CHRONO SM	50	05	219	L	S	290	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
FACTORY BIKE		DESERT YM	50	05	238 / 238X	L	S	218	62	3,5	3	10,5	115	R	S	200	62	3,5	3	10,5
FACTORY BIKE		DESERT YM	50	05	843	L	T	218	62	3,5	3	10,5								

FACTORY BIKE	DESERT YR	50	04/05	238 / 238X	L	S	218	62	3,5	3	10,5	1057SP	L	S	220	108	3,5	6	6,5
FACTORY BIKE	DESERT YR	50	04/05	843	L	T	218	62	3,5	3	10,5	115	R	S	200	62	3,5	3	10,5
FACTORY BIKE	DESERT YR	125	01	731 / 731X	L	S	260	108	3,5	6	6,5	1057	L	S	220	108	3,5	6	6,5
FACTORY BIKE	DESERT YR	125	01	731XK	L	S	260	108	3,5	6	6,5	1057X	L	S	220	108	4,0	6	6,5
FACTORY BIKE	DESERT YR	125	01	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	L	S	220	108	4,0	6	6,5
FACTORY BIKE	DESERT YR	125	01	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	L	S	220	108	3,5	6	6,5
FACTORY BIKE	DESERT YR	125	05	219	L	S	290	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
FACTORY BIKE	DESERT YR	250	01	731 / 731X	L	S	260	108	3,5	6	6,5	1057	L	S	220	108	3,5	6	6,5
FACTORY BIKE	DESERT YR	250	01	731XK	L	S	260	108	3,5	6	6,5	1057X	L	S	220	108	4,0	6	6,5
FACTORY BIKE	DESERT YR	250	01	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	L	S	220	108	4,0	6	6,5
FACTORY BIKE	DESERT YR	250	01	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	L	S	220	108	3,5	6	6,5
FACTORY BIKE	DESERT YR	250	02/05	338	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
FACTORY BIKE	DESERT YR	250	02/05	1288X	L	F00,0	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
FACTORY BIKE	DESERT YR	250	02/05	1690X	L	F00,0	260	108	3,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
FANTIC	E-CABALLERO	E	19	-	L	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
FANTIC	ENDURO CASA	50	18/20	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-	-
FANTIC	ENDURO PERFORMANCE	50	18/20	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-	-
FANTIC	ENDURO ER COMPETICION	50	18	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-	-
FANTIC	MOTARD CASA	50	18/20	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-	-
FANTIC	MOTARD PERFORMANCE	50	18/20	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-	-
FANTIC	MOTARD MR COMPETICION	50	18	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-	-
FANTIC	TL	50	20	2277X	L	S	260	110	4	6	6,5	2138X	R	S	220	112	4	6	6,5
FANTIC	XE 50 COMPETITION	50	21/25	2277X	L	S	260	110	4	6	6,5	2138X	R	S	220	112	4	6	6,5
FANTIC	XE 50 PERFORMANCE	50	21/25	2277X	L	S	260	110	4	6	6,5	2138X	R	S	220	112	4	6	6,5
FANTIC	XM 50 COMPETITION	50	21/25	2277X	L	S	260	110	4	6	6,5	2138X	R	S	220	112	4	6	6,5
FANTIC	XM 50 PERFORMANCE	50	21/25	2277X	L	S	260	110	4	6	6,5	2138X	R	S	220	112	4	6	6,5
FANTIC	CABALLERO FLAT TRACK ABS	125	18/22	1996X	L	S	320	110,2	5,0	6	6,5	2122X	R	S	230	115	4	6	6,5
FANTIC	CABALLERO FLAT TRACK ABS	125	18/22	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5								
FANTIC	ENDURO CASA	125	18/20	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	ENDURO PERFORMANCE	125	18/20	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	MOTARD 2T / TZ SM	125	12	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
FANTIC	MOTARD 2T / TZ SM	125	12	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
FANTIC	MOTARD 2T / TZ SM	125	12	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
FANTIC	MOTARD 2T / TZ SM	125	12	1613SP	L	F00,0	320	108	5,0	6	6,5								
FANTIC	MOTARD 2T / TZ SM	125	12	1613X	L	F00,0	318	108	5,0	6	6,5								
FANTIC	MOTARD CASA 4T	125	18/20	1996X	L	S	320	110,2	5,0	6	6,5	-	R	S	220	-	-	-	-
FANTIC	MOTARD CASA 4T	125	18/20	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5								
FANTIC	MOTARD PERFORMANCE 4T	125	18/20	1996X	L	S	320	110,2	5,0	6	6,5	-	R	S	220	-	-	-	-
FANTIC	MOTARD PERFORMANCE 4T	125	18/20	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5								
FANTIC	XE 125 2T	125	20/22	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
FANTIC	XE 125 2T	125	20/22	719	L	S	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
FANTIC	XE 125 2T Oversize D.300 mm	125	20/22	1209X	L	F00,0	*300	118	4,5	6	6,5	789X / 789 / 789SP	R	S	245	115	4,0	6	6,5
FANTIC	XE 125 2T	125	23/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X / 1929XSP	R	S	240	115	4,0	6	6,5
FANTIC	XE 125 2T	125	23/26	719	L	S	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
FANTIC	XE 125 2T Oversize D.300 mm	125	23/26	1209X	L	F00,0	*300	118	4,5	6	6,5	1929X / 1929XSP	R	S	240	115	4,0	6	6,5
FANTIC	XE 125 2T Oversize D.300 mm	125	23/26	1209X	L	F00,0	*300	118	4,5	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
FANTIC	XE 2T PERFORMANCE	125	22	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XEF 125 4T COMPETITION	125	21/25	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XEF 125 4T PERFORMANCE	125	21/25	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XM 2T COMPETITION	125	22	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XM 2T PERFORMANCE	125	22	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XMF 125 4T COMPETITION	125	21/25	1996X	L	S	320	110,2	5,0	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XMF 125 4T COMPETITION	125	21/25	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5								
FANTIC	XMF 125 4T PERFORMANCE	125	21/25	1996X	L	S	320	110,2	5,0	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XMF 125 4T PERFORMANCE	125	21/25	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5								
FANTIC	XX 2T	125	20/21	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
FANTIC	XX 2T	125	20/21	719	L	S	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
FANTIC	XX 2T Oversize D.300 mm	125	20/21	1209X	L	F00,0	*300	118	4,5	6	6,5	789X / 789 / 789SP	S	S	245	115	4,0	6	6,5
FANTIC	XX 2T 125	125	22/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC	XX 2T 125	125	22/26	719	L	S	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
FANTIC	XX 2T 125 Oversize D.300 mm	125	22/26	1209X	L	F00,0	*300	118	4,5	6	6,5	1929X / 1929XSP	R	S	240	115	4,0	6	6,5
FANTIC	CABALLERO FLAT TRACK ABS	250	18/20	1996X	L	S	320	110,2	5,0	6	6,5	2122X	R	S	230	115	4	6	6,5
FANTIC	CABALLERO FLAT TRACK ABS	250	18/20	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5								
FANTIC	ENDURO CASA 4T	250	18	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	MOTARD CASA 4T	250	18	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC	XE 2T	250	20/21	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
FANTIC	XE 2T	250	20/21	719	L	S	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
FANTIC	XEF 250 4T	250	21/25	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
FANTIC	XEF 250 4T	250	21/25	719	L	S	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
FANTIC	XEF 250 4T	250	21/25	1209X	L	F00,0	*300	118	4,5	6	6,5								

FANTIC		XE 250 4T	250	21/25	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XE 250 4T	250	21/25	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XE 250 4T	250	26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XE 250 4T	250	26	719	L	S	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
FANTIC		XE 250 4T	250	26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XE 250 4T	250	26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XE 250 4T	250	26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XE 250 TRAIL	250	26	2277X	L	S	260	110	4	6	6,5	2123X	R	S	220	115	4	6	6,5
FANTIC		XX 2T	250	21	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
FANTIC		XX 2T	250	21	719	L	S	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
FANTIC		XX 2T 250	250	22/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XX 2T 250	250	22/26	719	L	S	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
FANTIC		XX 2T 250	250	22/26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XX 2T 250	250	22/26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XX 2T 250	250	22/26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XXF 4T 250	250	22/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XXF 4T 250	250	22/26	719	L	S	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
FANTIC		XXF 4T 250	250	22/26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XXF 4T 250	250	22/26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XXF 4T 250	250	22/26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XXF 4T 250 NILS Edition	250	25/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XXF 4T 250 NILS Edition	250	25/26	719	L	S	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
FANTIC		XXF 4T 250 NILS Edition	250	25/26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XXF 4T 250 NILS Edition	250	25/26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XXF 4T 250 NILS Edition	250	25/26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XE 300 2T	300	24/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XE 300 2T	300	24/26	719	L	S	270	118	3,0	6	6,5								
FANTIC		XE 300 2T	300	24/26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XE 300 2T	300	24/26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XE 300 2T	300	24/26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XE 310 4T (304cc)	304	23/25	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
FANTIC		XE 310 4T (304cc)	304	23/25	719	L	S	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
FANTIC		XE 310 4T (304cc)	304	23/25	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XE 310 4T (304cc)	304	23/25	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XE 310 4T (304cc)	304	23/25	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XE 310 4T (304cc)	304	26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XE 310 4T (304cc)	304	26	719	L	S	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
FANTIC		XE 310 4T (304cc)	304	26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XE 310 4T (304cc)	304	26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XE 310 4T (304cc)	304	26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC	CABALLERO	ANNIVERSARY EDITION ABS	449	20/22	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5	2122X	R	S	230	115	4	6	6,5
FANTIC	CABALLERO	ANNIVERSARY EDITION ABS	449	20/22	1996X	L	S	320	110,2	5,0	6	6,5								
FANTIC	CABALLERO	FLAT TRACK ABS	449	18/22	2106X / 2106	L	F00,0	320	110,2	5,0	6	6,5	2122X	R	S	230	115	4	6	6,5
FANTIC	CABALLERO	FLAT TRACK ABS	449	18/22	1996X	L	S	320	110,2	5,0	6	6,5								
FANTIC		XE 450 4T (449cc)	449	22/25	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
FANTIC		XE 450 4T (449cc)	449	22/25	719	L	S	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
FANTIC		XE 450 4T (449cc)	449	22/25	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XE 450 4T (449cc)	449	22/25	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XE 450 4T (449cc)	449	22/25	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XE 450 4T (449cc)	449	26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XE 450 4T (449cc)	449	26	719	L	S	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
FANTIC		XE 450 4T (449cc)	449	26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XE 450 4T (449cc)	449	26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XE 450 4T (449cc)	449	26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XXF 450 4T (449cc)	449	23/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XXF 450 4T (449cc)	449	23/26	719	L	S	270	118	3,0	6	6,5	1927XSP	R	S	240,00	115	4,0	6	6,5
FANTIC		XXF 450 4T (449cc)	449	23/26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XXF 450 4T (449cc)	449	23/26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XXF 450 4T (449cc)	449	23/26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XXF 450 4T NILS Edition (449cc)	449	25/26	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
FANTIC		XXF 450 4T NILS Edition (449cc)	449	25/26	719	L	S	270	118	3,0	6	6,5	1929XSP	R	S	240,00	115	4,0	6	6,5
FANTIC		XXF 450 4T NILS Edition (449cc)	449	25/26	1209X	L	F00,0	*300	118	4,5	6	6,5								
FANTIC		XXF 450 4T NILS Edition (449cc)	449	25/26	723X	L	F00,0	*318	118	5	6	6,5								
FANTIC		XXF 450 4T NILS Edition (449cc)	449	25/26	723 / 723SP	L	F00,0	*320	118	5	6	6,5								
FANTIC		XXF ENDURO	449	22	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1927X / 1927XSP	R	S	245	115	4,0	6	6,5
FANTIC		XXF ENDURO	449	22	719	L	S	270	118	3,0	6	6,5								
FANTIC		XE 450 4T RALLY FACTORY	450	23/25	--	L	F00,0	300	118	-4,5	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
FANTIC		XE 450 4T RALLY FACTORY	450	23/25									789SP	R	S	S				

FUTURE	EM - LITE / EM - SPORT	E	17	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
FUTURE	EM - LITE / EM - SPORT	E	17									1570X	R	FIM	150	45	3,0	4	6,5
FUTURE	EM - ESCAPE / EM - ETREK	E	17	731X / 731XK	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
FUTURE	EM - ESCAPE / EM - ETREK	E	17	1690X	L	F00,0	260	108	3,0	6	6,5								
G2	GTR21	125	21	715X / 715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
G2	GTR21	125	21									650X / 650SP	R	S	150	45	3,0	4	6,5
G2	GTR21	250	21	715X / 715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
G2	GTR21	250	21									650X / 650SP	R	S	150	45	3,0	4	6,5
G2	GTR21	280	21	715X / 715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
G2	GTR21	280	21									650X / 650SP	R	S	150	45	3,0	4	6,5
G2	GTR21	300	21	715X / 715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
G2	GTR21	300	21									650X / 650SP	R	S	150	45	3,0	4	6,5
GAS GAS	ALL W / NISSIN CALIPER	-	02/11	022K12	L	KF	*320	108	4,0	6	6,5	-	-	-	-	-	-	-	-
GAS GAS	ALL W / NISSIN CALIPER	-	02/11	1204XK12	L	KF	*318	108	4,0	6	6,5	-	-	-	-	-	-	-	-
GAS GAS	ALL W / NISSIN CALIPER	-	02/11	1613K12	L	KF	*320	108	5,0	6	6,5	-	-	-	-	-	-	-	-
GAS GAS	ALL W / NISSIN CALIPER	-	02/11	1613SPK12	L	KF	*320	108	5,0	6	6,5	-	-	-	-	-	-	-	-
GAS GAS	ALL W / NISSIN CALIPER	-	02/11	1613XK12	L	KF	*318	108	5,0	6	6,5	-	-	-	-	-	-	-	-
GAS GAS	CROSS KIDS MC-E 3 F / R: 10" WHEELS	E	22/23	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
GAS GAS	CROSS KIDS MC-E 5 4 / 10 Years	E	21/24	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
GAS GAS	ENDURO KIDS ONE 10" Wheels	E	19	-	L	S	160	-	-	5	-	-	R	S	160	-	-	5	-
GAS GAS	ENDURO KIDS TWO F:14" / R: 12" Wheels	E	19	-	L	S	160	-	-	5	-	-	R	S	160	-	-	5	-
GAS GAS	SUPERMOTARD KIDS ONE 10" Wheels	E	19	-	L	S	160	-	-	5	-	-	R	S	160	-	-	5	-
GAS GAS	SUPERMOTARD KIDS TWO 12" Wheels	E	19	-	L	S	160	-	-	5	-	-	R	S	160	-	-	5	-
GAS GAS	TRIAL KIDS ONE 10" Wheels	E	19	-	L	S	160	-	-	5	-	-	R	S	160	-	-	5	-
GAS GAS	TRIAL KIDS TWO 12" Wheels	E	19	-	L	S	160	-	-	5	-	-	R	S	160	-	-	5	-
GAS GAS	E-CONTACT	E	19	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	E-CONTACT	E	19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	E-CONTACT	E	19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT E COMING SOON	E	12/13	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT E COMING SOON	E	12/13									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT E COMING SOON	E	12/13									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT E EDD / E EGD	E	18	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT E EDD / E EGD	E	18	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT E EDD / E EGD	E	18									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TX-E	E	19/20	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TX-E	E	19/20	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TX-E	E	19/20									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	BOY 2T	50	10/11	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5
GAS GAS	EC BOY AIR / BOY L.C.	50	05	666	L	S	180	46	3,5	5	6,5	667	R	S	150	46	3,5	5	6,5
GAS GAS	EC ENDUCROSS BOY	50	05	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5
GAS GAS	EC ROOKIE	50	01/02	350	L	S	240	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5
GAS GAS	MC 2T 50 4 / 10 Years	50	21/26	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
GAS GAS	MC 2T 50 4 / 10 Years	50	21/26	1378XK21	L	KF	*185	72	3,0	4	6,5								
GAS GAS	SM ROOKIE	50	01/02	385	L	S	260	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5
GAS GAS	TXT BOY	50	01/02	032	L	S	180	45	3,5	5	6,5	370	-	S	130	46	3,5	5	6,5
GAS GAS	TXT BOY / TXT ROOKIE	50	03	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5
GAS GAS	TXT BOY / CADET / ROOKIE	50	04/09	649	L	S	185	-	3,0	4	6,5	667	-	S	150	46	3,5	5	6,5
GAS GAS	MC BOY	65	05	906	L	S	180	45	3,0	4	6,5	921	R	S	180	45	3,0	4	6,5
GAS GAS	MC	65	06/07	904	L	S	180	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5
GAS GAS	MC	65	08	1125	L	S	173	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5
GAS GAS	MC 2T 65 8 / 12 Years	65	21/22	1025X / 1025	L	S	198	89	3,0	3	6,5	1026X / 1026	R	S	160	45,5	3,0	4	6,5
GAS GAS	MC 2T 65 8 / 12 Years	65	21/22	1379XK22	L	KF	*225	89	3,0	3	6,5								
GAS GAS	MC 2T 65 F.14" / R:12" Wheel 8 / 12 Years	65	23/24	1025X / 1025	L	S	198	89	3,0	3	6,5	2217X	R	S	180	45	3,5	4	6,5
GAS GAS	MC 2T 65 F.14" / R:12" Wheel 8 / 12 Years	65	25	2410X	L	S	198	90,5	3,0	4	6,5	2411X	R	S	180	67,3	3,1	4	6,5
GAS GAS	MC 2T 65 F.14" / R:12" Wheel 8 / 12 Years	65	26	1025X / 1025	L	S	198	89	3,0	3	6,5	2217X	R	S	180	45	3,5	4	6,5
GAS GAS	MX	65	10/11	904	L	S	180	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5
GAS GAS	TXT CADET / ROOKIE	70	10/13	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT CADET / ROOKIE	70	10/13									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT CADET / ROOKIE	70	10/13									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO RACING	80	15	1125	L	S	173	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO RACING	80	15									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO RACING	80	15									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT RACING	80	18/19	1125	L	S	173	-	3,0	4	6,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING	80	18/19									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING	80	18/19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT ROOKIE	80	01	412	L	S	185	-	3,0	4	6,5	410	R	S	130	46	3,5	4	6,5
GAS GAS	TXT ROOKIE	80	03	666	L	S	180	46	3,5	5	6,5	667	R	S	150	46	3,5	5	6,5
GAS GAS	TXT ROOKIE	80	04/08	649	L	S	185	-	3,0	4	6,5	389	R	S	150	45	3,0	4	6,5
GAS GAS	TXT ROOKIE	80	04/08									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT ROOKIE	80	04/08									1570X	R	FIM	150	45	3,0	4	6,5

GAS GAS	MC 2T 85 F:17" / R:14" Wheels	85	22/26	1681X	L	S	240	95	4,0	4	6,5	129X / 129XSP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 85 F:17" / R:14" Wheels	85	22/26	1324XK20	L	KF	*260	95	3,0	4	6,5								
GAS GAS	MC 2T 85 F:19" / R:16" Wheels	85	21/26	1681X	L	S	240	95	4,0	4	6,5	129X / 129XSP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 85 F:19" / R:16" Wheels	85	21/26	1324XK20	L	KF	*260	95	3,0	4	6,5								
GAS GAS	CONTACT TXT	125	01	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5
GAS GAS	EC	125	01/15	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC	125	01/15	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC	125	01/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC	125	01/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC	125	01/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC	125	01/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC 125 2T Braktec caliper	250	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 125 2T Braktec caliper	250	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 125 2T Braktec caliper	250	25	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EC 125 2T Braktec caliper	250	25	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 125 2T Braktec caliper	250	25	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 125 2T Braktec caliper	250	25	1733X / 1733	L	F00,0	*300	127	5	6	6,5								
GAS GAS	EC 125 2T Braktec caliper	250	25	1640X	L	F00,0	*318	127	5	6	6,5								
GAS GAS	EC 125 2T Braktec caliper	250	25	1640 / 1640SP	L	F00,0	*320	127	5	6	6,5								
GAS GAS	EC 125 2T Braktec caliper	250	25	2025XG / 2025G	L	F00,0	*320	127	5	6	6,5								
GAS GAS	EC RACING	125	12/15	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC RACING	125	12/15	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC RACING	125	12/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC RACING	125	12/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC RACING	125	12/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC RACING	125	12/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC SIX DAYS 2T	125	10/11	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC SIX DAYS 2T	125	10/11	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	125	10/11	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	125	10/11	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	125	10/11	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC SIX DAYS 2T	125	10/11	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	HALLEY / HALLEY SM	125	08/09	013 / 013X	L	S	260	108	4,0	6	7,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	MC	125	01/08	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	MC	125	01/08	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	MC	125	01/08	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	MC	125	01/08	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	MC	125	01/08	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	MC	125	01/08	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	MC 2T Brembo caliper	125	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T Brembo caliper	125	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T Brembo caliper	125	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC 2T Brembo caliper	125	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T Brembo caliper	125	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T 125 Braktec caliper	125	23/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 125 Braktec caliper	125	23/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 125 Braktec caliper	125	23/26	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC 2T 125 Braktec caliper	125	23/26	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T 125 Braktec caliper	125	23/26	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T 125 Bracket caliper SM Wheels	125	21/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 125 Bracket caliper SM Wheels	125	21/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 125 Bracket caliper SM Wheels	125	21/26	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	MC 2T 125 Bracket caliper SM Wheels	125	21/26	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 2T 125 Bracket caliper SM Wheels	125	21/26	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 2T 125 Bracket caliper SM Wheels	125	21/26	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	PAMPERA	125	03/05	385	L	S	260	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5
GAS GAS	PAMPERA	125	06	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	PAMPERA 4T	125	07	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	125	07	731XK	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	125	07	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	125	07	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	125	07									821	R	T	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	125	08	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	PAMPERA 4T	125	09/10	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
GAS GAS	SM	125	01/07	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM	125	01/07	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM	125	01/07	1613	L	F00,0	320	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM	125	01/07	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	SM	125	01/07	1613X	L	F00,0	318	108	5,0	6	6,5								
GAS GAS	TX RANDONNÉ	125	12/16	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5

GAS GAS	TX RANDONNÉ	125	12/16									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP 2T	125	17/22	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP 2T	125	17/22	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT GP 2T	125	17/22									650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	02	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	02									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	02									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	03	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	03									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	03									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	125	04/17	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	125	04/17	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	125	04/17									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	125	04/23	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	125	04/23	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	125	04/23									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	125	13	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	125	13	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	125	13									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT SCHOOL 2T	125	18/19	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT SCHOOL 2T	125	18/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT SCHOOL 2T	125	18/19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	CONTACT TXT	200	01	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5
GAS GAS	EC 2T / EC 2T RACING	200	18/20	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T / EC 2T RACING	200	18/20	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T / EC 2T RACING	200	18/20	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC ENDUCROSS	200	01/09	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC ENDUCROSS	200	01/09	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC ENDUCROSS	200	01/09	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC ENDUCROSS	200	01/09	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC ENDUCROSS	200	01/09	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC ENDUCROSS	200	01/09	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	EC HOBBY	200	08	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC HOBBY	200	08	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC HOBBY	200	08	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC HOBBY	200	08	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC HOBBY	200	08	1199XK09	L	KF	*270	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC HOBBY	200	08	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	EC RACING 2T	200	12/15	731X / 731	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC RACING 2T	200	12/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057 / 1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC RACING 2T	200	12/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	TX RANDONNÉ	200	14/15	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TX RANDONNÉ	200	14/15									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TX RANDONNÉ	200	14/15									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	EC RANGER 2T	200	19/20	731X / 731	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC RANGER 2T	200	19/20	731XK	L	S	260	108	3,5	6	6,5	1057 / 1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC RANGER 2T	200	19/20	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC RANGER 2T	200	19/20	1690X	L	F00,0	260	108	3,0	6	6,5								
GAS GAS	EC SIX DAYS 2T	200	10/11	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	1199XK09	L	KF	*270	108	3,5	6	6,5								
GAS GAS	EC SIX DAYS 2T	200	10/11	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	TXT PRO	200	02	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	200	02									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO	200	03	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	200	03									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	200	03									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO	200	04/07	413	L	S	185	-	3,0	4	15,5	389	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	200	04/07	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	200	04/07									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	XC 2T	200	18/20	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	XC 2T	200	18/20	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	XC 2T	200	18/20	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	CONTACT ES 2T	250	15/19	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	CONTACT ES 2T	250	15/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	CONTACT ES 2T	250	15/19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	CONTACT ES EXCURSION	250	17	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	CONTACT ES EXCURSION	250	17	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5

GAS GAS	CONTACT ES EXCURSION	250	17									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	CONTACT ESTART	250	18	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	CONTACT ESTART	250	18	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	CONTACT ESTART	250	18									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	CONTACT TXT	250	01	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5
GAS GAS	EC 2T 250	250	21/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 250	250	21/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 250	250	21/26	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EC 2T 250	250	21/26	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 2T 250	250	21/26	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 2T 250 SM Wheels	250	21/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 250 SM Wheels	250	21/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 250 SM Wheels	250	21/26	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EC 2T 250 SM Wheels	250	21/26	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 2T 250 SM Wheels	250	21/26	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 2T 250 SM Wheels	250	21/26	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 2T / RACING	250	19/20	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T / RACING	250	19/20	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T / RACING	250	19/20	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T RACING / SIX DAYS	250	17/18	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T RACING / SIX DAYS	250	17/18	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T RACING / SIX DAYS	250	17/18	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T / EC E 2T	250	01/15	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T / EC E 2T	250	01/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T / EC E 2T	250	01/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T / EC E 2T	250	01/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T / EC E 2T	250	01/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC 2T SIX DAYS	250	19	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T SIX DAYS	250	19	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T SIX DAYS	250	19	731XK	L	S	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T CAMI	250	14/15	731X / 731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T CAMI	250	14/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T CAMI	250	14/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T CAMI	250	14/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T CAMI	250	14/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC 2T CERVANTES REPLICA	250	11/12	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T CERVANTES REPLICA	250	11/12	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T CERVANTES REPLICA	250	11/12									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T / SIX DAYS 2T	250	10/11	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T / SIX DAYS 2T	250	10/11	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T / SIX DAYS 2T	250	10/11	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T / SIX DAYS 2T	250	10/11	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC 4T RACING / EC RACING	250	12/15	731X / 731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T RACING / EC RACING	250	12/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T RACING / EC RACING	250	12/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T RACING / EC RACING	250	12/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T RACING / EC RACING	250	12/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC F 4T	250	21/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T	250	21/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T	250	21/24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EC F 4T	250	21/24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC F 4T	250	21/24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC F 4T SM Wheels	250	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T SM Wheels	250	21/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T SM Wheels	250	21/24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EC F 4T SM Wheels	250	21/24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC F 4T SM Wheels	250	21/24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC F 4T SM Wheels	250	21/24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC R GUILLAUME / FACTORY	250	13	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC R GUILLAUME / FACTORY	250	13	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC R GUILLAUME / FACTORY	250	13									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	ENDURO GP	250	18/19	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	ENDURO GP	250	18/19	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	ENDURO GP	250	18/19									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EX 2T	250	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T	250	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T	250	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX 2T	250	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T	250	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T Braktec caliper	250	23/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5

GAS GAS	EX 2T Braktec caliper	250	23/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T Braktec caliper	250	23/24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX 2T Braktec caliper	250	23/24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T Braktec caliper	250	23/24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T SUPERMOTARD Wheels	250	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T SUPERMOTARD Wheels	250	21/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T SUPERMOTARD Wheels	250	21/24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EX 2T SUPERMOTARD Wheels	250	21/24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX 2T SUPERMOTARD Wheels	250	21/24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX 2T SUPERMOTARD Wheels	250	21/24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T	250	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T	250	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T	250	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX F 4T	250	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T	250	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	250	23/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T Braktec caliper	250	23/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T Braktec caliper	250	23/24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	250	23/24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	250	23/24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	250	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T SM Wheels	250	21/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T SM Wheels	250	21/24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	250	21/24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	250	21/24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	250	21/24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC	250	01/08	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	MC	250	01/08	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	MC	250	01/08	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	MC	250	01/08	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	MC	250	01/08	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	MC	250	01/08	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	MC 2T	250	22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T	250	22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T	250	22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC 2T	250	22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T	250	22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T 250 Braktec caliper	250	23/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 250 Braktec caliper	250	23/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 250 Braktec caliper	250	23/26	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC 2T 250 Braktec caliper	250	23/26	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T 250 Braktec caliper	250	23/26	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 2T 250 Braktec caliper SM Wheels	250	22/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 250 Braktec caliper SM Wheels	250	22/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 2T 250 Braktec caliper SM Wheels	250	22/26	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	MC 2T 250 Braktec caliper SM Wheels	250	22/26	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 2T 250 Braktec caliper SM Wheels	250	22/26	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 2T 250 Braktec caliper SM Wheels	250	22/26	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC F 4T	250	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T	250	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T	250	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC F 4T	250	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC F 4T	250	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 4T 250 F Braktec caliper	250	23/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 250 F Braktec caliper	250	23/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 250 F Braktec caliper	250	23/26	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC 4T 250 F Braktec caliper	250	23/26	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 4T 250 F Braktec caliper	250	23/26	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 4T 250 F Braktec caliper SM Wheels	250	21/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 250 F Braktec caliper SM Wheels	250	21/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 250 F Braktec caliper SM Wheels	250	21/26	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	MC 4T 250 F Braktec caliper SM Wheels	250	21/26	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 4T 250 F Braktec caliper SM Wheels	250	21/26	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 4T 250 F Braktec caliper SM Wheels	250	21/26	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	PAMPERA	250	02/05	385	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
GAS GAS	RAGA	250	10/11	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	RAGA	250	10/11	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	RAGA	250	10/11									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	SM	250	01/05	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM	250	01/05	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5

GAS GAS	SM	250	01/05	1613	L	F00,0	320	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM	250	01/05	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	SM	250	01/05	1613X	L	F00,0	318	108	5,0	6	6,5								
GAS GAS	TXT CONTACT	250	15	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT CONTACT	250	15	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT CONTACT	250	15									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP	250	18/23	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP	250	18/23	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT GP	250	18/23									650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	250	02	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	250	02									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	250	03	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	250	03									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	250	04/19	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	250	04/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	250	04/19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	250	04/23	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	250	04/23	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	250	04/23									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT RAGA REPLICA	250	12/13	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RAGA REPLICA	250	12/13	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RAGA REPLICA	250	12/13									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	250	04/13	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	250	04/13	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	250	04/13									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	XC 2T	250	18/20	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	XC 2T	250	18/20	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	XC 2T	250	18/20	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	CONTACT ES / ESTART	280	17/19	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	CONTACT ES / ESTART	280	17/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	CONTACT ES / ESTART	280	17/19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	CONTACT TXT	280	01	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5
GAS GAS	PAMPERA	280	03/05	385	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
GAS GAS	TXT GP	280	18/23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP	280	18/23	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT GP	280	18/23									650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	280	02/19	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	280	02/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T	280	02/19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	280	02/23	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	280	02/23	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	280	02/23									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	280	13	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	280	13	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	280	13									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	EC 2T 300	300	21/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 300	300	21/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 300	300	21/25	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EC 2T 300	300	21/25	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 2T 300	300	21/25	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 2T 300 SM Wheel	300	21/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 300 SM Wheel	300	21/25	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 2T 300 SM Wheel	300	21/25	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EC 2T 300 SM Wheel	300	21/25	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 2T 300 SM Wheel	300	21/25	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 2T 300 SM Wheel	300	21/25	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC / EC NANBOLIN	300	01/14	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC / EC NANBOLIN	300	01/14	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC / EC NANBOLIN	300	01/14	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC / EC NANBOLIN	300	01/14	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC / EC NANBOLIN	300	01/14	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC / EC NANBOLIN	300	01/14	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC 2T RANGER	300	18/20	731X / 731	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T RANGER	300	18/20	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T RANGER	300	18/20	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T RANGER	300	18/20	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	17/19	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	17/19	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	17/19	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T RACING	300	12/15	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5

GAS GAS	EC 4T RACING	300	12/15	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T RACING	300	12/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T RACING	300	12/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 4T RACING	300	12/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 4T RACING	300	12/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC E / F	300	14/15	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC E / F	300	14/15	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC E / F	300	14/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC E / F	300	14/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC E / F	300	14/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC E / F	300	14/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC REPLICA FACTORY	300	13	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC REPLICA FACTORY	300	13	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC REPLICA FACTORY	300	13									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC REPLICA GUILLAUME	300	13	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC REPLICA GUILLAUME	300	13	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC REPLICA GUILLAUME	300	13									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	ENDURO GP	300	18/19	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	ENDURO GP	300	18/19	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	ENDURO GP	300	18/19									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	140	L	S	260	-	3,5	6	6,5								
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	1640 / 1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 300 GP 2T Braktec caliper	300	24/25	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX 2T	300	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T	300	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T	300	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX 2T	300	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T	300	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T Braktec caliper	300	23/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T Braktec caliper	300	23/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T Braktec caliper	300	23/24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX 2T Braktec caliper	300	23/24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T Braktec caliper	300	23/24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX 2T SM Wheel	300	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T SM Wheel	300	21/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX 2T SM Wheel	300	21/24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EX 2T SM Wheel	300	21/24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX 2T SM Wheel	300	21/24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX 2T SM Wheel	300	21/24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	TXT 2T / PRO 2T	300	14/19	715X / 715	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT 2T / PRO 2T	300	14/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT 2T / PRO 2T	300	14/19									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP 2T	300	18/23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP 2T	300	18/23	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT GP 2T	300	18/23									650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	300	14/23	715X / 715	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	300	14/23	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	300	14/23									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	300	13	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	300	13	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	300	13									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	XC 2T	300	18/20	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	XC 2T	300	18/20	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	XC 2T	300	18/20	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	CONTACT TXT	320	01	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5
GAS GAS	TXT PRO	320	02	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	320	02	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	320	02									1570X	R	FIM	150	45	3,0	4	6,5

GAS GAS	EC 4T 450 F	350	21/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F	350	21/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F	350	21/26	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EC 4T 450 F	350	21/26	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 4T 450 F	350	21/26	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 4T 450 F SM Wheels	350	21/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F SM Wheels	350	21/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F SM Wheels	350	21/26	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EC 4T 450 F SM Wheels	350	21/26	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 4T 450 F SM Wheels	350	21/26	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 4T 450 F SM Wheels	350	21/26	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	ES 4T	350	24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T	350	24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T	350	24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	ES 4T	350	24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	ES 4T	350	24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	ES 4T SM Wheel	350	24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T SM Wheel	350	24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T SM Wheel	350	24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	ES 4T SM Wheel	350	24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	ES 4T SM Wheel	350	24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	ES 4T SM Wheel	350	24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T	350	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T	350	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T	350	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX F 4T	350	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T	350	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	350	23/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T Braktec caliper	350	23/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T Braktec caliper	350	23/24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	350	23/24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	350	23/24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	350	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T SM Wheels	350	21/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T SM Wheels	350	21/24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	350	21/24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	350	21/24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	350	21/24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC F 4T	350	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T	350	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T	350	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC F 4T	350	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC F 4T	350	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC F 4T Braktec caliper	350	23/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T Braktec caliper	350	23/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T Braktec caliper	350	23/24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC F 4T Braktec caliper	350	23/24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC F 4T Braktec caliper	350	23/24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC F 4T SM Wheels	350	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T SM Wheels	350	21/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T SM Wheels	350	21/24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	MC F 4T SM Wheels	350	21/24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC F 4T SM Wheels	350	21/24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC F 4T SM Wheels	350	21/24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	TXT FOUR STROKE	350	08	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT FOUR STROKE	350	08	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT FOUR STROKE	350	08									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA	400	06/07	-	-	-	-	-	-	-	-	1057 / 1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA	400	06/07									1057X	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA	400	06/07									1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSE	400	01	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSE	400	01	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSE	400	01	1613	L	F00,0	320	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSE	400	01	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5

GAS GAS	SM FSE	400	01	1613X	L	F00,0	318	108	5,0	6	6,5								
GAS GAS	VENTURO 400 4T	400	17	-	L	S	250	-	-	-	-	-	R	S	220	-	-	-	-
GAS GAS	EC F 4T	450	24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T	450	24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T	450	24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EC F 4T	450	24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC F 4T	450	24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC F 4T SM Wheel	450	24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T SM Wheel	450	24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC F 4T SM Wheel	450	24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EC F 4T SM Wheel	450	24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC F 4T SM Wheel	450	24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC F 4T SM Wheel	450	24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC RAID	450	15	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC RAID	450	15									1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC RAID	450	15									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC F REPLICA CERVANTES	450	13	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC F REPLICA CERVANTES	450	13	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC F REPLICA CERVANTES	450	13									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	EX F 4T	450	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T	450	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T	450	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX F 4T	450	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T	450	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	450	23/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T Braktec caliper	450	23/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T Braktec caliper	450	23/24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	450	23/24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T Braktec caliper	450	23/24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	450	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T SM Wheels	450	21/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EX F 4T SM Wheels	450	21/24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	450	21/24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	450	21/24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EX F 4T SM Wheels	450	21/24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	FSE SM	450	01/05	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	FSE SM	450	01/05	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	HALLEY R 4T / SM 4T	450	08/09	013 / 013X	L	S	260	108	4,0	6	7,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	MC F 4T	450	21/22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T	450	21/22	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T	450	21/22	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC F 4T	450	21/22	1254XK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC F 4T	450	21/22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 4T 450 F Braktec caliper	450	23/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 450 F Braktec caliper	450	23/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 450 F Braktec caliper	450	23/26	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	MC 4T 450 F Braktec caliper	450	23/26	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 4T 450 F Braktec caliper	450	23/26	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	MC 4T 450 F Braktec caliper SM Wheels	450	21/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 450 F Braktec caliper SM Wheels	450	21/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC 4T 450 F Braktec caliper SM Wheels	450	21/26	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	MC 4T 450 F Braktec caliper SM Wheels	450	21/26	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 4T 450 F Braktec caliper SM Wheels	450	21/26	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	MC 4T 450 F Braktec caliper SM Wheels	450	21/26	2025XG	L	FO	*320	127	5,0	6	6,5								

GAS GAS	MC F 4T TROY LEE DESIGNS	450	22	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T TROY LEE DESIGNS	450	22	1254XK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	MC F 4T TROY LEE DESIGNS	450	22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
GAS GAS	SM FSR	450	07/08	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSR	450	07/08	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	450	07	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	450	07	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	450	07	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	450	07	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	450	07	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	450	07	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	RX F REPLICA	450	22/23	1043X / 1043	L	S	300	127	4	6	6,5	1294X	R	S	240	110	4	6	6,25
GAS GAS	RX F REPLICA	450	22/23	1733X / 1733	L	S	300	127	4	6	6,5								
GAS GAS	EC 4T 450 F Braktec caliper	500	24/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F Braktec caliper	500	24/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F Braktec caliper	500	24/26	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	EC 4T 450 F Braktec caliper	500	24/26	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 4T 450 F Braktec caliper	500	24/26	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	EC 4T 450 F Braktec caliper SM Wheels	500	24/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F Braktec caliper SM Wheels	500	24/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	EC 4T 450 F Braktec caliper SM Wheels	500	24/26	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	EC 4T 450 F Braktec caliper SM Wheels	500	24/26	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 4T 450 F Braktec caliper SM Wheels	500	24/26	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC 4T 450 F Braktec caliper SM Wheels	500	24/26	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	ES 4T	500	24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T	500	24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T	500	24	1725X	L	F00,0	260	-	3,0	6	6,5								
GAS GAS	ES 4T	500	24	1254XK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	ES 4T	500	24	1254XBHK37	L	KF	*270	-	3,0	6	6,5								
GAS GAS	ES 4T SM Wheel	500	24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T SM Wheel	500	24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
GAS GAS	ES 4T SM Wheel	500	24	1640X	L	FO	*318	127	5,0	6	6,5								
GAS GAS	ES 4T SM Wheel	500	24	1640SP	L	FO	*320	127	5,0	6	6,5								
GAS GAS	ES 4T SM Wheel	500	24	2025G	L	FO	*320	127	5,0	6	6,5								
GAS GAS	ES 4T SM Wheel	500	24	2025XG	L	FO	*320	127	5,0	6	6,5								
GAS GAS	EC FSR 4T	515	08/09	731 / 731X	L	S	260	108	3,5	6	6,5	731 / 731X	R	S	220	108	3,5	6	6,5
GAS GAS	EC FSR 4T	515	08/09	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC FSR 4T	515	08/09	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC FSR 4T	515	08/09	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC FSR 4T	515	08/09	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC FSR 4T	515	08/09	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	SM FSR	515	08/09	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSR	515	08/09	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	515	08/09	1613	L	F00,0	320	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	515	08/09	1613SP	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSR	515	08/09	1613X	L	F00,0	318	108	5,0	6	6,5								
GAS GAS	ES 700 (690cc)	690	22/25	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	2373X / 2373	R	S	240	110	5	6	6,5
GAS GAS	ES 700 (690cc)	690	22/25	2025XG / 2025G	L	F00,0	*320	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5	6	6,5
GAS GAS	SM 700 ABS	690	22/24	1837G / 1837XG	L	F00,0	320	52	5,0	5	MH	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
GAS GAS	SM 700 ABS	690	22/24									1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
GENERIC	TR SM	50	17	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-
GENERIC	TRIGGER SM SUPERMOTARD	50	09	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
GENERIC	TRIGGER X ENDURO	50	09	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
GILERA	GSM / H @ K	50	01	003	L	S	220	108	4,0	6	6,5	227	R	S	184	60	4,0	6	8,5
GILERA	GSM / H @ K	50	01	026	L	S	220	108	4,0	6	6,5								
GILERA	OFF ROAD / R	50	01	003	L	S	220	108	4,0	6	6,5	-	-	-	-	-	-	-	-
GILERA	OFF ROAD / R	50	01	026	L	S	220	108	4,0	6	6,5								
GILERA	RCR	50	05	193	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
GILERA	RCR	50	05	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
GILERA	RCR	50	11	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GILERA	RCR	50	11	868	L	T	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
GILERA	RCR	50	18/20	193 / 840X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GILERA	SMT	50	05	193	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
GILERA	SMT	50	05	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
GILERA	SMT	50	19/20	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
GILERA	SMT	50	19/20	-	L	F00,0	260	90	4,0	6	MH								

GILERA		SMT DRIFTING	50	19/20	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
GILERA		SMT DRIFTING	50	19/20	-	L	F00,0	260	90	4,0	6	MH								
GILERA		SMT / SMT RACING	50	11	193 / 840X	L	S	260	108	3,5	6	6,5	099	R	S	220	57	4,0	6	6,5
GILERA		SMT / SMT RACING	50	11	840	L	T	260	108	3,5	6	6,5	8021	R	T	218	57	3,5	6	6,5
GILERA		SURFER TT	50	01/02	003	L	S	220	108	4,0	6	6,5	Drum	-	-	-	-	-	-	-
GILERA		SURFER TT	50	01/02	026	L	S	220	108	4,0	6	6,5								
GILERA		ZULU	50	01	003	L	S	220	108	4,0	6	6,5	227	R	S	184	60	4,0	6	8,5
GILERA		ZULU	50	01	026	L	S	220	108	4,0	6	6,5								
GOES		TK Efi CBS	125	17/20	-X	R	S	-	-	-	-	-	-	R	S	220	-	-	-	-
HANWAY		X-RAY	50	18	-X	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
HANWAY		G15 ADVENTURE	125	22	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
HANWAY		STR	125	18	xxxxX	L	S	275	121,8	4,0	4	10,5	xxxxX	R	S	210	58	4,0	4	10,5
HANWAY		X-RAY	125	16/18	xxxxX	L	S	275	121,8	4,0	4	10,5	xxxxX	R	S	210	58	4,0	4	10,5
H.D SPORTSTER	SPORTSTER	XLH R FLAT TRACK	883	01/03	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D SPORTSTER	SPORTSTER	XLH R FLAT TRACK	883	01/03	736	L	S	292	56,3	5,0	5	8,5								
H.D SPORTSTER	SPORTSTER	XLH R FLAT TRACK	883	01/03	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D SPORTSTER	SPORTSTER	R FLAT TRACK	1200	01/04	1494	L	S	292	56,3	5,0	5	8,5	1247	L	S	292	56,3	5,0	5	10,5
H.D SPORTSTER	SPORTSTER	R FLAT TRACK	1200	01/04	736	L	S	292	56,3	5,0	5	8,5	1526	L	F00,0	292	56,3	5,0	5	10,5
H.D SPORTSTER	SPORTSTER	R FLAT TRACK	1200	01/04	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. ADVENTURE TOURING		RA 1250 PAN AMERICA Cast wheel	1250	21/24	2230	L/R	S	320	160	4,5	5	13,8	2232	R	S	280	168	5	5	8,5
H.D. ADVENTURE TOURING		RA 1250 S PAN AMERICA SPECIALCast wheel	1250	21/25	2230	L/R	S	320	160	4,5	5	13,8	2232	R	S	280	168	5	5	8,5
H.D. ADVENTURE TOURING		RA 12550 SE CVO PAN AMERICA	1250	24/25	2231	L/R	F00,0	320	56,3	4,5	5	8,5	2232	R	S	280	168	5	5	8,5
H.D. ADVENTURE TOURING		RA 12550 ST PAN AMERICA ST	1250	24/25	2230	L/R	S	320	160	4,5	5	13,8	2232	R	S	280	168	5	5	8,5
H.D. ADVENTURE TOURING		RA 1250 PAN AMERICA SPECIAL Spoked Wheel	1250	21/24	2231	L/R	F00,0	320	56,3	4,5	5	8,5	2232	R	S	280	168	5	5	8,5
H.D. ADVENTURE TOURING		RA 1250 PAN AMERICA Spoked Wheel	1250	21/24	2231	L/R	F00,0	320	56,3	4,5	5	8,5	2232	R	S	280	168	5	5	8,5
HM		BAJA	50	07	1074	L	S	250	118	3,5	4	6,5	-	-	-	-	-	-	-	-
HM		BAJA 10 / 10 JUNIOR	50	01/02	468	L	S	184	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
HM		BAJA 10 / JUNIOR / BAJA 15	50	03/05	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		BAJA 10 / 10 SENIOR / 12	50	01/02	468	L	S	184	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
HM		BAJA 12	50	03/05	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		BAJA 15	50	01/02	468	L	S	184	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
HM		CRE BAJA	50	01/02	369	L	S	250	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
HM		CRE BAJA	50	06	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
HM		CRE SIX	50	01/06	369	L	S	250	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
HM	CRX 10	JR / RACING / SR	50	01/02	467	L	S	169	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
HM	CRX 10	JR / RACING / SR	50	03/05	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM	CRX 10	SENIOR RACING	50	01/02	467	L	S	169	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
HM	CRX 10	SENIOR RACING	50	03/05	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		CRX 12	50	01/02	469	L	S	205	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
HM		CRX 12	50	03/05	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		CRX 12 / 15	50	03/05	710	L	S	205	46	3,0	5	6,5	-	-	-	-	-	-	-	-
HM		CRX 15	50	01/02	469	L	S	205	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
HM		CRX 15	50	03/05	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		DERAPAGE	50	01/02	219	L	S	290	108	3,5	6	6,5	115	L	S	200	62	3,5	3	10,5
HM		DERAPAGE / COMPETITION	50	06	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
HM		MINI BAJA 10 / 12 / 14	50	10/11	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		MINI RACING JR	50	10/11	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		RACING 14 MX	50	10/11	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
HM		CR E	125	01	398	L	S	240	108	3,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM		CR E	125	01									654SP	R	S	240	121,5	4,0	4	6,5
HM		CR E F	125	08/09	1116	L	S	250	101	3,0	6	6,5	1117	R	S	220	121	4,0	4	6,5
HM		CR E R	125	02/08	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM		CR E R	125	02/08									654SP	R	S	240	121,5	4,0	4	6,5
HM		CR E SUPERMOTARD	125	01	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HM		CR E SUPERMOTARD	125	01	724X	L	F00,0	318	101	5,0	6	6,5								
HM		CR E SUPERMOTARD	125	01	2013XG	L	F00,0	320	101	5,0	6	6,5								
HM		CR E SUPERMOTARD	125	02/08	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM		CR E SUPERMOTARD	125	02/08	724X	L	F00,0	318	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HM		CR E SUPERMOTARD	125	02/08	2013XG	L	F00,0	320	101	5,0	6	6,5								
HM		CRE F X / CRN F X	125	08→	-	-	-	-	-	-	-	-	656	R	S	220	105	4,0	4	6,5
HM		MOTARD	125	02/04	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM		MOTARD	125	02/04	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HM		MOTARD	125	02/04	724X	L	F00,0	318	101	5,0	6	6,5								
HM		MOTARD	125	02/04	2013XG	L	F00,0	320	101	5,0	6	6,5								
HM		CRF EASY MOTARD	230	03	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	669	R	S	160	45	3,0	5	6,5
HM		CRF EASY MOTARD	230	03	724X	L	F00,0	318	101	5,0	6	6,5								
HM		CRF EASY MOTARD	230	03	2013XG	L	F00,0	320	101	5,0	6	6,5								
HM		CRF EASY MOTARD	230	08	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM		CRF EASY MOTARD	230	08	724X	L	F00,0	318	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HM		CRF EASY MOTARD	230	08	2013XG	L	F00,0	320	101	5,0	6	6,5								

HM	CRF ENDURO	230	04/10	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRF ENDURO	230	04/10									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRF SUPERMOTARD	230	04/10	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRF SUPERMOTARD	230	04/10									654SP	R	S	240	121,5	4,0	4	6,5
HM	CR E / CR F / CR X	250	09	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CR E / CR F / CR X	250	09									654SP	R	S	240	121,5	4,0	4	6,5
HM	CR E SUPERMOTARD	250	01	-	-	-	-	-	-	-	-	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HM	CR E SUPERMOTARD	250	01	-	-	-	-	-	-	-	-	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HM	CR E SUPERMOTARD	250	04/08	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CR E SUPERMOTARD	250	04/08									654SP	R	S	240	121,5	4,0	4	6,5
HM	CR R MOTO	250	04	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CR R MOTO	250	04									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRE	250	01	398	L	S	240	108	3,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRE	250	01									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRE F / CRE X	250	04/09	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRE F / CRE X	250	04/09	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HM	CRE F / CRE X	250	04/09	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HM	CRE F R	250	11	066X / 066	L	S	240	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HM	CRE F R	250	11									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRE R	250	02/03	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRE R	250	02/03									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRF F / ENDURO / MOTARD	250	04/09	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRF F / ENDURO / MOTARD	250	04/09									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRF R X SUPER MOTARD	250	04/08	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRF R X SUPER MOTARD	250	04/08									654SP	R	S	240	121,5	4,0	4	6,5
HM	MOTARD	250	02/04	019	L	F00,0	320	101	4,5	6	6,5	375	-	S	240	121	4,0	4	10,5
HM	MOTARD	250	02/04	724 / 724SP	L	F00,0	320	101	5,0	6	6,5								
HM	MOTARD	250	02/04	724X	L	F00,0	318	101	5,0	6	6,5								
HM	MOTARD	250	02/04	2013XG	L	F00,0	320	101	5,0	6	6,5								
HM	CRE	300	09	066X / 066	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRE	300	09									654SP	R	S	240	121,5	4,0	4	6,5
HM	FUTURE	300	08	627 / 627X	L	S	184	-	3,5	4	18,5	607	R	S	150	46	2,5	4	6,5
HM	CRE F	450	01/04	398	L	S	240	108	3,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRE F	450	01/04									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRE F ENDURO	450	02/04	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HM	CRF R ENDURO	450	04	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HM	CRF / X SUPERMOTARD	450	02→	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRF / X SUPERMOTARD	450	02→									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRM F R / F X INIEZIONE	450	08	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRM F R / F X INIEZIONE	450	08	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HM	CRM F R / F X INIEZIONE	450	08	724X	L	F00,0	318	101	5,0	6	6,5								
HM	CRM F R / F X INIEZIONE	450	08	2013XG	L	F00,0	320	101	5,0	6	6,5								
HM	MOTARD F	450	01/02	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	MOTARD F	450	01/02									654SP	R	S	240	121,5	4,0	4	6,5
HM	CRF R ENDURO	500	04	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	CRF R ENDURO	500	04									654SP	R	S	240	121,5	4,0	4	6,5
HM	MOTARD	500	01/02	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HM	MOTARD	500	01/02	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HM	MOTARD	500	01/02	724X	L	F00,0	318	101	5,0	6	6,5								
HM	MOTARD	500	01/02	2013XG	L	F00,0	320	101	5,0	6	6,5								
HONDA	RTL Electric	E	25/26	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3	4	6,5
HONDA	RTL Electric	E	25/26									905	R	S	150	45	2,5	4	6,5
HONDA	CRM R	50	01/02	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRM R	50	01/02	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	CRM R	50	01/02	859	L	T	240	118	3,0	4	6,5								
HONDA	DERAPAGE SIX / MOTARD	50	05	219	L	S	290	108	3,5	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRM	75	91/99	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRM	75	91/99	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	CRM	75	91/99	859	L	T	240	118	3,0	4	6,5								
HONDA	CR / CR R	80	01/02	1102 / 1102X	L	S	220	88	3,0	4	6,5	796 / 796X	R	S	190	80	4,0	4	6,5
HONDA	CR R2	80	03/07	1102 / 1102X	L	S	220	88	3,0	4	6,5	796 / 796X	R	S	190	80	4,0	4	6,5
HONDA	CR R / CR RB	85	03/07	1102 / 1102X	L	S	220	88	3,0	4	6,5	796 / 796X	R	S	190	80	4,0	4	6,5
HONDA	CR E	125	01/03	066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HONDA	CR E	125	01/03	1154XK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR E	125	01/03	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR E	125	01/03	724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	125	01/03	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR E	125	01/03	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	125	01/03	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	125	04/08	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5

HONDA	CR E	125	04/08	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR E	125	04/08	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR E	125	04/08	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	125	04/08	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CR E	125	04/08	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	125	04/08	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF F F:17" / R:14" Wheels	125	14/23	748 / 748X	L	S	220	88	3,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF F F:19" / R:16" Wheels	125	14/21	748 / 748X	L	S	220	88	3,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CR R	125	01/03	066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HONDA	CR R	125	01/03	724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	125	01/03	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR R	125	01/03	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	125	01/03	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	125	04/08	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR R	125	04/08	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR R	125	04/08	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR R	125	04/08	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	125	04/08	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CR R	125	04/08	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	125	04/08	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R SM / CR RS	125	01	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
HONDA	CR RS	125	02/03	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR RS	125	02/03									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR RS	125	04	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CR RT / RV / RW / RX / RY	125	01/04	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CR R SM	125	02/06	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR R SM	125	02/06									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R	125	92/94	473 / 473X	L	S	240	118	3,0	4	6,5	-	-	-	-	-	-	-	-
HONDA	CRE R	125	01/06	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R	125	01/06									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R	125	07/08	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRE R SUPERMOTARD	125	02/03	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF	125	01	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF F A / AC 17"/14" Wheels	125	19/23	1102X / 1102	L	S	220	88	3,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF FB / AC 19"/16" Wheels	125	19/23	1102X / 1102	L	S	220	88	3,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	XLR R / RW	125	01	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	XLR R / RW	125	01	859	L	T	240	118	3,0	4	6,5								
HONDA	XLR R / RW	125	01	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	XR L	125	03/07	1192	L	S22,0	240	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HONDA	NXR	150	09/10	1192	L	S22,0	240	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF F	150	03/17	050	L	S	240	118	4,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF 150 R F:17" / R: 14" Wheel	150	07/26	1102X / 1102	L	S	220	88	3,0	4	6,5	796X / 796	R	S	190	80	4,0	4	6,5
HONDA	CRF 150 R F:19" / R: 16" Wheel	150	07/26	1102X / 1102	L	S	220	88	3,0	4	6,5	796X / 796	R	S	190	80	4,0	4	6,5
HONDA	CRF R SMM	150	23	-	-	-	-	-	-	-	-	2063X	R	S	190	53,2	4	3	10,5
HONDA	CRF RB F:17" / R: 14" Wheels	150	07/21	1102X / 1102	L	S	220	88	3,0	4	6,5	796X / 796	R	S	190	80	4,0	4	6,5
HONDA	CBF TR ABS	184	20/21	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
HONDA	CBF TR93 ABS	184	21/22	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
HONDA	CRF 190L	200	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HONDA	CTX / CTX A BUSHLANDER	200	02/07	473 / 473X	L	S	240	118	3,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF EASY MOTARD	230	04/09	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF EASY MOTARD	230	04/09									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF EASY TRAIL	230	04/07	473 / 473X	L	S	240	118	3,0	4	6,5	-	-	-	-	-	-	-	-
HONDA	CRF EASY TRAIL	230	08/10	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF F AC	230	03/20	050	L	S	240	118	4,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF ENDURO	230	04/06	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF L / CRF M	230	07/12	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	CRF L / CRF M	230	07/12	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	CRF L / CRF M	230	07/12	859	L	T	240	118	3,0	4	6,5								
HONDA	SL	230	01	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	SL	230	01	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	SL	230	01	859	L	T	240	118	3,0	4	6,5								
HONDA	CL 250	250	23/24	1884G / 1884XG	R	F00,0	310	46	5	5	10,5	1794 / 1794X	R	S	240	-	5,0	4	10,5
HONDA	CR E	250	01	066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HONDA	CR E	250	01	724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	250	01	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR E	250	01	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	250	01	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	250	02/03	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR E	250	02/03	724K15	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR E	250	02/03	724XK15	L	KF	*318	101	5,0	6	6,5								

HONDA	CR E	250	02/03	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	250	02/03	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E / CR F	250	04/09	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR E / CR F	250	04/09	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR E / CR F	250	04/09	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR E / CR F	250	04/09	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E / CR F	250	04/09	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CR E / CR F	250	04/09	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E / CR F	250	04/09	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E SUPERMOTARD	250	01	-	-	-	-	-	-	-	-	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HONDA	CR R	250	01	066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HONDA	CR R	250	01	724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	250	01	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR R	250	01	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	250	01	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	250	02/09	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR R	250	02/03	724K15	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR R	250	02/03	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR R	250	02/03	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	250	02/03	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	250	04/09	1154XK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR R	250	04/09	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR R	250	04/09	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	250	04/09	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CR R	250	04/09	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	250	04/09	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R / RS / RT / RV	250	01/03	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CR R / RS / RT / RV	250	01/03	724K15	L	KF	*320	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR R / RS / RT / RV	250	01/03	724XK15	L	KF	*318	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR R / RS / RT / RV	250	01/03	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R / RS / RT / RV	250	01/03	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R1 - R4	250	04/05	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CR R1 - R4	250	04/05	1154XK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR R1 - R4	250	04/05	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR R1 - R4	250	04/05	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R1 - R4	250	04/05	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CR R1 - R4	250	04/05	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R1 - R4	250	04/05	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR RW / RX / RY	250	01/03	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR RW / RX / RY	250	01/03	724K15	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR RW / RX / RY	250	01/03	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR RW / RX / RY	250	01/03	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR RW / RX / RY	250	01/03	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR X	250	04/09	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR X	250	04/09	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR X	250	04/09	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR X	250	04/09	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR X	250	04/09	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CR X	250	04/09	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CR X	250	04/09	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRE R ENDURO	250	02/04	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRE F ENDURO / CRE X	250	04/09	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRE F ENDURO / CRE X	250	04/09	654SP	R	S	240	121,5	4,0	4	6,5								
HONDA	CRE R / CRE R SM	250	01	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
HONDA	CRE R / CRE SUPERMOTARD	250	02→	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R / CRE SUPERMOTARD	250	02→	654SP	R	S	240	121,5	4,0	4	6,5								
HONDA	CRE R SUPERMOTARD	250	02	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF	250	01/03	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF	250	14/18	1489X	L	F00,0	296	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF L / CRF L ABS / CRF LD	250	12/21	1350X	L	S	256	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF L / CRF L ABS / CRF LD	250	12/21	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF LD	250	12→	1350X	L	S	256	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF F	250	13/16	1350X	L	S	256	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF F	250	20	-X	L	S	-	-	-	4	-	-X	R	S	-	-	-	4	-
HONDA	CRF M	250	15/16	1489X	L	F00,0	296	101	3,5	6	6,5	045X	R	S	220	121	5,0	4	10,5
HONDA	CRF R	250	04/14	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R	250	04/14	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R	250	04/14	1154XK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R	250	04/14	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R	250	04/14	724K14H	L	KF	*320	101	5,0	6	6,5								

HONDA	CRF R	250	04/14	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF R	250	04/14	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R	250	04/14	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF 250 R	250	15/23	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 250 R	250	15/23	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 250 R	250	24/27	2359X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 250 R	250	24/27	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R	250	15/18	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R	250	15/18	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 250 R	250	19/26	1154XK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 250 R	250	19/26	1154XBHK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R	250	15/18	724K29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R	250	15/18	724XK29	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF R	250	15/18	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R	250	15/18	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF RA ABS	250	17	1832X	L	F00,0	296	101	3,5	6	6,5	1841X	R	S	220	105	4,5	4	10,5
HONDA	CRF RA ABS	250	17	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF RALLY	250	15/16	1489X	L	F00,0	296	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF RALLY	250	15/16	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF RALLY ABS	250	17/23	1832X	L	F00,0	296	101	3,5	6	6,5	1841X	R	S	220	105	4,5	4	10,5
HONDA	CRF RALLY ABS	250	17/23	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF RL ABS / CRF RLA ABS	250	17/18	1832X	L	F00,0	296	101	3,5	6	6,5	1841X	R	S	220	105	4,5	4	10,5
HONDA	CRF RL ABS / CRF RLA ABS	250	17/18	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF 250 RWE	250	25	2359X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 250 RWE	250	25	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 250 RWE	250	25	1154XK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 250 RWE	250	25	1154XBHK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 250 RX	250	15/27	1880X	L	S	260	101	3,5	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 250 RX	250	15/27	1880XK35	L	KF	*270	101	3,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 250 RX	250	15/27	2072XGK35	L	KF	*270	101	3,5	6	6,5								
HONDA	CRF X	250	04/17	066X / 066	L	S	240	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X	250	04/14	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X	250	04/14	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF X	250	15/17	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF X	250	15/17	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF X	250	04/14	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	250	04/14	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF X	250	04/14	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	250	04/14	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	250	15/17	724K29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	250	15/17	724XK29	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF X	250	15/17	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	250	15/17	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA	XL R SPL	250	01	473 / 473X	L	S	240	118	3,0	4	6,5	-	-	-	-	-	-	-	-
HONDA	XR / XR BAJA	250	01/03	473 / 473X	L	S	240	118	3,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR MOTARD	250	03/05	473 / 473X	L	S	240	118	3,0	4	6,5	221 / 221X	R	S	220	105	4,5	4	10,5
HONDA	XR MOTARD	250	03/05									043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR R	250	01/04	119	L	S	240	118	3,5	4	6,5	221 / 221X	R	S	220	105	4,5	4	10,5
HONDA	XR R	250	01/04	473 / 473X	L	S	240	118	3,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR R	250	01/04	859	L	T	240	118	3,0	4	6,5								
HONDA	XR R	250	01/04	726K15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR R	250	01/04	726XK15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR R	250	01/04	726SPK15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR S	250	01	119	L	S	240	118	3,5	4	6,5	221 / 221X	R	S	220	105	4,5	4	10,5
HONDA	XR S	250	01	473 / 473X	L	S	240	118	3,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR S	250	01	859	L	T	240	118	3,0	4	6,5								
HONDA	CL 300	300	23/24	1884G / 1884XG	R	F00,0	310	46	5	5	10,5	1794 / 1794X	R	S	240	-	5,0	4	10,5
HONDA	CRF L ABS	300	21/24	1350X	L	S	256	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF L ABS	300	21/24	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF R ENDURO	300	17	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R ENDURO	300	17	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L RALLY ABS	300	21	1350X	L	S	256	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF L RALLY ABS	300	21	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF L RALLY ABS	300	22/24	1832X	L	F00,0	296	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5
HONDA	CRF L RALLY ABS	300	22/24	2013XG	L	F00,0	*320	101	5	6	6,5								
HONDA	CRF RME	300	15/17	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RME	300	15/17	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RME	300	15/17	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RME	300	15/17	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RX ENDURO	300	19/20	1486X	L	S	260	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5

HONDA	CRF RX ENDURO	300	19/20	1510X	L	F00,0	260	101	3,0	6	6,5								
HONDA	CRF X ENDURO	300	15/16	066X	L	S	240	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R	360	14	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R	360	14	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R	360	14	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R	360	14	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R	360	14	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF R	360	14	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R	360	14	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CB X	400	13→	1484X	R	S	320	211	5,0	6	10,0	1686 / 1686X	R	S	240	116	5,0	4	10,5
HONDA	CRF RX ENDURO	400	17/20	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX ENDURO	400	17/20	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX ENDURO	400	17/18	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RX ENDURO	400	17/18	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RX ENDURO	400	17/18	724K29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF RX ENDURO	400	17/18	724XK29	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF RX ENDURO	400	17/18	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF RX ENDURO	400	17/18	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA	NX 4 FALCON	400	03	792 / 792X	L	S	256	144	5,0	6	10,5	656	R	S	220	105	4,0	4	6,5
HONDA	XR R	400	01/05	119	L	S	240	118	3,5	4	6,5	221 / 221X	R	S	220	105	4,5	4	10,5
HONDA	XR R	400	01/05	473 / 473X	L	S	240	118	3,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR R	400	01/05	859	L	T	240	118	3,0	4	6,5								
HONDA	XR R	400	01/05	726K15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR R	400	01/05	726XK15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR R	400	01/05	726SPK15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR SUPERMOTARD	400	01/06	726 / 726X	L	F00,0	320	118	5,0	4	6,5	221 / 221X	R	S	220	105	4,5	4	10,5
HONDA	XR SUPERMOTARD	400	01/06	726SP	L	F00,0	320	118	5,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR R	440	06/07	119	L	S	240	118	3,5	4	6,5	221 / 221X	R	S	220	105	4,5	4	10,5
HONDA	XR R	440	06/07	473 / 473X	L	S	240	118	3,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR R	440	06/07	859	L	T	240	118	3,0	4	6,5								
HONDA	CR	450	01	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRE F / CRE F SUPERMOTO	450	02→	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRE F / CRE F SUPERMOTO	450	02→									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 HRC-WE	450	27	2359X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 HRC-WE	450	27	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L	450	19	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L	450	19	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L ABS	450	19/22	1880X	L	S	260	101	3,5	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L ABS	450	19/22	2072XGK35	L	KF	*270	101	3,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L ABS	450	19/22	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R SUPERMOTARD	450	02/03	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R SUPERMOTARD	450	02/03									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF F / R	450	02/14	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF F / R	450	04/14	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF F / R	450	04/14	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF F / R	450	02/03	724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF F / R	450	02/03	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF F / R	450	02/03	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF F / R	450	04/14	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF F / R	450	04/14	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF F / R	450	02/14	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF F / R	450	04/14	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF 450 R	450	15/23	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 R	450	15/23	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 R	450	24/27	2359X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 R	450	24/27	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R	450	15/18	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R	450	15/18	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 450 R	450	19/26	1154XK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 450 R	450	19/26	1154XBHK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R	450	15/18	724K29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R	450	15/18	724XK29	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF R	450	15/18	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R	450	15/18	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF RL ABS	450	19/23	1880X	L	S	260	101	3,5	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RL ABS	450	19/23	1880XK35	L	KF	*270	101	3,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RL ABS	450	19/23	2072XGK35	L	KF	*270	101	3,5	6	6,5								
HONDA	CRF RL ABS	450	21/23	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R-S Front fixed Standard disc 260x3,0	450	18/23	1486X	L	S	260	101	3,0	6	6,5	654X / 654 / 654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R-S Front Floating Standard disc 260x3,0	450	18/23	1510X	L	F00,0	260	101	3,0	6	6,5	654X / 654 / 654SP	R	S	240	121,5	4,0	4	6,5

HONDA	CRF R-S Front KIT Floating Oversize disc 270x3,0	450	18	1154XK26	L	KF	*270	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R-S Front KIT Floating Oversize disc 270x3,0	450	18	1154XBHK26	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R-S Front KIT Floating Oversize disc 270x3,0	450	19/23	1154XK35	L	KF	*270	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R-S Front KIT Floating Oversize disc 270x3,0	450	19/23	1154XBHK35	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R-S Front KIT Floating Oversize disc 318x5,0	450	18	724XK29	L	KF	*318	101	5,0	6	6,5	654X / 654 / 654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R-S Front KIT Floating Oversize disc 320x5,0	450	18	724K29	L	KF	*320	101	5,0	6	6,5	654X / 654 / 654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R-S Front KIT Floating Oversize disc 320x5,0	450	18	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF R-S Front KIT Floating Oversize disc 320x5,0	450	18	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF RWE	450	19/23	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RWE	450	19/23	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RWE	450	19	1154XK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RWE	450	19	1154XBHK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RALLY ABS	450	19	xxxxX	L	S	260	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RALLY ABS	450	19									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RS ENDURO	450	17	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RS ENDURO	450	17	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RS SUPERMOTO	450	17	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RS SUPERMOTO	450	17	724	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RS SUPERMOTO	450	17	724X	L	F00,0	318	101	5,0	6	6,5								
HONDA	CRF RS SUPERMOTO	450	17	2013XG	L	F00,0	320	101	5,0	6	6,5								
HONDA	CRF 450 RWE	450	18/23	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 RWE	450	18/23	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 RWE	450	24/25	2359X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 RWE	450	24/25	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RWE	450	18	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RWE	450	18	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 450 RWE	450	19/25	1154XK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF 450 RWE	450	19/25	1154XBHK35	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RX	450	15/18	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX	450	15/18	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX	450	15/18	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RX	450	15/18	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF RX	450	15/18	724K29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF RX	450	15/18	724XK29	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF RX	450	15/18	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF RX	450	15/18	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF 450 RX	450	19/27	1880X	L	S	260	101	3,5	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 RX	450	19/27	1880XK35	L	KF	*270	101	3,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF 450 RX	450	19/27	2072XGK35	L	KF	*270	101	3,5	6	6,5								
HONDA	CRF RX RALLY ABS	450	20	1928X	L	F00,0	320	101	5,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX RALLY ABS	450	20	2013XG	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX SUPERMOTO	450	18	724X	L	F00,0	318	101	5,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX SUPERMOTO	450	18	2013XG	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX SUPERMOTO	450	18	724 / 724SP	L	F00,0	320	101	5,0	6	6,5								
HONDA	CRF RX SUPERMOTO	450	18	019	L	F00,0	320	101	4,5	6	6,5								
HONDA	CRF RX SUPERMOTO ABS	450	19/20	1928X	L	F00,0	320	101	5,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX SUPERMOTO ABS	450	19/20	2013XG	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF SM	450	04/11	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF SM	450	04/11	724K14H	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF SM	450	04/11	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF SM	450	04/11	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF SM	450	04/11	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	450	04/16	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X	450	04/16	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X	450	04/16	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X	450	04/16	1154XK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF X	450	04/16	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF X	450	18	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF X	450	18	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF X	450	04/16	724K14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	450	04/16	724XK14H	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF X	450	04/16	2013XGK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	450	04/16	724SPK14H	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	450	18	724K29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	450	18	724XK29	L	KF	*318	101	5,0	6	6,5								
HONDA	CRF X	450	18	2013XGK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X	450	18	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA	CRF X ABS	450	19/23	1880X	L	S	260	101	3,5	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X ABS	450	19/23	2072XGK35	L	KF	*270	101	3,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X ABS	450	19/23	2013XGK29	L	KF	*320	101	5,0	6	6,5								

HONDA	CRF X SUPERMOTO	450	14/17	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X SUPERMOTO	450	14/17	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X SUPERMOTO	450	14/17	724X	L	F00,0	318	101	5,0	6	6,5								
HONDA	CRF X SUPERMOTO	450	14/17	2013XG	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF XR DUAL	450	19/20	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF XR DUAL	450	19/20	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF XR SUPERMOTO ABS	450	19/20	1928X	L	F00,0	320	101	5,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF XR SUPERMOTO ABS	450	19/20	2013XG	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRM X SUPERMOTARD	450	07→	-	L	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRM X SUPERMOTARD	450	07→									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CB / CB ABS	500	12/17	1484X	R	S	320	211	5,0	6	10,0	1485X / 1485	R	S	240	118	5,0	4	10,0
HONDA	CB X ABS	500	13/18	1484X	R	S	320	211	5,0	6	10,0	1485X / 1485	R	S	240	118	5,0	4	10,0
HONDA	CB X ABS	500	19/21	1884XG / 1884G	R	F00,0	310	46	5,0	5	10,5	1485X / 1485	R	S	240	118	5,0	4	10,0
HONDA	CB 500 X (471cc)	500	22/24	2101X	L/R	F00,0	296	46	4	5	10,5	1794X / 1794	R	S	240	-	5,0	4	10,5
HONDA	CB X TRAVEL EDITION ABS	500	13/17	1484X	R	S	320	211	5,0	6	10,0	1485X / 1485	R	S	240	118	5,0	4	10,0
HONDA	CL 500	500	23/25	1884G / 1884XG	R	F00,0	310	46	5	5	10,5	1794 / 1794X	R	S	240	-	5,0	4	10,5
HONDA	CR / CR E	500	01	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
HONDA	CR / CR E	500	01	724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR / CR E	500	01	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR / CR E	500	01	2013XGK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR / CR E	500	01	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	500	92/94	119	L	S	240	118	3,5	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	500	92/94	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	CR R	500	92/94	859	L	T	240	118	3,0	4	6,5								
HONDA	CR R	500	95/96	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	500	97/01	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
HONDA	CR RT / RV / RW / RX	500	01	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF R ENDURO	500	15/16	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R ENDURO	500	15/16	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R ENDURO	500	15/16	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R ENDURO	500	15/16	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R / X SUPERMOTO	500	15	-	L	S	320	-	3,0	-	-	654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R / X SUPERMOTO	500	15									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X ENDURO	500	15	066X	L	S	240	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRM X SUPERMOTARD	500	07→	-	L	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRM X SUPERMOTARD	500	07→									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	DOMINATOR NX	500	01/03	223	L	S	256	144	4,0	4	8,5	919	R	S	220	105	5,0	4	6,5
HONDA	NX 500	500	24	2125X	L/R	S	296	-	4	5	19,7	1794X / 1794	R	S	240	-	5,0	4	10,5
HONDA	TRANSALP XL V	600	02/07	--	-	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5
HONDA	VT C SHADOW / VLX	600	01	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	-
HONDA	XL LMF	600	ALL	473 / 473X	L	S	240	118	3,0	4	6,5	-	-	-	-	-	-	-	-
HONDA	XR L	600	01/12	119	L	S	240	118	3,5	4	6,5	221 / 221X	R	S	220	105	4,5	4	10,5
HONDA	XR L	600	01/12	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	XR L	600	01/12	859	L	T	240	118	3,0	4	6,5								
HONDA	CBSix50 CONCEPT	650	17	-	L/R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-
HONDA	FMX	650	05/06	1024	L	S	296	112	4,0	4	10,5	919	R	S	220	105	5,0	4	6,5
HONDA	FX VIGOR	650	01/02	204	L	S	276	144	5,0	6	10,5	919	R	S	220	105	5,0	4	6,5
HONDA	NX DOMINATOR	650	01/04	046 / 046X	R	S	256	144	4,0	4	10,5	919	R	S	220	105	5,0	4	6,5
HONDA	SLR	650	01/03	204	L	S	276	144	5,0	6	10,5	919	R	S	220	105	5,0	4	6,5
HONDA	SLR	650	04/17	--	L	S	-	-	-	-	-	919	R	S	220	105	5,0	4	6,5
HONDA	TRANSALP / C - ABS	650	12	1543	L/R	S	256	144	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	XL V TRANSALP	650	01/07	1543	L/R	S	256	144	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	XR L	650	01/12	046 / 046X	L	S	256	144	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	XR L	650	03	050	L	S	240	118	4,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR L	650	16/21	046 / 046X	L	S	256	144	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	XR R	650	01/11	119	L	S	240	118	3,5	4	6,5	474	R	S	240	105	4,0	4	6,5
HONDA	XR R	650	01/11	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	XR R	650	01/11	859	L	T	240	118	3,0	4	6,5								
HONDA	XR R	650	01/11	726K15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR R	650	01/11	726XK15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR R	650	01/11	726SPK15	L	KF	*320	118	5,0	4	6,5								
HONDA	XR SUPERMOTARD	650	07/08	726 / 726X	L	F00,0	320	118	5,0	4	6,5	474	R	S	240	105	4,0	4	6,5
HONDA	XR SUPERMOTARD	650	07/08	726SP	L	F00,0	320	118	5,0	4	6,5								
HONDA	NC 750 X (745cc) / NC 750 X DCT (745cc)	745	14/16	2396X	R	S	320	211,5	5,0	5	10,0	1340X	R	S	240	113,5	5,0	5	10,5
HONDA	NC 750 X (745cc) / NC 750 X DCT (745cc)	745	17/24	1386X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5
HONDA	NC 750 X (745cc)	745	25/26	-	L/R	S	296	94	4	5	6,5	1095	R	S	240	116,5	5	4	10,5
HONDA	NC 750 X DCT (745cc)	745	25/26	-	L/R	S	296	94	4	5	6,5	1095	R	S	240	116,5	5	4	10,5
HONDA	XL 750 TRANSALP	750	23/26	2208XG / 2208G	L/R	F20,0	310	62	4,5	6	6,25	1550X	R	S	256	116	6	4	10,5
HONDA	XL 750 TRANSALP SP	750	25	2208XG / 2208G	L/R	F20,0	310	62	4,5	6	6,25	1550X	R	S	256	116	6	4	10,5
HONDA	XRV AFRICA TWIN	750	01/03	207	L/R	S	276	144	4,0	4	10,5	286 / 286X	R	S	256	144	5,0	4	10,5

HONDA		CROSSRUNNER	800	11/14	1446G / 1446XG	L/R	F17,7	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5
HONDA		VFR X CROSSRUNNER	800	11/14	1446G / 1446XG	L/R	F17,7	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5
HONDA	VFR X CROSSRUNNER	Non ABS	800	15/18	1677G / 1677XG	L/R	F9,0	310	94	5,0	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	VFR X CROSSRUNNER	ABS	800	15/18	2169G / 2169XG	L/R	F10,0	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	VFR X CROSSRUNNER	Non ABS	800	19/20	1834G / 1834XG	L/R	F8,7	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	VFR X CROSSRUNNER	ABS	800	19/20	2169G / 2169XG	L/R	F10,0	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	VFR X CROSSRUNNER	TRAVEL EDITION Non ABS	800	15/18	1677G / 1677XG	L/R	F9,0	310	94	5,0	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	VFR X CROSSRUNNER	TRAVEL EDITION ABS	800	15/18	2169G / 2169XG	L/R	F10,0	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	VFR X CROSSRUNNER	TRAVEL EDITION Non ABS	800	19	1834G / 1834XG	L/R	F8,7	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	VFR X CROSSRUNNER	TRAVEL EDITION ABS	800	19	2169G / 2169XG	L/R	F10,0	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5
HONDA	CRF L AFRICA TWIN	ABS	1000	15/20	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA	CRF L AFRICA TWIN	ADVENTURE SPORTS ABS	1000	18/20	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA	CRF L AFRICA TWIN	ADVENTURE SPORTS DCT	1000	15/18	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA	CRF L AFRICA TWIN	ADVENTURE SPORTS DCT ABS	1000	15/18	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA	CRF L AFRICA TWIN	DCT ABS	1000	20→	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA	CRF L AFRICA TWIN	RALLY / RALLY ABS	1000	17/19	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA	CRF L AFRICA TWIN	TRAVEL EDITION / ABS	1000	16→	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA		XLV VARADERO / ABS	1000	01/02	1446G / 1446XG	L/R	F17,7	296	62	5,0	6	6,5	286 / 286X	R	S	256	144	5,0	4	10,5
HONDA		XLV VARADERO / ABS	1000	03/13	1446G / 1446XG	L/R	F17,7	296	62	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5
HONDA		CRF 1100 L AFRICA TWIN (1084cc)	1084	20/23	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA		CRF 1100 L AFRICA TWIN, LEFT SIDE (1084cc)	1084	24/26	1935XG / 1935G	L	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN, RIGHT SIDE (1084cc)	1084	24/26	2147XG / 2147G	R	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS, LEFT SIDE (1084cc)	1084	20/26	1935XG / 1935G	L	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS, RIGHT SIDE (1084cc)	1084	20/26	2147XG / 2147G	R	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS DCT, LEFT SIDE (1084cc)	1084	20/26	1935XG / 1935G	L	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS DCT, RIGHT SIDE (1084cc)	1084	20/26	2147XG / 2147G	R	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS ES, LEFT SIDE (1084cc)	1084	20/26	1935XG / 1935G	L	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS ES, RIGHT SIDE (1084cc)	1084	20/26	2147XG / 2147G	R	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS ES DCT, LEFT SIDE (1084cc)	1084	20/26	1935XG / 1935G	L	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN ADVENTURE SPORTS ES DCT, RIGHT SIDE (1084cc)	1084	20/26	2147XG / 2147G	R	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN DCT (1084cc)	1084	20/23	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN DCT, LEFT SIDE (1084cc)	1084	24/26	1935XG / 1935G	L	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN DCT, RIGHT SIDE (1084cc)	1084	24/26	2147XG / 2147G	R	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN DESERT TRACK, LEFT SIDE (1084cc)	1084	20/23	1935XG / 1935G	L	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN DESERT TRACK, RIGHT SIDE (1084cc)	1084	20/23	2147XG / 2147G	R	F12,5	310	109	4,5	5	6,5	1936X	R	S	256	140	6,0	5	10,0
HONDA		CRF 1100 L AFRICA TWIN URBAN (1084cc)	1084	22	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA		CRF 1100 L AFRICA TWIN URBAN DCT (1084cc)	1084	22	1643XG / 1643G	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
HONDA		CROSSTOURER	1200	12/14	1637	L/R	S	310	165,5	4,5	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	CROSSTOURER	CROSSTOURER DCT TRAVEL EDITION	1200	12/14	1637	L/R	S	310	165,5	4,5	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	CROSSTOURER	CROSSTOURER L / CROSSTOURER S	1200	14	1637	L/R	S	310	165,5	4,5	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	VFR CROSSTOURER X	VFR CROSSTOURER X 1200 ABS / DCT ABS (1237cc)	1200*	12/16	1435	L/R	S	310	165,5	4,0	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	VFR CROSSTOURER X	VFR CROSSTOURER X 1200 TRAVEL EDITION ABS (1237cc)	1200*	12/16	1435	L/R	S	310	165,5	4,0	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	VFR CROSSTOURER X	VFR CROSSTOURER X 1200 ABS / DCT ABS	1237	12/16	1435	L/R	S	310	165,5	4,0	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	VFR CROSSTOURER X	VFR CROSSTOURER X 1200 ABS / DCT ABS	1237	17/21	1637	L/R	S	310	165,5	4,5	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	VFR CROSSTOURER X	VFR CROSSTOURER X 1200 TRAVEL EDITION ABS	1237	12/16	1435	L/R	S	310	165,5	4,0	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	VFR CROSSTOURER X	VFR CROSSTOURER X 1200 TRAVEL EDITION ABS	1237	17/20	1637	L/R	S	310	165,5	4,5	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA	VFR CROSSTOURER X	VFR CROSSTOURER X L / S	1237	14→	1637	L/R	S	310	165,5	4,5	5	19,7	1329	C	S	276	171	6,0	5	10,5
HONDA RED MOTO		CRF R	150	07	1102 / 1102X	L	S	220	88	3,0	4	6,5	796 / 796X	R	S	190	80	4,0	4	6,5
HONDA RED MOTO		CRF R	250	15/21	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		CRF R	250	15/21	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		CRF R ENDURO	250	15/18	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		CRF R ENDURO	250	15/21	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		CRF RX ENDURO	250	15/21	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		CRF RX ENDURO	250	15/21	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		CRF X	250	14	066X / 066	L	S	240	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		CRF X	250	14	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA RED MOTO		COTA 4 RIDE	260	15/24	627X / 627	L	S	183,3	-	3,5	4	18,5	1810X	R	S	183	45	3,5	4	6,5
HONDA RED MOTO		COTA 4RT R	260	15/21	627X / 627	L	S	184	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5
HONDA RED MOTO		COTA 4RT R	260	15/21									1570X	R	FIM	150	45	3,0	4	6,5
HONDA RED MOTO		COTA 4RT R	260	22/23	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3,0	4	6,5
HONDA RED MOTO		COTA 4RT R	260	22/23									905	R	S	150	45	2,5	4	6,5
HONDA RED MOTO		COTA 4RT RACE REPLICA	260	15/21	627X / 627	L	S	184	-	3,5	4	18,5	1570X	R	FIM	150	45	3,0	4	6,5
HONDA RED MOTO		COTA 4RT RACE REPLICA	260	15/21									905	R	S	150	45	2,5	4	6,5
HONDA RED MOTO		COTA 4RT RACE REPLICA	260	15/21									905	R	S	150	45	2,5	4	6,5
HONDA RED MOTO		COTA 4RT RACE REPLICA	260	22	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3,0	4	6,5
HONDA RED MOTO		COTA 4RT RACE REPLICA	260	22									905	R	S	150	45	2,5	4	6,5
HONDA RED MOTO		COTA 301 RR 75 Anniversary (299cc)	299	21	627X / 627	L	S	184	-	3,5	4	18,5	1570X	R	FIM	150	45	3,0	4	6,5
HONDA RED MOTO		COTA 301 RR 75 Anniversary (299cc)	299	21									905	R	S	150	45	2,5	4	6,5
HONDA RED MOTO		COTA 4RT 301 RR (299cc)	299	20/23	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3,0	4	6,5
HONDA RED MOTO		COTA 4RT 301 RR (299cc)	299	20/23									905	R	S	150	45	2,5	4	6,5
HONDA RED MOTO		COTA 4RT 301 RR RACE REPLICA (299cc)	299	20/23																

[illegible]

HUSABERG	FE / FEE / FS	400	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FS C / FS E	400	01/03	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG	FS C / FS E	400	01/03	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FS C / FS E	400	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FS C / FS E	400	01/03	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FS C / FS E	400	01/03	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FS C / FS E	400	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FC	450	04	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FC	450	04	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FC	450	04	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FC	450	04	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC	450	04	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC	450	04	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE	450	09/14	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FE	450	09/14	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FE	450	09/14	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE	450	09/14	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	450	09/14	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	450	09/14	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FX	450	10	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FX	450	10	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FX	450	10	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FX	450	10	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FX	450	10	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FX	450	10	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE E	450	06/08	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FE E	450	06/08	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FE E	450	06/08	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE E	450	06/08	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FS C / FS E	450	03/08	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	141X / 141	L	S	220	110	4,2	6	6,5
HUSABERG	FS C / FS E	450	03/08	2029XG	L	F00,0	310	127	5,0	6	6,5								
HUSABERG	FC / FX	470	01/02	140	L	S	260	-	3,5	6	6,5	-	-	-	-	-	-	-	-
HUSABERG	FC / FX	470	01/02	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FC / FX	470	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FC / FX	470	01/02	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC / FX	470	01/02	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC / FX	470	01/02	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FC / FE / FE E	501	01/04	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG	FC / FE / FE E	501	01/04	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FC / FE / FE E	501	01/04	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FC / FE / FE E	501	01/04	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC / FE / FE E	501	01/04	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC / FE / FE E	501	01/04	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE	501	11/13	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FE	501	11/13	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FE	501	11/13	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE	501	11/13	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE	501	12/14	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG	FE	501	12/14	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FE	501	12/14	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE	501	12/14	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	501	12/14	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	501	12/14	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE S	501	01/04	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FE S	501	01/04	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FE S	501	01/04	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE S	501	01/04	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE	510	13/14	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG	FE	510	13/14	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FE	510	13/14	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE	510	13/14	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	510	13/14	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	510	13/14	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FC	550	01/05	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG	FC	550	01/05	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FC	550	01/05	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FC	550	01/05	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC	550	01/05	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC	550	01/05	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE E	550	04/08	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5

HUSABERG	FE E	550	04/08	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FE E	550	04/08	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE E	550	04/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE E	550	04/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE E	550	04/08	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE	570	08/12	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FE	570	08/12	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FE	570	08/12	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE	570	10/12	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	570	08/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE	570	08/12	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FS	570	10/11	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FS	570	10/11	2029XG	L	F00,0	310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FC / FC 4 CR	600	01/03	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FC / FC 4 CR	600	01/03	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSABERG	FC / FC 4 CR	600	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FC / FC 4 CR	600	01/03	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC / FC 4 CR	600	01/03	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FC / FC 4 CR	600	01/03	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE E	600	01/02	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSABERG	FE E	600	01/02	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG	FE E	600	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE E	600	01/02	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE E	600	01/02	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE E	600	01/02	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FE S	600	01/03	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSABERG	FE S	600	01/03	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG	FE S	600	01/03	730	L	F00,0	320	127	4,0	6	6,5								
HUSABERG	FE S	600	01/03	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
HUSABERG	FE E	650	01/08	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSABERG	FE E	650	01/08	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG	FE E	650	01/08	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FE E	650	01/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE E	650	01/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE E	650	01/08	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FS C	650	01/04	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG	FS C	650	01/04	140X	L	S	260	-	3,0	6	6,5								
HUSABERG	FS C	650	01/04	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FS C	650	01/04	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FS C	650	01/04	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FS C	650	01/04	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FS E / FX E	650	01/05	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSABERG	FS E / FX E	650	01/05	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG	FS E / FX E	650	01/05	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG	FS E / FX E	650	01/05	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FS E / FX E	650	01/05	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FS E / FX E	650	01/05	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
HUSABERG	FS C / FS E	650	05/08	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG	FS C / FS E	650	05/08	725X	L	F00,0	318	127	5,0	6	6,5								
HUSABERG	FS C / FS E	650	05/08	730	L	F00,0	320	127	4,0	6	6,5								
HUSABERG	FS C / FS E	650	05/08	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
HUSQVARNA	EE 2 ELECTRIC F / R: 10" Wheels	E	24/25	-	L	S	140	-	-	-	-	-	L	S	140	-	-	-	-
HUSQVARNA	EE 3 ELECTRIC F / R: 10" Wheels	E	22/24	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
HUSQVARNA	EE5 ELECTRIC F / R: 10" Wheels	E	19/25	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
HUSQVARNA	CR PRO / CR SENIOR	50	05	-	-	-	-	-	-	-	-	705	L	S	175	45	3,0	5	6,5
HUSQVARNA	HUSKYBOY R	50	01	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
HUSQVARNA	TC 2T 50 F: 12" / R: 10" Wheel	50	17/26	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
HUSQVARNA	TC 2T 50 F: 12" / R: 10" Wheel	50	17/26	1378XK21	L	KF	*185	72	3,0	4	6,5								
HUSQVARNA	CR	65	10/14	1025X	L	S	198	89	3,0	3	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	TC 2T 14" / 12" Wheels	65	17/22	1025X	L	S	198	89	3,0	3	6,5	1026X	R	S	160	45,5	3,0	4	6,5
HUSQVARNA	TC 2T 14" / 12" Wheels	65	17/22	1379XK22	L	KF	*225	89	3,0	3	6,5								
HUSQVARNA	TC 2T 65 F: 14" / R: 12" Wheel	65	23/24	1025X / 1025	L	S	198	89	3,0	3	6,5	2217X	R	S	180	45	3,5	4	6,5
HUSQVARNA	TC 2T 65 F: 14" / R: 12" Wheel	65	25/27	2410X	L	S	198	90,5	3,0	4	6,5	2411X	R	S	180	67,3	3,1	4	6,5
HUSQVARNA	TC 2T 17" / 14" Wheels	85	14/17	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA	TC 2T 17" / 14" Wheels	85	14/17	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA	TC 2T 17" / 14" Wheels	85	18/20	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA	TC 2T 17" / 14" Wheels	85	18/20	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA	TC 2T 17" / 14" Wheels	85	18/20									1481XK25	R	KS	*220	110	4,0	4	6,5
HUSQVARNA	TC 2T 85 F:17" / R: 14" Wheel	85	21/26	1681X	L	S	240	95	4,0	4	6,5	129X / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 85 F:17" / R: 14" Wheel	85	21/26	1324XK20	L	KF	*260	95	3,0	4	6,5								

HUSQVARNA	TC 2T 19" / 16" Wheels	85	14/17	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA	TC 2T 19" / 16" Wheels	85	14/17	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA	TC 2T 19" / 16" Wheels	85	14/17									1481XK25	R	KS	*220	110	4,0	4	6,5
HUSQVARNA	TC 2T 19" / 16" Wheels	85	18/20	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA	TC 2T 19" / 16" Wheels	85	18/20	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA	TC 2T 19" / 16" Wheels	85	18/20									1481XK25	R	KS	*220	110	4,0	4	6,5
HUSQVARNA	TC 2T 85 F:19" / R: 16" Wheel	85	21/26	1681X	L	S	240	95	4,0	4	6,5	129X / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 85 F:19" / R: 16" Wheel	85	21/26	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA	TC 2T 19" / 16" Floating disc	85	18/19	1324X	L	F00,0	260	95	3,0	4	6,5	1493X	R	S	230	110	4,0	4	6,5
HUSQVARNA	TC 2T B 19" / 16" Wheels	85	14/17	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA	CR	125	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	CR	125	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	CR	125	01	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	CR	125	01	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	CR	125	01	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	CR	125	01	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	CR	125	02/05	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	CR	125	02/05	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	CR	125	02/05	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	CR	125	02/05	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	CR	125	02/05	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	CR	125	02/05	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	CR	125	06/13	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	CR	125	06/13	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	CR	125	06/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	CR	125	06/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	CR	125	06/13	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	CR	125	06/13	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	CR	125	09/13	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	CR	125	09/13	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	CR	125	09/13	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	ENDURO	125	00/13	PE1894X	L	S	260	85,8	3,7	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	SMR	125	12	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMR	125	12	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMR	125	12	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMR	125	12	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	SMS	125	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMS	125	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMS	125	01	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMS	125	01	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	SMS	125	02/04	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMS	125	02/04	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMS	125	02/04	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	SMS	125	02/04	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	SMS	125	05/12	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMS	125	05/12	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMS	125	05/12	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMS	125	05/12	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC 2T 125	125	14/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 125	125	14/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 125	125	14/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TC 2T 125	125	14/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 125	125	14/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 125 SM Wheel	125	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 125 SM Wheel	125	14/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 125 SM Wheel	125	14/26	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA	TC 2T 125 SM Wheel	125	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TC 2T 125 SM Wheel	125	14/26	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TC 2T 125 SM Wheel	125	14/26	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TC 2T 125 HERITAGE	125	23/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 125 HERITAGE	125	23/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 125 HERITAGE	125	23/25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TC 2T 125 HERITAGE	125	23/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 125 HERITAGE	125	23/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 125 HERITAGE	125	23/25	1733X / 1733	L	FO	*300	127	14/25	6	6,5								
HUSQVARNA	TE 2T	125	12/13	910X	L	S	260	120	3,0	4	6,5	263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE 2T	125	12/13	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE 2T	125	12/13	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TE 125 2T Brembo caliper	125	25/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 125 2T Brembo caliper	125	25/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5

HUSQVARNA	TE 125 2T Brembo caliper	125	25/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE 125 2T Brembo caliper	125	25/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE 125 2T Brembo caliper	125	25/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE 125 2T SM Wheels	125	25/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 125 2T SM Wheels	125	25/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 125 2T SM Wheels	125	25/26	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA	TE 125 2T SM Wheels	125	25/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE 125 2T SM Wheels	125	25/26	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE 125 2T SM Wheels	125	25/26	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TX 2T	125	17/19	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX 2T	125	17/19	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX 2T	125	17/19	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TX 2T	125	17/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TX 2T	125	17/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TX 2T	125	17/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	WR / WRE	125	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR / WRE	125	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR / WRE	125	01	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR / WRE	125	01	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	125	02/05	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	WR	125	02/05	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	WR	125	02/05	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	WR	125	02/05	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	125	07/14	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	WR	125	07/14	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	WR	125	07/14	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	WR	125	07/14	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	125	07/14	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	125	07/14	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	125	09/14	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	WR	125	09/14	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	WR	125	09/14	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	WRE	125	02/12	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	WRE	125	02/12	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	WRE	125	02/12	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	WRE	125	02/12	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC 2T 150	150	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 150	150	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 150	150	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TC 2T 150	150	25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 150	150	25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 150	150	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	TC 2T 150 HERITAGE	150	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 150 HERITAGE	150	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 150 HERITAGE	150	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TC 2T 150 HERITAGE	150	25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 150 HERITAGE	150	25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 150 HERITAGE	150	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	TE 2T Brembo caliper	150	17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 2T Brembo caliper	150	17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 2T Brembo caliper	150	17	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE 2T Brembo caliper	150	17	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE 2T Brembo caliper	150	17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE / TE i 2T Magura caliper	150	18/21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE / TE i 2T Magura caliper	150	18/21	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE / TE i 2T Magura caliper	150	18/21	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE / TE i 2T Magura caliper	150	18/21	1254X	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE / TE i 2T Magura caliper	150	18/21	1254XBH	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Braktec caliper	150	22/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 2T Braktec caliper	150	22/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 2T Braktec caliper	150	22/24	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Braktec caliper	150	22/24	1254X	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Braktec caliper	150	22/24	1254XBH	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE 150 2T Brembo caliper	150	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 150 2T Brembo caliper	150	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 150 2T Brembo caliper	150	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE 150 2T Brembo caliper	150	25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE 150 2T Brembo caliper	150	25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE / TE i 2T SM Wheel	150	17/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE / TE i 2T SM Wheel	150	17/25	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5

HUSQVARNA	TE / TE 2T SM Wheel	150	17/25	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA	TE / TE 2T SM Wheel	150	17/25	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE / TE 2T SM Wheel	150	17/25	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE / TE 2T SM Wheel	150	17/25	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	CR	250	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	CR	250	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	CR	250	01	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	CR	250	01	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	CR / TC	250	02/04	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	CR / TC	250	02/04	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	CR / TC	250	02/04	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	CR / TC	250	02/04	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	CR	250	05/11	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	CR	250	05/11	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	CR	250	05/11	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	CR	250	05/11	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	CR	250	05/11	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	CR	250	05/11	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	FC 4T 250	250	14/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 250	250	14/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 250	250	14/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FC 4T 250	250	14/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T 250	250	14/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 250 4T ROCKSTAR EDITION Brembo caliper	250	24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 250 4T ROCKSTAR EDITION Brembo caliper	250	24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 250 4T ROCKSTAR EDITION Brembo caliper	250	24	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FC 250 4T ROCKSTAR EDITION Brembo caliper	250	24	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 250 4T ROCKSTAR EDITION Brembo caliper	250	24	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T 250 SM Wheel	250	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 250 SM Wheel	250	14/26	1640 / 1640X	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 250 SM Wheel	250	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FC 4T 250 SM Wheel	250	14/26	2025G / 2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FC 4T HERITAGE	250	23	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T HERITAGE	250	23	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T HERITAGE	250	23	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FC 4T HERITAGE	250	23	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T HERITAGE	250	23	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T HERITAGE	250	23	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	FE 4T Brembo caliper	250	14/17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T Brembo caliper	250	14/17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T Brembo caliper	250	14/17	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FE 4T Brembo caliper	250	14/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T Brembo caliper	250	14/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 250 HERITAGE	250	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 250 HERITAGE	250	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 250 HERITAGE	250	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FE 4T 250 HERITAGE	250	25	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 250 HERITAGE	250	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 250 HERITAGE	250	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	FE 4T 250 HERITAGE	250	25	1640 / 1640X	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FE 4T 250 HERITAGE	250	25	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FE 4T 250 HERITAGE	250	25	2025G / 2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FE 4T Magura caliper	250	18/21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T Magura caliper	250	18/21	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T Magura caliper	250	18/21	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FE 4T Magura caliper	250	18/21	1254X	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T Magura caliper	250	18/21	1254XBH	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 250	250	22/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 250	250	22/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 250	250	22/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FE 4T 250	250	22/26	1254X / 1254XBH	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 250 SM Wheels	250	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 250 SM Wheels	250	14/26	1640 / 1640X	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 250 SM Wheels	250	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FE 4T 250 SM Wheels	250	14/26	2025G / 2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FX	250	17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FX	250	17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FX	250	17	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FX	250	17	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FX	250	17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								

HUSQVARNA	FX	250	17	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	SMR	250	05/08	--	-	-	-	-	-	-	-	1193X / 1193	R	S	240	126	4,0	4	19,0
HUSQVARNA	TC 2T	250	02/13	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC 2T	250	02/13	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC 2T	250	02/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC 2T	250	02/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC 2T	250	07/13	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC 2T	250	07/13	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC 2T	250	04/06	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC 2T	250	04/06	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC 2T	250	04/06	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC 2T	250	08/13	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC 2T	250	08/13	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC 2T	250	08/13	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC 2T 250 Brembo caliper	250	14/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 250 Brembo caliper	250	14/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 250 Brembo caliper	250	14/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TC 2T 250 Brembo caliper	250	14/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 250 Brembo caliper	250	14/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 250 SM Wheel	250	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 250 SM Wheel	250	14/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 250 SM Wheel	250	14/26	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA	TC 2T 250 SM Wheel	250	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TC 2T 250 SM Wheel	250	14/26	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TC 2T 250 SM Wheel	250	14/26	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TC 2T 250 HERITAGE	250	23/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 250 HERITAGE	250	23/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TC 2T 250 HERITAGE	250	23/25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TC 2T 250 HERITAGE	250	23/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 250 HERITAGE	250	23/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TC 2T 250 HERITAGE	250	23/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	TC R	250	04/13	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC R	250	04/13	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC R	250	04/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC R	250	04/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC R	250	07/13	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC R	250	07/13	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TCX	250	08/10	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA	TCX	250	08/10	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TCX	250	08/10	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TCX	250	08/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	02/04	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE 2T	250	02/04	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE 2T	250	02/04	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE 2T	250	02/04	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	04	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	04	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	02/03	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	02/03	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	02/03	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	05/06	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA	TE 2T	250	05/06	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	05/06	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE 2T	250	05/06	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	05/06	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	05/06	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	05/06	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	05/06	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	05/06	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	07/13	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE 2T	250	07/13	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE 2T	250	07/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE 2T	250	07/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	07/13	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	07/13	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE 2T	250	08/13	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	08/13	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE 2T	250	08/13	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE i 2T Brembo caliper	250	14/17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 2T Brembo caliper	250	14/17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5

HUSQVARNA	TE i 2T Brembo caliper	250	14/17	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Brembo caliper	250	14/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Brembo caliper	250	14/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Magura caliper	250	18/21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 2T Magura caliper	250	18/21	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 2T Magura caliper	250	18/21	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Magura caliper	250	18/21	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Magura caliper	250	18/21	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Braktec caliper	250	22/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 2T Braktec caliper	250	22/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 2T Braktec caliper	250	22/24	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Braktec caliper	250	22/24	1254XK37	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE i 2T Braktec caliper	250	22/24	1254XBHK37	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE 250 2T Brembo caliper	250	25/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 250 2T Brembo caliper	250	25/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 250 2T Brembo caliper	250	25/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE 250 2T Brembo caliper	250	25/26	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE 250 2T Brembo caliper	250	25/26	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE 2T 250 HERITAGE	250	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 2T 250 HERITAGE	250	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 2T 250 HERITAGE	250	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE 2T 250 HERITAGE	250	25	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE 2T 250 HERITAGE	250	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TE 2T 250 HERITAGE	250	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	TE 2T 250 HERITAGE	250	25	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE 2T 250 HERITAGE	250	25	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE 2T 250 HERITAGE	250	25	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE 250 2T SM Wheels	250	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 250 2T SM Wheels	250	14/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE 250 2T SM Wheels	250	14/26	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA	TE 250 2T SM Wheels	250	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE 250 2T SM Wheels	250	14/26	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE 250 2T SM Wheels	250	14/26	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE i 4T Brembo caliper	250	03/13	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 4T Brembo caliper	250	03/13	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 4T Brembo caliper	250	03/13	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TE i 4T SM Wheel	250	03/13	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 4T SM Wheel	250	03/13	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE i 4T SM Wheel	250	03/13	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA	TE i 4T SM Wheel	250	03/13	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE i 4T SM Wheel	250	03/13	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TE i 4T SM Wheel	250	03/13	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TXC	250	07/13	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	250	07/13	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	250	07/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC	250	07/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC	250	07/13	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC	250	07/13	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC	250	11/13	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC	250	11/13	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TXC	250	11/13	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	WR	250	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	250	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	250	01	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	250	01	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	250	02/07	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	WR	250	02/07	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	WR	250	02/07	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	WR	250	02/07	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	250	05/07	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	250	05/07	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	250	08/14	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	250	08/14	910SP	L	S	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	250	08/14	392	L	S	260	120	3,5	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	250	08/14	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	250	08/14	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	250	08/14	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	250	08/14	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	WR	250	08/14	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	WR	250	08/14	722SPK27	L	KF	*320	120	5,0	4	6,5								

HUSQVARNA	USA	TX	300	17/20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	USA	TX	300	17/20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	USA	TX	300	17/20	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	USA	TX	300	17/20	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	USA	TX	300	17/20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	USA	TX	300	17/20	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		TC	300	14→	140X	L	S	260	-	3,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA		TC	300	14→	140	L	S	260	-	3,5	6	6,5								
HUSQVARNA		TC	300	14→	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TC	300	14→	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		TC 2T 300 Brembo caliper	300	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TC 2T 300 Brembo caliper	300	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TC 2T 300 Brembo caliper	300	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TC 2T 300 Brembo caliper	300	25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TC 2T 300 Brembo caliper	300	25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TC 2T 300 HERITAGE	300	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TC 2T 300 HERITAGE	300	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TC 2T 300 HERITAGE	300	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TC 2T 300 HERITAGE	300	25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TC 2T 300 HERITAGE	300	25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T Braktec caliper	300	22/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T Braktec caliper	300	22/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T Braktec caliper	300	22/24	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TE i 2T Braktec caliper	300	22/24	1254X	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T Braktec caliper	300	22/24	1254XBH	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		TE / TE i 2T Brembo caliper	300	14/17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE / TE i 2T Brembo caliper	300	14/17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE / TE i 2T Brembo caliper	300	14/17	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TE / TE i 2T Brembo caliper	300	14/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE / TE i 2T Brembo caliper	300	14/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE 300 2T Brembo caliper	300	25/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE 300 2T Brembo caliper	300	25/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE 300 2T Brembo caliper	300	25/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TE 300 2T Brembo caliper	300	25/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE 300 2T Brembo caliper	300	25/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T Magura caliper	300	18/21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T Magura caliper	300	18/21	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T Magura caliper	300	18/21	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TE i 2T Magura caliper	300	18/21	1254X	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T Magura caliper	300	18/21	1254XBH	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		TE 2T 300 PRO Brembo caliper	300	24/25	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		TE / TE i 2T SM Wheels	300	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE / TE i 2T SM Wheels	300	14/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE / TE i 2T SM Wheels	300	14/26	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA		TE / TE i 2T SM Wheels	300	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		TE / TE i 2T SM Wheels	300	14/26	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		TE / TE i 2T SM Wheels	300	14/26	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		TE i 2T JARVIS EDITION	300	20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T JARVIS EDITION	300	20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T JARVIS EDITION	300	20	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TE i 2T JARVIS EDITION	300	20	1254XKxx	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T JARVIS EDITION	300	20	1254XBHKxx	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T JARVIS EDITION	300	20	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		TE i 2T ROCKSTAR EDITION	300	21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T ROCKSTAR EDITION	300	21	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TE i 2T ROCKSTAR EDITION	300	21	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TE i 2T ROCKSTAR EDITION	300	21	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T ROCKSTAR EDITION	300	21	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		TE i 2T ROCKSTAR EDITION	300	21	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		TX 2T Brembo caliper	300	17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		TX 2T Brembo caliper	300	17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		TX 2T Brembo caliper	300	17	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		TX 2T Brembo caliper	300	17	1254XK17	L	KF	*270	-	3,0	6	6,5								

HUSQVARNA	TX 2T Brembo caliper	300	17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TX 2T Brembo caliper	300	22/24	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX 2T Brembo caliper	300	22/24	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX 2T Brembo caliper	300	22/24	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TX 2T Brembo caliper	300	22/24	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TX 2T Brembo caliper	300	22/24	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	TX 2T 300 HERITAGE	300	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX 2T 300 HERITAGE	300	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX 2T 300 HERITAGE	300	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TX 2T 300 HERITAGE	300	25	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TX 2T 300 HERITAGE	300	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TX 2T 300 HERITAGE	300	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	TX 2T 300 HERITAGE	300	25	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TX 2T 300 HERITAGE	300	25	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TX 2T 300 HERITAGE	300	25	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TX / TX i 2T Magura caliper	300	18/21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX / TX i 2T Magura caliper	300	18/21	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX / TX i 2T Magura caliper	300	18/21	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	TX / TX i 2T Magura caliper	300	18/21	1254X	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TX / TX i 2T Magura caliper	300	18/21	1254XBH	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	TX / TX i SM Wheel	300	17/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX / TX i SM Wheel	300	17/24	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TX / TX i SM Wheel	300	17/24	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA	TX / TX i SM Wheel	300	17/24	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TX / TX i SM Wheel	300	17/24	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	TX / TX i SM Wheel	300	17/24	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	WR	300	09/10	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	300	09/10	910SP	L	S	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	300	09/10	392	L	S	260	120	3,5	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	WR	300	09/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	300	12/14	910X / 910	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	WR	300	12/14	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	WR	300	12/14	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	WR	300	12/14	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	WR	300	12/14	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	300	12/14	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	WR	300	12/14	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	WR	300	12/14	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	WR	300	12/14	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	910X / 910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TE R	310	09/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC	310	11	910X	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	310	11	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC	310	11	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	FC 4T 350	350	14/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 350	350	14/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 350	350	14/25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FC 4T 350	350	14/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T 350	350	14/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T 350	350	14/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	FC 4T 350	350	24/25	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FC 4T 350	350	24/25	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FC 4T 350 HERITAGE	350	23/25	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FE 4T 350	350	21/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 350	350	21/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE 4T 350	350	21/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FE 4T 350	350	21/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 350	350	21/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								

HUSQVARNA	FE 4T 350	350	21/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350	350	21/26	2025G	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350	350	21/26	2025XG	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 HERITAGE	350	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T 350 HERITAGE	350	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T 350 HERITAGE	350	25	1725X	L	F00,0	260	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 HERITAGE	350	25	1254XK17	L	FO	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 HERITAGE	350	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 HERITAGE	350	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 HERITAGE	350	25	1640 1640X	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 HERITAGE	350	25	1640SP	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 HERITAGE	350	25	2025G / 2025XG	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 PRO	350	24/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T 350 PRO	350	24/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T 350 PRO	350	24/25	1725X	L	F00,0	260	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 PRO	350	24/25	1254XK17	L	KF	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 PRO	350	24/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 PRO	350	24/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 PRO	350	24/25	1640 1640X	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 PRO	350	24/25	1640SP	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 PRO	350	24/25	2025G / 2025XG	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	1725X	L	F00,0	260	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	1254XK17	L	FO	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	1640X / 1640	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	1640SP	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T 350 S HERITAGE	350	25	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FE 4T ROCKSTAR EDITION	350	20/21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T ROCKSTAR EDITION	350	20/21	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE 4T ROCKSTAR EDITION	350	20/21	1725X	L	F00,0	260	-	3,0	6	6,5									
HUSQVARNA	FE 4T ROCKSTAR EDITION	350	20/21	1254XK17	L	KF	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T ROCKSTAR EDITION	350	20/21	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
HUSQVARNA	FE 4T ROCKSTAR EDITION	350	20/21	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	FE / TE	350	16/17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE / TE	350	16/17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FE / TE	350	16/17	1725X	L	F00,0	260	-	3,0	6	6,5									
HUSQVARNA	FE / TE	350	16/17	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	TE	350	01/13	755	L	S	260	120	3,0	6	6,5	135		L	S	220	112	4,0	6	6,5
HUSQVARNA	FX	350	17/20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FX	350	17/20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FX	350	17/20	1725X	L	F00,0	260	-	3,0	6	6,5									
HUSQVARNA	FX	350	17/20	1254XK17	L	KF	*270	-	3,0	6	6,5									
HUSQVARNA	FX	350	17/20	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
HUSQVARNA	FX Magura caliper	350	17/20	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	FX 4T 350 HERITAGE	350	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FX 4T 350 HERITAGE	350	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	FX 4T 350 HERITAGE	350	25	1725X	L	F00,0	260	-	3,0	6	6,5									
HUSQVARNA	FX 4T 350 HERITAGE	350	25	1254XK17	L	FO	*270	-	3,0	6	6,5									
HUSQVARNA	FX 4T 350 HERITAGE	350	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5									
HUSQVARNA	FX 4T 350 HERITAGE	350	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5									
HUSQVARNA	FX 4T 350 HERITAGE	350	25	1640 / 1640X	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FX 4T 350 HERITAGE	350	25	1640SP	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	FX 4T 350 HERITAGE	350	25	2025G / 2025XG	L	FO	*320	127	5,0	6	6,5									
HUSQVARNA	CR / WR	360	92/99	755	L	S	260	120	3,0	6	6,5	266		L	S	220	112	4,0	6	9,5
HUSQVARNA	WR	360	01/04	910 / 910X	L	S	260	120	3,0	4	6,5	464		L	S	220	126	4,0	4	19,0
HUSQVARNA	WR	360	01/04	910SP	L	S	260	120	3,0	4	6,5	706		L	S	220	126	4,0	4	19,0
HUSQVARNA	WR	360	01/04	392	L	S	260	120	3,5	4	6,5									
HUSQVARNA	WR	360	01/04	1164X	L	F00,0	260	120	3,0	4	6,5									
HUSQVARNA	TC	400	02→	910 / 910X	L	S	260	120	3,0	4	6,5	464		L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	400	02→	910SP	L	S	260	120	3,0	4	6,5	706		L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	400	02→	392	L	S	260	120	3,5	4	6,5									
HUSQVARNA	TC	400	02→	1164X	L	F00,0	260	120	3,0	4	6,5									
HUSQVARNA	TE	400	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5	
HUSQVARNA	TE	400	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	TE	400	01	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	TE	400	01	1164X	L	F00,0	260	120	3,0	4	6,5									
HUSQVARNA	TE	400	01	722K11	L	KF	*320	120	5,0	4	6,5									

HUSQVARNA	TE		400	01	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE		400	01	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE		400	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE		400	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE		400	01	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE		400	01	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE		400	01	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE		400	01	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE		400	01	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE		400	02	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE		400	02	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE		400	02	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE		400	02	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE		400	02	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE		400	02	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE		400	02	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TE E		410	01	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TE E		410	01	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TE E		410	01	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE / TE E		410	01	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TE E		410	01	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TE E		410	01	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE / TE E		410	01	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	SMR		449	11→	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA	SMR		449	11→																
HUSQVARNA	TE / TC / TXC		449	11/13	910X / 910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TC / TXC		449	11/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TC / TXC		449	11/13	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TC / TXC		449	11/13	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	USA	FE 4T	450	17/18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	USA	FE 4T	450	17/18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	USA	FE 4T	450	17/18	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	USA	FE 4T	450	17/18	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	USA	FE 4T	450	17/18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	USA	FE 4T	450	17/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FC 4T 450	450	14/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T 450	450	14/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T 450	450	14/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FC 4T 450	450	14/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FC 4T 450	450	14/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FC 4T 450 SM Wheel	450	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T 450 SM Wheel	450	14/26	1640	L	FO	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T 450 SM Wheel	450	14/26	1640X	L	FO	*318	127	5,0	6	6,5								
HUSQVARNA		FC 4T 450 SM Wheel	450	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FC 4T 450 SM Wheel	450	14/26	2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FC 4T 450 SM Wheel	450	14/26	2025XG	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FC 4T HERITAGE	450	23	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T HERITAGE	450	23	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T HERITAGE	450	23	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FC 4T HERITAGE	450	23	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FC 4T HERITAGE	450	23	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FC 4T HERITAGE	450	23	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FC 4T Rockstar Edition	450	19/24	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T Rockstar Edition	450	19/24	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FC 4T Rockstar Edition	450	19/24	140	L	S	260	-	3,5	6	6,5								
HUSQVARNA		FC 4T Rockstar Edition	450	19/24	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FC 4T Rockstar Edition	450	19/24	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FC 4T Rockstar Edition	450	19/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FE 4T 450	450	14/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 450	450	14/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 450	450	14/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FE 4T 450	450	14/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 450	450	14/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 450	450	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FE 4T 450	450	14/26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 450	450	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 450	450	14/26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 450 HERITAGE	450	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 450 HERITAGE	450	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 450 HERITAGE	450	25	1725X	L	F00,0	260	-	3,0	6	6,5								

HUSQVARNA	FE 4T 450 HERITAGE	450	25	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 450 HERITAGE	450	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA	FE 4T 450 HERITAGE	450	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	FE 4T 450 HERITAGE	450	25	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FE 4T 450 HERITAGE	450	25	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FE 4T 450 HERITAGE	450	25	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA	FX	450	17/20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FX	450	17/20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FX	450	17/20	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FX	450	17/20	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FX	450	17/20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FX	450	17/20	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA	FS	450	15/17	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSQVARNA	FS	450	15/17	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FS 4T 450	450	18/25	1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FS 4T 450	450	18/25	2029XG	L	F00,0	310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FS 4T 450	450	18/25	2025XG / 2025G	L	F00,0	*320	127	5,0	6	6,5								
HUSQVARNA	FSE-C	450	05/08	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	FSE-C	450	05/08	2029XG	L	F00,0	310	127	5,0	6	6,5								
HUSQVARNA	R	450	16/17	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	1294X	R	S	240	110	4,0	6	6,5
HUSQVARNA	SMR	450	03/04	722	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	450	03/04	722X	L	F00,0	318	120	5,0	4	8,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR / SMR RR	450	03/10	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	450	02/04	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	450	02/04	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	450	02/04	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	450	02/04	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	02/04	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	02/04	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	450	02/04	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	05/06	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA	TC	450	05/06	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	05/06	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	05/06	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	450	05/06	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	05/06	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	450	05/06	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	07/13	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	450	07/13	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	450	07/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	07/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	450	07/10	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	07/10	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	11/13	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	11/13	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	07/10	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	07/10	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	450	07/10	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TCX	450	08/10	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
HUSQVARNA	TCX	450	08/10	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TCX	450	08/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TCX	450	08/10	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	450	02/05	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	450	02/05	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	450	02/05	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	450	02/05	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	450	02/05	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	02/05	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	450	02/05	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	06/10	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE	450	06/10	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE	450	06/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	450	06/10	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	450	06/10	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE	450	06/10	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE	450	08/10	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	08/10	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	450	08/10	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	14	910X / 910	L	S	260	120	3,0	4	6,5	-	-	-	-	-	-	-	-

HUSQVARNA	TE		450	14	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TE		450	14	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE		450	14	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC		450	11/13	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC		450	11/13	910SP	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC		450	11/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC		450	11/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC		450	11/13	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC		450	11/13	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC		450	11/13	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC		450	11/13	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TXC		450	11/13	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC		480	13	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC		480	13	910SP	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC		480	13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC		480	13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC		480	13	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC		480	13	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	USA	FE 4T	501	17/18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	USA	FE 4T	501	17/18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA	USA	FE 4T	501	17/18	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	USA	FE 4T	501	17/18	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	USA	FE 4T	501	17/18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	USA	FE 4T	501	17/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501	501	14/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 501	501	14/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 501	501	14/26	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501	501	14/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501	501	14/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501	501	14/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501	501	14/26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501	501	14/26	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501	450	14/26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 HERITAGE	501	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 501 HERITAGE	501	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 501 HERITAGE	501	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501 HERITAGE	501	25	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501 HERITAGE	501	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501 HERITAGE	501	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 HERITAGE	501	25	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 HERITAGE	501	25	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 HERITAGE	501	25	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	1254XK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	1254XBHK17	L	FO	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	1640SP	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE 4T 501 S HERITAGE	501	25	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
HUSQVARNA		FE S 4T	501	15/20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE S 4T	501	15/20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE S 4T	501	15/20	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FE S 4T	501	15/20	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE S 4T	501	15/20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE S 4T	501	15/20	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		FE 4T	510	14/17	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T	510	14/17	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
HUSQVARNA		FE 4T	510	14/17	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA		FE 4T	510	14/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T	510	14/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA		FE 4T	510	14/17	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
HUSQVARNA		SM-R	510	05/10	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA		SM-R	510	05/10																
HUSQVARNA	TC		510	02/04	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TC		510	02/04	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TC		510	02/04	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC		510	02/04	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC		510	02/04	722K11	L	KF	*320	120	5,0	4	6,5								

HUSQVARNA	TC	510	02/04	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	510	02/04	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	510	05/06	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA	TC	510	05/06	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TC	510	05/06	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	510	05/06	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	510	05/06	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	510	05/06	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	510	05/06	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	510	07/10	910X / 910	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	510	07/10	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	510	07/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	510	07/10	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	510	07/10	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	510	07/10	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	510	07/10	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	510	07/10	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	510	07/10	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TCX	510	05/10	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
HUSQVARNA	TCX	510	05/10	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TCX	510	05/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TCX	510	05/10	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	510	02/04	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE	510	02/04	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE	510	02/04	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	510	02/04	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	510	02/04	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	02/04	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	510	02/04	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	05	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA	TE	510	05	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TE	510	05	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	510	05	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	510	05	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	05	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	510	05	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	06/10	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE	510	06/10	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE	510	06/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	510	06/10	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	510	06/10	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE	510	06/10	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE	510	06	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	06	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	510	06	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	07/10	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	07/10	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	510	07/10	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC	510	09/10	910X / 910	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	510	09/10	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	510	09/10	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC	510	09/10	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC	510	09/10	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC	510	09/10	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC	510	06/10	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC	510	06/10	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TXC	510	06/10	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	SMR	511	11/12	722X	L	F00,0	318	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	SMR	511	11/12	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TXC	511	11/13	910X / 910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TXC	511	11/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TXC	511	11/13	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TXC	511	11/13	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	NOX	520	01	-	-	-	-	-	-	-	-	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	NOX	520	01									263SP / 263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	M RR	530	08/10	850	L	T	290	120	5,0	4	6,5	-	R	S	-	-	-	-	-
HUSQVARNA	NOX	570	01/03	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	NOX	570	01/03									263SP / 263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMR	570	01/04	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	570	01/04																

HUSQVARNA	SMR R	570	01	850	L	T	290	120	5,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMR R	570	01									263SP / 263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMR R	570	02/04	850	L	T	290	120	5,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR R	570	02/04									706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TC	570	01/04	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TC	570	01/04	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TC	570	01/04	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TC	570	01/04	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE / TC	570	01/04	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TC	570	01/04	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE / TC	570	01/04	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	610	01	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	610	01	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	610	01	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	610	01	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	610	01	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	610	01	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	610	01	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	610	02/08	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE	610	02/08	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE	610	02/08	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	610	02/08	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	610	02/06	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	610	02/06	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	610	02/06	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE E	610	01	755	L	S	260	120	3,0	6	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE E	610	01									263SP / 263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE E	610	02/06	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE E	610	02/06	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE E	610	02/06	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE E	610	02/06	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE E	610	02/06	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE E	610	02/06	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE E	610	02/06	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	SM i.e.	610	07/09	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SM i.e.	610	07/09									706	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	610	01/04	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	610	01/04	722X	L	F00,0	318	120	5,0	4	8,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	SM - S	610	01	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SM - S	610	01	722X	L	F00,0	318	120	5,0	4	8,5								
HUSQVARNA	SMS	610	02/06	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMS	610	02/06									263SP / 263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	FSE-C	630	05/08	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	FSE-C	630	05/08	2029XG	L	F00,0	310	127	5,0	6	6,5								
HUSQVARNA	SMR	630	03/04	-	L	-	-	-	-	-	-	1497X	R	S	220	112,1	4,0	4	10,5
HUSQVARNA	SMR	630	03/04									1497XSP	R	S	220	112,1	4,0	4	10,5
HUSQVARNA	SMR	630	05/13	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	630	05/13																
HUSQVARNA	SMS	630	10/12	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	--	-	-	-	-	-	-	-
HUSQVARNA	SMS	630	10/12																
HUSQVARNA	TE	630	10/13	910X / 910	L	S	260	120	3,0	4	6,5	1497X	R	S	220	112,1	4,0	4	10,5
HUSQVARNA	TE	630	10/13	910SP	L	S	260	120	3,0	4	6,5	1497XSP	R	S	220	112,1	4,0	4	10,5
HUSQVARNA	TE	630	10/13	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	630	10/13	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	STR CRC	650	07→	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	STR CRC	650	07→									706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TR STRADA / TR TERRA	650	12/14	1232	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
HUSQVARNA	TR STRADA / TR TERRA	650	12/14	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
HUSQVARNA	TR STRADA / TR TERRA	650	12/14	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
HUSQVARNA	701 ENDURO	701	15/26	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	2373X / 2373	R	S	240	110	5,0	6	6,5
HUSQVARNA	701 ENDURO	701	15/26	2025XG / 2025G	L	F00,0	320	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5,0	6	6,5
HUSQVARNA	ENDURO LR ABS	701	20	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	2373X / 2373	R	S	240	110	5,0	6	6,5
HUSQVARNA	ENDURO LR ABS	701	20	2025XG / 2025G	L	F00,0	320	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5,0	6	6,5
HUSQVARNA	SUPERMOTO	701	15/17	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1578 / 1578X	R	S	240	106,3	5,0	6	6,5
HUSQVARNA	SUPERMOTO	701	15/17	725X	L	F00,0	318	127	5,0	6	6,5								
HUSQVARNA	SUPERMOTO	701	15/17	730	L	F00,0	320	127	4,0	6	6,5			E					
HUSQVARNA	SUPERMOTO	701	15/17	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
HUSQVARNA	701 SUPERMOTO	701	15/26	1640 / 1640SP	L	F00,0	320	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
HUSQVARNA	701 SUPERMOTO	701	15/26	1640X	L	F00,0	318	127	5,0	6	6,5	2373X / 2373	R	S	240	110	5,0	6	6,5
HUSQVARNA	701 SUPERMOTO	701	15/26	2025G / 2025XG	L	F00,0	320	127	5,0	6	6,5								

HUSQVARNA	NORDEN 901 Expedition (889cc)	889	25	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
HUSQVARNA	NORDEN 901 Expedition (889cc)	889	25	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
HUSQVARNA	NORDEN 901 (900cc)	900	20/25	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
HUSQVARNA	NORDEN 901 (900cc)	900	20/25	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
HUSQVARNA	NORDEN 901 (900cc)	900	20/25	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
HUSQVARNA	NORDEN 901 EXPEDITION (900cc)	900	25	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
HUSQVARNA	NORDEN 901 EXPEDITION (900cc)	900	25	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
HUSQVARNA	NORDEN 901 EXPEDITION (900cc)	900	25	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
HYOSUNG	XRX / XRX OFFROAD	125	01/09	1877	L	S	240	50	4,0	4	10,5	-	R	S	-	-	-	-	-
HYOSUNG	XRX - RX D	125	07/11	1877	L	S	240	50	4,0	4	10,5	-	R	S	-	-	-	-	-
HYOSUNG	XRX TRAIL	125	09	1877	L	S	240	50	4,0	4	10,5	Drum	-	-	-	-	-	-	-
INDIAN STANDARD	FTR	750	19	-	-	-	-	-	-	-	-	-	R	S	-	-	-	-	-
JAWA	DANDY	125	01/02	424	R	S	220	42,2	3,5	4	8,5	-	R	S	-	-	-	-	-
JOTAGAS	JT / JTR	80	18/19	715X / 715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	80	18/19									1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	125	11/19	715X / 715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	125	11/19									1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JTR20	125	20	1854X	L	S	200	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	250	11/19	715X / 715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	250	11/19									1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JTR20	250	20	1854X	L	S	200	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	280	11/19	715X / 715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	280	11/19									1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JTR20	280	20	1854X	L	S	200	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	300	11/19	715X / 715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
JOTAGAS	JT / JTR	300	11/19									1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	JTR20	300	19/20	1854X	L	S	200	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
JOTAGAS	MK	300	11/13	1280X	L	S	260	118	3,5	6	6,5	372X	R	S	240	115	4,0	6	6,5
JOTAGAS	MK	300	17/18	1280X	L	S	260	118	3,5	6	6,5	422X	R	S	220	115	4,0	6	6,5
JOTAGAS	MK	300	17/18									422XSP	R	S	220	115	4,0	6	6,5
JOTAGAS	JEN	300	19	1280X	L	S	260	118	3,5	6	6,5	372X	R	S	240	115	4,0	6	6,5
KAWASAKI	ELEKTRODE 16" Wheel	E	23	-	-	-	-	-	-	-	-	1447X	L	S	160	-	1,8	6	5,0
KAWASAKI	ELEKTRODE 20" Wheel	E	25/27	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0
KAWASAKI	KX 65 F:14" / R:12" Wheel	65	01/27	1143 / 1143X	L	S	180	79	3,0	4	9,5	1143 / 1143X	R	S	180	79	3,0	4	9,5
KAWASAKI	KX I 85 F:17" / R:14" - KX 85 II F:19"/ R:16" Wheel	85	01/25	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KX I 85 F:17" / R:14" - KX 85 II F:19"/ R:16" Wheel	85	01/25	1427XK24	L	KF	*260	96	3,0	6	9,0								
KAWASAKI	KX 85 F: 17" - R: 14" Wheel	85	26/27	2408X	L	S	240	96,3	3,1	6	9,5	2409X	R	S	220,00	84,3	3,1	4	9,5
KAWASAKI	KX 85 F: 17" - R: 14" Wheel	85	26/27	1427XK24	L	KF	*260	96	3,0	6	9,0								
KAWASAKI	KX 85 L F: 19" - R: 16" Wheel	85	26/27	2408X	L	S	240	96,3	3,1	6	9,5	2409X	R	S	220,00	84,3	3,1	4	9,5
KAWASAKI	KX 85 L F: 19" - R: 16" Wheel	85	26/27	1427XK24	L	KF	*260	96	3,0	6	9,0								
KAWASAKI	KX	100	01/18	756 / 756X	L	S	220	96	3,0	6	9,0	797 / 797X	R	S	184	84	3,0	4	9,5
KAWASAKI	KX	100	01/18	1427XK24	L	KF	*260	96	3,0	6	9,0								
KAWASAKI	KX	100	19/21	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KX	100	19/21	1427XK24	L	KF	*260	96	3,0	6	9,0								
KAWASAKI	KX 112 F:19" / R:16" Wheel	112	22/25	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KX 112 F:19" / R:16" Wheel	112	22/25	1427XK24	L	KF	*260	96	3,0	6	9,0								
KAWASAKI	KX 112 F:19" / R:16" Wheel	112	26/27	2408X	L	S	240	96,3	3,1	6	9,5	2409X	R	S	220,00	84,3	3,1	4	9,5
KAWASAKI	KX 112 F:19" / R:16" Wheel	112	26/27	1427XK24	L	KF	*260	96	3,0	6	9,0								
KAWASAKI	KDX	125	01/03	1761 / 1761X	L	MD	250	100	3,0	4	MH	1353	R	S	220	100	4,5	6	10,5
KAWASAKI	KDX	125	01/03	137 / 137X	L	MDF	250	100	3,0	4	MH								
KAWASAKI	KLX	125	10/17	1576X	L	S	240	96	4,0	6	10,5	1577X	R	S	190	84	4,0	6	10,5
KAWASAKI	KLX L	125	03/06	1576X	L	S	240	96	4,0	6	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI	KLX D-TRACKER	125	10/17	1576X	L	S	240	96	4,0	6	10,5	1577X	R	S	190	84	4,0	6	10,5
KAWASAKI	KMX	125	01/03	172	L	S	230	120	4,0	6	10,5	1897	R	S	210	110	4,5	8	10,5
KAWASAKI	KMX R	125	01	172	L	S	230	120	4,0	6	10,5	1897	R	S	210	110	4,5	8	10,5
KAWASAKI	KX	125	01/08	1761X / 1761	L	MD	250	100	3,0	4	MH	-	-	-	-	-	-	-	-
KAWASAKI	KX	125	01/08	137X / 137	L	MDF	250	100	3,0	4	MH								
KAWASAKI	KX	125	01/02	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI	KX	125	01/02	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KX	125	01/02	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	KX	125	01/02	1150XBHK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	KX	125	03/05	137 / 137X	L	MDF	250	100	3,0	4	MH	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX	125	03/05	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KX	125	06/08	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX	125	06/08	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KX	125	06/08	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX	125	06/08	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX	125	06/08	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX	125	06/08	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX	125	06/08	732SPK13	L	KF	*320	109	5,0	4	9,5								

KAWASAKI	SUPERMOTARD	125	06	1771G / 1771XG	L	F6,5	320	109	5,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	SM	125	06	1013	L	F6,5	320	109	5,0	4	9,5								
KAWASAKI	KLX / KLX L, F: 19" / R: 16" Wheel	140	08/18	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KLX R, F: 17" / R: 14" Wheel	140	20/24	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KLX 140 R F: 17" / R: 14" Wheel	140	25	-X	L	S	-	-	-	-	-	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KLX R L, F: 19" / R: 16" Wheel	140	21/24	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KLX 140 R L F: 19" / R: 16" Wheel	140	26/27	-X	L	S	192	-	-	-	-	-	R	S	150	-	-	-	-
KAWASAKI	KLX R F, F: 21" / R: 18" Wheel	140	20/24	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KLX 140 R F F: 21" / R: 18" Wheel	140	25	-X	L	S	-	-	-	-	-	797X / 797	R	S	184	84	3,0	4	9,5
KAWASAKI	KLX 140 R F F: 21" / R: 18" Wheel	140	26/27	-X	L	S	192	-	-	-	-	-X	R	S	156	-	-	-	-
KAWASAKI	KLX L	150	15/18	-X	L	S	-	-	-	6	-	-X	R	S	-	-	-	6	-
KAWASAKI	KDX	200	01/06	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S	220	100	4,5	6	10,5
KAWASAKI	KDX	200	01/06	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KDX	220	01/05	137 / 137X	L	MDF	250	100	3,0	4	MH	1383 / 1383X	R	S	220	100	4,5	6	10,5
KAWASAKI	KDX	220	01/05	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KDX R	220	01/03	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI	KDX R	220	01/03	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KLX ABS	230	20/22	--X	L	S	-	-	-	6	-	--X	R	S	-	-	-	6	10,5
KAWASAKI	KLX 230 R	230	22/25	--X	L	S	-	-	-	6	-	--X	R	-	-	-	-	6	10,5
KAWASAKI	KLX 230 R S	230	26/27	--X	L	S	240	-	-	-	-	--X	R	-	220,00	-	-	-	-
KAWASAKI	KLX SE ABS	230	22	--X	L	S	-	-	-	6	-	--X	R	-	-	-	-	6	10,5
KAWASAKI	KLX 230 R S	233	27	--X	L	S	240	-	-	6	-	--X	R	S	220	-	-	6	10,5
KAWASAKI	D TRACKER	250	03	137 / 137X	L	MDF	250	100	3,0	4	MH	1383 / 1383X	R	S	220	100	4,5	6	10,5
KAWASAKI	D TRACKER	250	03	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	D TRACKER	250	03	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	D TRACKER	250	03	1150XBHK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	KDX R	250	92/00	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KLX	250	09/14	137 / 137X	L	MDF	250	100	3,0	4	MH	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX	250	09/14	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KLX	250	15/17	1762X	L	S	250	109	3,0	4	9,5	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX	250	15/17	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5								
KAWASAKI	KLX	250	18/20	-X	L	S	265	-	-	4	-	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX D-TRACKER	250	01/02	-	L	-	-	-	-	-	-	1383 / 1383X	R	S	220	100	4,5	6	10,5
KAWASAKI	KLX R	250	07/14	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KLX R	250	07/14	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KLX R	250	07/14	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX R	250	07/14	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX R	250	07/14	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX R	250	07/14	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KLX R	250	07/14	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX S	250	05/10	1761X / 1761	L	MD	250	100	3,0	4	MH	1383X / 1383	R	S	220	100	4,5	6	10,5
KAWASAKI	KLX S	250	05/10	137X / 137	L	MDF	250	100	3,0	4	MH								
KAWASAKI	KLX S	250	11/13	1761X / 1761	L	MD	250	100	3,0	4	MH	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX S	250	11/13	137X / 137	L	MDF	250	100	3,0	4	MH								
KAWASAKI	KLX S	250	14	-X	L	S	265	-	-	-	-	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX SF	250	09/13	137 / 137X	L	MDF	250	100	3,0	4	MH	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX SF	250	09/13	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KX	250	01/02	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI	KX	250	01/02	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KX	250	01/02	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	KX	250	01/02	1150XBHK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	KX	250	03/08	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX	250	03/08	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KX	250	06/08	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX	250	06/08	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX	250	06/08	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX	250	06/08	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX	250	06/08	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX	250	18/19	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX	250	18/19	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX	250	18/19	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX	250	18/19	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX	250	18/19	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250	250	20	1151X	L	F00,0	270	109	3,0	4	9,5	1803X	R	S	250	115	4,0	4	10,5
KAWASAKI	KX 250	250	20	1151XBH	L	F00,0	270	109	3,0	4	9,5	1803XBH	R	S	250	115	4,0	4	10,5
KAWASAKI	KX 250	250	20	732K13	L	KF	*320	109	5,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 250	250	20	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 250	250	20	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250	250	21/26	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 250	250	21/26	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5

KAWASAKI	KX 250	250	21/26	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250	250	21/26	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 250	250	21/26	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 50th Anniversary Edition	250	24	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 50th Anniversary Edition	250	24	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 50th Anniversary Edition	250	24	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 50th Anniversary Edition	250	24	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 50th Anniversary Edition	250	24	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX F	250	04/14	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX F	250	04/14	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KX F	250	06/14	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX F	250	06/14	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX F	250	06/14	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX F	250	06/14	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX F	250	06/14	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX F	250	15/18	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX F	250	15/18	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI	KX F	250	15/18	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX F	250	15/18	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX F	250	15/18	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250 F 4T	250	27	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 250 F 4T	250	27	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 250 F 4T	250	27	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250 F 4T	250	27	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 250 F 4T	250	27	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250 FX 4T	250	27	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 250 FX 4T	250	27	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI	KX 250 FX 4T	250	27	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250 FX 4T	250	27	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 250 FX 4T	250	27	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX X	250	20	1151X	L	F00,0	270	109	3,0	4	9,5	1803X	R	S	250	115	4,0	4	10,5
KAWASAKI	KX X	250	20	1151XBH	L	F00,0	270	109	3,0	4	9,5	1803XBH	R	S	250	115	4,0	4	10,5
KAWASAKI	KX X	250	20	732K13	L	KF	*320	109	5,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX X	250	20	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX X	250	20	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250 X	250	21/26	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 250 X	250	21/26	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI	KX 250 X	250	21/26	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 250 X	250	21/26	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 250 X	250	21/26	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KXE F	250	06/07	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KXE F	250	06/07	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	SUPERMOTARD / F	250	06	1771G / 1771XG	L	F6,5	320	109	5,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	SM / SM F	250	06	1013	L	F6,5	320	109	5,0	4	9,5								
KAWASAKI	VERSYS X	250	17	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI	KLX	300	01/07	1761 / 1761X	L	MD	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI	KLX	300	01/07	137 / 137X	L	MDF	250	100	3,0	4	MH								
KAWASAKI	KLX	300	21/25	1761 / 1761X	L	MD	250	100	3,0	4	MH	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX	300	21/25	137 / 137X	L	MDF	250	100	3,0	4	MH								
KAWASAKI	KLX R	300	01/07	137 / 137X	L	MDF	250	100	3,0	4	MH	1383 / 1383X	R	S	220	100	4,5	6	10,5
KAWASAKI	KLX R	300	01/07	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KLX R	300	01/07	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	KLX R	300	01/07	1150XBHK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI	KLX 300 R	300	20/25	1150X	L	F00,0	270	100	3,0	4	MH	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI	KLX 300 R	300	20/25	1150XBH	L	F00,0	270	100	3,0	4	MH								
KAWASAKI	KX 300 X	300	25	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 300 X	300	25	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI	VERSYS-X ABS	300	17/18	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI	VERSYS-X 300	300	19/26	1835X / 1835	R	S	290	130	4,5	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI	VERSYS-X ADVENTURE / ABS	300	17/18	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI	VERSYS-X ADVENTURE ABS	300	19/22	1835X / 1835	R	S	290	130	4,5	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI	VERSYS-X URBAN / ABS	300	17/18	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI	VERSYS-X URBAN ABS	300	19/22	1835X / 1835	R	S	290	130	4,5	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI	KX 327 2T	327	27	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 327 2T	327	27	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI	KX 327 X 2T	327	27	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 327 X 2T	327	27	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI	KLX R / KLX SR	400	03/06	1031X / 1031	L	F00,0	250	109	3,0	4	9,5	676X / 676	R	S	220	118	4,5	6	6,5
KAWASAKI	KLX R / KLX SR	400	03/06	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KLX R / KLX SR	400	03/06	1151XK01	L	KF	*270	109	3,0	4	9,5								

KAWASAKI	KLX R / KLX SR	400	03/06	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX R / KLX SR	400	03/06	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX R / KLX SR	400	03/06	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KLX R / KLX SR	400	03/06	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX F	450	07/09	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KLX F	450	07/09	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KLX F	450	07/09	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX F	450	07/09	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX F	450	07/09	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX F	450	07/09	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KLX F	450	07/09	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX R	450	07/16	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KLX R	450	07/16	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KLX R	450	07/16	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX R	450	07/16	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX R	450	07/16	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX R	450	07/16	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KLX R	450	07/16	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX R	450	17/20	1031X / 1031	L	F00,0	250	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KLX R	450	17/20	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KLX R	450	17/20	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX R	450	17/20	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KLX R	450	17/20	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KLX R	450	17/20	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KLX R	450	17/20	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX	450	18	1151X	L	F00,0	270	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX	450	18	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX	450	18	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX	450	18	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX	450	18	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450	450	19/23	1151X	L	F00,0	270	109	3,0	4	9,5	1803X	R	S	250	115	4,0	4	10,5
KAWASAKI	KX 450	450	19/23	1151XBH	L	F00,0	270	109	3,0	4	9,5	1803XBH	R	S	250	115	4,0	4	10,5
KAWASAKI	KX 450	450	19/23	732K13	L	KF	*320	109	5,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 450	450	19/23	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 450	450	19/23	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450	450	24/26	1151X	L	F00,0	270	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 450	450	24/26	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 450	450	24/26	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450	450	24/26	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 450	450	24/26	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 F	450	27	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 450 F	450	27	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 450 F	450	27	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 F	450	27	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 450 F	450	27	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 FX	450	27	1151X	L	KF	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 450 FX	450	27	1151XBH	L	KF	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 450 FX	450	27	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 FX	450	27	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 450 FX	450	27	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 SR	450	22/24	1151X	L	F00,0	270	109	3,0	4	9,5	1803X	R	S	250	115	4,0	4	10,5
KAWASAKI	KX 450 SR	450	22/24	1151XBH	L	F00,0	270	109	3,0	4	9,5	1803XBH	R	S	250	115	4,0	4	10,5
KAWASAKI	KX 450 SR	450	22/24	732K13	L	KF	*320	109	5,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 450 SR	450	22/24	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 450 SR	450	22/24	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 SR	450	25/26	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 450 SR	450	25/26	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 450 SR	450	25/26	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 SR	450	25/26	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 450 SR	450	25/26	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 50th Anniversary Edition	450	23/24	1151X	L	F00,0	270	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 50th Anniversary Edition	450	23/24	1151XBH	L	F00,0	270	109	3,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX 50th Anniversary Edition	450	23/24	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 50th Anniversary Edition	450	23/24	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 50th Anniversary Edition	450	23/24	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX F	450	05/14	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	KX F	450	05/14	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	KX F	450	08/14	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX F	450	08/14	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI	KX F / KX F RACING	450	08/14	732K13	L	KF	*320	109	5,0	4	9,5								

KAWASAKI	KX F / KX F RACING	450	08/14	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX F / KX F RACING	450	08/14	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX F RACING	450	15/18	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX F RACING	450	15/18	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI	KX F / KX F RACING	450	15/18	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX F / KX F RACING	450	15/18	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX F / KX F RACING	450	15/18	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX X	450	20	1151X	L	F00,0	270	109	3,0	4	9,5	1803X	R	S	250	115	4,0	4	10,5
KAWASAKI	KX X	450	20	1151XBH	L	F00,0	270	109	3,0	4	9,5	1803XBH	R	S	250	115	4,0	4	10,5
KAWASAKI	KX X	450	20	732K13	L	KF	*320	109	5,0	4	9,5	2046X	R	S	220	115	4,0	4	10,5
KAWASAKI	KX X	450	20	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX X	450	20	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 X	450	21/26	1151X	L	KF	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI	KX 450 X	450	21/26	1151XBH	L	KF	270	109	3,0	4	9,5								
KAWASAKI	KX 450 X	450	21/26	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KX 450 X	450	21/26	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI	KX 450 X	450	21/26	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI	KXE F	450	06/14	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI	SUPERMOTARD F	450	06/10	1771G / 1771XG	L	F6,5	320	109	5,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI	SM F	450	06/10	1013	L	F6,5	320	109	5,0	4	9,5								
KAWASAKI	KLE	500	01/07	090 / 090X	L	S	300	130	5,0	9	10,5	091 / 091X	R	S	230	120	5,0	6	10,5
KAWASAKI	KLE 500	500	26	-	L	S	300	130	5,0	6	10,5	-	R	S	230	120	5,0	6	10,5
KAWASAKI	KLE 500 SE	500	26	-	L	S	300	130	5,0	6	10,5	-	R	S	230	120	5,0	6	10,5
KAWASAKI	KX	500	01/04	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI	KX	500	01/04	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	KLR	650	01/07	694 / 694X	L	S	280	130	4,0	9	10,5	091 / 091X	R	S	230	120	5,0	6	10,5
KAWASAKI	KLR	650	08/18	694X / 694	L	S	280	130	4,0	9	10,5	2177X	R	S	240	120	5,0	6	10,5
KAWASAKI	KLR ADVENTURE ABS	650	21/23	2170	L	S	300	130	5	6	10,5	2171	R	S	240	120	6	6	10,5
KAWASAKI	KLR TRAVELER ABS	650	22	2170	L	S	300	130	5	6	10,5	2171	R	S	240	120	6	6	10,5
KAWASAKI	KLX R	650	01/14	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI	KLX R	650	01/14	1761 / 1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI	NINJA CITY / TOURER	650	07/11	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
KAWASAKI	VERSYS 650	650	06/14	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI	VERSYS 650	650	06/14	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650	650	15/20	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1782X / 1782	R	S	250	100	4,5	4	10,5
KAWASAKI	VERSYS 650	650	15/20	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650	650	21/26	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS 650	650	21/26	2414X / 2414XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS COMFORT ABS	650	22	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS COMFORT ABS	650	22	2414X / 2414XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS KLE	650	07/14	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
KAWASAKI	VERSYS KLE ABS	650	07/14	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI	VERSYS KLE ABS	650	07/14	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS KLE ABS	650	15/18	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS KLE ABS	650	15/18	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS MOBILITY ABS	650	22	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS MOBILITY ABS	650	22	2414X / 2414XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650 TOURER	650	17/20	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS 650 TOURER	650	17/20	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650 TOURER	650	21/26	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS 650 TOURER	650	21/26	2414X / 2414XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650 TOURER PLUS	650	17/20	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS 650 TOURER PLUS	650	17/20	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650 TOURER PLUS	650	21/26	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS 650 TOURER PLUS	650	21/26	2414X / 2414XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650 GRAND TOURER	650	17/20	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS 650 GRAND TOURER	650	17/20	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS 650 GRAND TOURER	650	21/26	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS 650 GRAND TOURER	650	21/26	2414X / 2414XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VERSYS URBAN	650	22/24	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS URBAN	650	22/24	2414X / 2414XG	L	F00,0	300	80	5,0	5	10,5								
KAWASAKI	KLX	1000	04/07	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
KAWASAKI	VERSYS	1000	11/15	1056XG / 1056X	L/R	MDF	300	80	5,0	5	MH	1218X / 1218	R	S	250	110	5,5	4	10,5
KAWASAKI	VERSYS	1000	15/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS	1000	15/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS GRAND TOURER ABS	1000	16/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS GRAND TOURER ABS	1000	16/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS TOURER	1000	16/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS TOURER	1000	16/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS TOURER PLUS	1000	23/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5

KAWASAKI	VERSYS TOURER PLUS	1000	23/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS LT ABS	1000	12/14	1056XG / 1056X	L/R	MDF	300	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS LT ABS	1000	12/14	1056G / 1056	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI	VERSYS LT ABS	1000	15/18	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS LT ABS	1000	15/18	1213X / 1213	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1000 S Modelo 2024	1000	22/25	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1000 S Modelo 2024	1000	22/25	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1000 S GRAND TOURER Modelo 2024	1000	22/25	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1000 S GRAND TOURER Modelo 2024	1000	22/25	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1000 S GRAND TOURER PLUS Modelo 2024	1000	22/25	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1000 S GRAND TOURER PLUS Modelo 2024	1000	22/25	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1000 S TOURER Modelo 2024	1000	22/25	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1000 S TOURER Modelo 2024	1000	22/25	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS SE	1000	23/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS SE	1000	23/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS SE GRAND TOURER	1000	23/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS SE GRAND TOURER	1000	23/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS SE TOURER	1000	23/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS SE TOURER	1000	23/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS SE TOURER PLUS ABS	1000	22/24	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS SE TOURER PLUS ABS	1000	22/24	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 GRAND TOURER	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 GRAND TOURER	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 TOURER	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 TOURER	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 TOURER PLUS	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 TOURER PLUS	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 S	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 S	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 S GRAND TOURER	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 S GRAND TOURER	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 S TOURER	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 S TOURER	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 S TOURER PLUS	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 S TOURER PLUS	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 SE	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 SE	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 SE GRAND TOURER	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 SE GRAND TOURER	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 SE TOURER	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 SE TOURER	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	VERSYS 1100 SE TOURER PLUS	1100	24/26	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS 1100 SE TOURER PLUS	1100	24/26	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH								
KEEWAY	TX 2 / TX E4 / TX S	125	16/21	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TX ADVENTURE	125	19	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TX E4 CBS	125	12/20	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TXM 4T CBS	125	17/19	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TX EN / TX SM	200	11/14	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	KXM	200	12/14	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TX 450 R	450	25	-X	L	S	270	-	-	-	-	-X	R	S	240	-	-	-	-
KENTOYA	TRIGGER	125	04→	ND / NA	L	S	265	130,2	4,0	6	10,5	ND / NA	R	S	220	58	4,0	4	10,5
KL	NOX / PROXY / PULSAR	125	01	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-	-
KL	NOX / PROXY / PULSAR	125	01	1022 / 1022X	L	MD	190	58	3,7	3	MH								
KL	NOX / PROXY / PULSAR	150	01	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-	-
KL	NOX / PROXY / PULSAR	150	01	1022 / 1022X	L	MD	190	58	3,7	3	MH								
KLEUSTER	FREGONES	E	18/24	2030	L	S	260	108	3,5	6	6,5	362		S	200	51,5	3,5	4	8,5
KOVE	E-MX ELECTRIC	E	24/25	--X	L	F00,0	260	-	-	-	-	-X	R	S	240	-	-	-	-
KOVE	MX 250	250	24/26	--X	L	F00,0	260	-	-	-	-	2412X	R	S	240	122,2	4,6	4	6,5
KOVE	450 RALLY	450	23/26	--X	L	F00,0	280	-	-	-	-	2412X	R	S	240	122,2	4,6	4	6,5
KOVE	450 X RALLY	450	24/26	--X	L	F00,0	280	-	-	-	-	2412X	R	S	240	122,2	4,6	4	6,5
KOVE	MX 450	450	24/26	--X	L	F00,0	260	-	-	-	-	2412X	R	S	240	122,2	4,6	4	6,5
KOVE	510 F	510	23/25	--X	L/R	Fxx,x	300	-	-	-	-	-X DF641	L	S	240	-	-	-	-
KOVE	525 X	525	24/25	--X	L/R	Fxx,x	-	-	-	-	-	-X	L	S	-	-	-	-	-
KOVE	800 X PRO	800	24/25	--	L/R	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
KOVE	800 X PRO ADVENTURE	800	23	2270XG	L/R	F00,0	320	139	4	5	10,25	2352X	R	S	240	125	4	5	10,25
KOVE	800 X RALLY	800	24/25	--	L/R	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
KSR	KSR TR X / TR SM	125	19/20	-X	L	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
KSR	TW X / TW SM	125	19/20	-X	L	S	-	-	-	-	-	-X	R	S	-	-	-	-	-

KTM	ALL MODELS SUPERMOTARD Wheel,REVERSE SUSPENSION	-	07/08	1640K11	L	KF	*320	127	5,0	6	6,5	-	-	-	-	-	-	-	
KTM	ALL MODELS SUPERMOTARD Wheel,REVERSE SUSPENSION	-	07/08	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	ALL MODELS SUPERMOTARD Wheel,REVERSE SUSPENSION	-	07/08	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	FREERIDE E 660W	E	25/27	1725X	L	F00,0	260	127,2	3,0	6	6,5	129X / 129XSP	R	S	220	110	4,2	6°	6,5
KTM	FREERIDE E-SM / E-SX	E	15/17	1777X	L	S	260	-	4	4	6,5	1493X	R	S	230	110	4,0	4	6,5
KTM	FREERIDE E-SM / E-SX	E	15/17	1324X	L	F00,0	260	95	3,0	4	6,5								
KTM	FREERIDE E-SX	E	12/14	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	FREERIDE E-SX	E	12/14	1324XK20	L	KF	*260	95	3,0	4	6,5								
KTM	FREERIDE E-SX	E	12/14									1481XK25	R	KS	*220	110	4,0	4	6,5
KTM	FREERIDE E-XC	E	15/25	1777X	L	S	260	-	4	4	6,5	1493X	R	S	230	110	4,0	4	6,5
KTM	SX-E 2	E	24/25	-	L	S	140	-	-	-	-	-	R	S	140	-	-	-	-
KTM	SX-E 3 F/R: 10" WHEELS	E	22/25	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
KTM	SX-E 5 4 / 10 YEARS	E	19/25	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
KTM	SX	50	08/13	1374X	L	S	160	72	3,0	4	6,5	1375X	R	S	140	45	3,2	5	6,5
KTM	SX	50	12/13	1378XK21	L	KF	*185	72	3,0	4	6,5								
KTM	50 SX 2T 4 / 10 Years	50	14/26	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
KTM	50 SX 2T 4 / 10 Years	50	14/26	1378XK21	L	KF	*185	72	3,0	4	6,5								
KTM	50 SX 2T FACTORY EDITION	50	21/26	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
KTM	50 SX 2T FACTORY EDITION	50	21/26	1378XK21	L	KF	*185	72	3,0	4	6,5								
KTM	SX 2T 8 / 12 Years	65	01	-	L	S	-	-	-	-	-	1026X / 1026	R	S	160	45,5	3,0	4	6,5
KTM	SX 2T 8 / 12 Years	65	02/22	1025X / 1025	L	S	198	89	3,0	3	6,5	1026X / 1026	R	S	160	45,5	3,0	4	6,5
KTM	SX 2T 8 / 12 Years	65	02/22	1379XK22	L	KF	*225	89	3,0	3	6,5								
KTM	65 SX 2T 8 / 12 Years	65	23/24	1025X / 1025	L	S	198	89	3,0	3	6,5	2217X	R	S	180	45	3,5	4	6,5
KTM	65 SX 2T 8 / 12 Years	65	25/27	2410X	L	S	198	90,5	3,0	4	6,5	2411X	R	S	180	67,3	3,1	4	6,5
KTM	SX SM VMC Wheels	65	01/22	2059XK22	L	KF	*225	53,2	3,0	3	10,5	2060X	R	S	160	53,2	3,5	3	10,5
KTM	SXS	65	12/13	1025X / 1025	L	S	198	89	3,0	3	6,5	1026X / 1026	R	S	160	45,5	3,0	4	6,5
KTM	XC	65	08/09	1025 / 1025X	L	S	198	89	3,0	3	6,5	1026 / 1026X	R	S	160	45,5	3,0	4	6,5
KTM	MX	80	01/02	178	L	S	198	-	3,0	3	6,5	1026 / 1026X	R	S	160	45,5	3,0	4	6,5
KTM	XC	85	07/09	1029 / 1029X	L	S	220	95	3,0	4	6,5	1030 / 1030X	R	S	200	110	3,5	4	6,5
KTM	SX	85	03	178	L	S	198	-	3,0	3	6,5	1030 / 1030X	R	S	200	110	3,5	4	6,5
KTM	SX 17" / 14" - 19" / 16" Wheels	85	03/12	1029 / 1029X	L	S	220	95	3,0	4	6,5	1030 / 1030X	R	S	200	110	3,5	4	6,5
KTM	SX 17" / 14" - 19" / 16" Wheels	85	13/15	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	SX 17" / 14" - 19" / 16" Wheels	85	13/15	1324XK20	L	KF	*260	95	3,0	4	6,5								
KTM	SX 17" / 14" - 19" / 16" Wheels	85	13/15									1481XK25	R	KS	*220	110	4,0	4	6,5
KTM	SX 2T 17" / 14" - 19" / 16"	85	16/20	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	SX 2T 17" / 14" - 19" / 16"	85	16/20	1324XK20	L	KF	*260	95	3,0	4	6,5								
KTM	SX 2T 17" / 14" - 19" / 16"	85	16/20									1481XK25	R	KS	*220	110	4,0	4	6,5
KTM	85 SX 2T 17" / 14" - 19" / 16"	85	21/26	1681X	L	S	240	95	4,0	4	6,5	129X / 129XSP	R	S	220	110	4,2	6	6,5
KTM	85 SX 2T 17" / 14" - 19" / 16"	85	21/26	1324XK20	L	KF	*260	95	3,0	4	6,5								
KTM	XC	85	11/15	1029 / 1029X	L	S	220	95	3,0	4	6,5	1281X	L	S	210	110	4,0	4	6,5
KTM	SX	105	04/15	1029 / 1029X	L	S	220	95	3,0	4	6,5	1030 / 1030X	R	S	200	110	3,5	4	6,5
KTM	XC	105	08/09	1029 / 1029X	L	S	220	95	3,0	4	6,5	1030 / 1030X	R	S	200	110	3,5	4	6,5
KTM	125 ENDURO R	125	25/26	-	R	S	285	155,9	4,5	6	10,6	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	125 SX 2T	125	09/27	1254XK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	125 SX 2T	125	09/27	1254XBHK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	125 SX 2T SUPERMOTARD Wheel	125	01/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	125 SX 2T SUPERMOTARD Wheel	125	01/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX 2T SUPERMOTARD Wheels	125	01/08	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T SUPERMOTARD Wheels	125	01/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX 2T SUPERMOTARD Wheels	125	01/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	125 SX 2T SUPERMOTARD Wheel	125	09/27	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	125 SX 2T SUPERMOTARD Wheel	125	09/27	1640XK11	L	KF	*318	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	125 SX 2T SUPERMOTARD Wheel	125	09/27	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	125 SX 2T SUPERMOTARD Wheel	125	09/27	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	125 SX 2T SUPERMOTARD Wheel	125	09/27	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC	125	01/17	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC	125	01/17	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC	125	01/17	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC	125	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	125	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	125	10/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	125	10/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	125	01/17	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	125	90/09	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	125	90/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	125	90/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	125	10/17	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	125	10/17	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	125	10/17	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SIX DAYS	125	01/17	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5

KTM	EXC SIX DAYS	125	01/17	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	125	01/17	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC SIX DAYS	125	01/17	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	125	01/17	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	125	01/17	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC SIX DAYS	125	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SIX DAYS	125	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SIX DAYS	125	10/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SIX DAYS	125	10/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	125	01/17	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS SM Wheels	125	98/09	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS SM Wheels	125	98/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	125	98/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	125	10/17	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	125	10/17	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	125	10/17	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SMC 125 R	125	25	2096 / 2096X	R	S	320	204	5,0	5	8,5	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	125 SX 2T	125	01/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	125 SX 2T	125	01/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	125 SX 2T	125	01/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX 2T	125	01/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	125	01/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	01/12	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SXS	125	01/12	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SXS	125	01/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SXS	125	01/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	01/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	09/12	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	09/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	00/12	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SXS SUPERMOTARD Wheels	125	01/08	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SXS SUPERMOTARD Wheels	125	01/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	125	01/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	125	09/12	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	125	09/12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	125	09/12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC 2T Cross Country	125	21/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC 2T Cross Country	125	21/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC 2T Cross Country	125	21/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC 2T Cross Country	125	21/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC 2T Cross Country	125	21/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC 2T SUPERMOTARD Wheels	125	21/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC 2T SUPERMOTARD Wheels	125	21/25	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC 2T SUPERMOTARD Wheels	125	21/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC 2T SUPERMOTARD Wheels	125	21/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC 2T SUPERMOTARD Wheels	125	21/25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC 2T SUPERMOTARD Wheels	125	21/25	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	125 XC-W 2T	125	17/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	125 XC-W 2T	125	17/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	125 XC-W 2T	125	17/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	125 XC-W 2T	125	17/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	125 XC-W 2T	125	17/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	125 XC-W 2T SM Wheels	125	17/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	125 XC-W 2T SM Wheels	125	17/26	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	125 XC-W 2T SM Wheels	125	17/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	125 XC-W 2T SM Wheels	125	17/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	125 XC-W 2T SM Wheels	125	17/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	125 XC-W 2T SM Wheels	125	17/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX	144	07/12	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX	144	07/12	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX	144	07/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX	144	07/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	144	07/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	144	09/12	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX	144	09/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	144	07/12	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	144	07/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	144	07/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	144	07/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	144	09/12	1640K11	L	KF	*320	127	5,0	6	6,5								

KTM	SX SUPERMOTARD Wheels	144	09/12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	144	09/12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T	150	20/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T	150	20/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T	150	20/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC 2T	150	20/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T	150	20/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T SM Wheels	150	20/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SM Wheels	150	20/25	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SM Wheels	150	20/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T SM Wheels	150	20/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SM Wheels	150	20/25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SIX DAYS	150	21	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SIX DAYS	150	21	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T SIX DAYS	150	21	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T SIX DAYS SM Wheels	150	21	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SIX DAYS SM Wheels	150	21	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SIX DAYS SM Wheels	150	21	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T SIX DAYS SM Wheels	150	21	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SIX DAYS SM Wheels	150	21	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SIX DAYS SM Wheels	150	21	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T 150	150	07/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX 2T 150	150	07/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX 2T 150	150	07/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX 2T	150	07/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	150	07/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T 150	150	09/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T 150	150	09/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T 150 SUPERMOTARD Wheel	150	07/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX 2T SUPERMOTARD Wheel	150	07/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX 2T SUPERMOTARD Wheel	150	07/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX 2T SUPERMOTARD Wheel	150	07/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T 150 SUPERMOTARD Wheel	150	09/25	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T 150 SUPERMOTARD Wheel	150	09/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX 2T 150 SUPERMOTARD Wheel	150	09/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T 150 SUPERMOTARD Wheel	150	09/25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T 150 SUPERMOTARD Wheel	150	09/25	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC	150	10/15	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC	150	10/15	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC	150	10/15	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC	150	10/15	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC	150	10/15	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC SUPERMOTARD Wheels	150	10/15	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC SUPERMOTARD Wheels	150	10/15	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC SUPERMOTARD Wheels	150	10/15	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC SUPERMOTARD Wheels	150	10/15	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W	150	17/19	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W	150	17/19	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W	150	17/19	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W	150	17/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	150	17/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	150	17/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	150	17/19	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	150	17/19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SM Wheels	150	17/19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W TPI	150	20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI	150	20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI	150	20	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W TPI	150	20	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W TPI	150	20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W TPI	150	20	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI SM Wheels	150	20	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI SM Wheels	150	20	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W TPI SM Wheels	150	20	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EGS	200	01/02	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EGS	200	01/02	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EGS	200	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EGS	200	01/02	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EGS	200	01/02	1254XBHK16	L	KF	*270	-	3,0	6	6,5								

KTM	EGS SM Wheels	200	01/02	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EGS SM Wheels	200	01/02	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EGS SM Wheels	200	01/02	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EGS SM Wheels	200	01/02	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC	200	01/15	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC	200	01/15	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC	200	01/15	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC	200	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	10/15	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	10/15	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SM Wheels	200	01/15	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC SM Wheels	200	01/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC SM Wheels	200	01/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SM Wheels	200	01/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SM Wheels	200	10/15	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SM Wheels	200	10/15	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SM Wheels	200	10/15	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	MXC	200	01/03	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC	200	01/03	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC	200	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MXC	200	01/03	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC	200	01/03	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	200	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	200	01/03	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	200	01/03	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	200	01/03	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX	200	03/09	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX	200	03/09	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX	200	03/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX	200	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	09	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	09	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	03/09	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	200	03/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	200	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	200	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	200	09	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	200	09	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	200	09	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC	200	08/09	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC	200	08/09	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC	200	08/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC SUPERMOTARD Wheels	200	08/09	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC SUPERMOTARD Wheels	200	08/09									129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W	200	01/17	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W	200	01/17	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W	200	01/17	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W	200	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	200	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	200	10/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	200	10/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SUPERMOTARD Wheels	200	01/17	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W SUPERMOTARD Wheels	200	01/09	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W SUPERMOTARD Wheels	200	01/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SUPERMOTARD Wheels	200	01/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SUPERMOTARD Wheels	200	10/17	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SUPERMOTARD Wheels	200	10/17	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SUPERMOTARD Wheels	200	10/17	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	ADVENTURE 250	250	20/21	1644	L	S	320	90	5,0	6	10,5	1311 / 1311X	R	S	230	104	4,0	6	10,5
KTM	ADVENTURE 250	250	20/21	1642G / 1642XG	L	F00,0	320	90	5,0	6	10,5								
KTM	ADVENTURE 250	250	22/24	1644	L	S	320	90	5,0	6	10,5	2116 / 2116X	R	S	230	104,5	4,0	5	10,5
KTM	ADVENTURE 250	250	22/24	1642G / 1642XG	L	F00,0	320	90	5,0	6	10,5								
KTM	EGS	250	01/02	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EGS	250	01/02	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EGS	250	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EGS	250	01/02	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EGS	250	01/02	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EGS SUPERMOTARD Wheels	250	01/02	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5

KTM	EGS SUPERMOTARD Wheels	250	01/02	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EGS SUPERMOTARD Wheels	250	01/02	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EGS SUPERMOTARD Wheels	250	01/02	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T	250	01/17	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC 2T	250	01/17	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T	250	01/17	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC 2T	250	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T	250	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T	250	10/17	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T	250	10/17	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T SM Wheels	250	01/17	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SM Wheels	250	01/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SM Wheels	250	01/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T SM Wheels	250	01/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SM Wheels	250	10/17	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SM Wheels	250	10/17	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T SM Wheels	250	10/17	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T SIX DAYS	250	10/18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SIX DAYS	250	10/18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SIX DAYS	250	10/18	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC 2T SIX DAYS	250	10/18	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T SIX DAYS	250	10/18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T SIX DAYS SM Wheels	250	10/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SIX DAYS SM Wheels	250	10/18	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T SIX DAYS SM Wheels	250	10/18	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T SIX DAYS SM Wheels	250	10/18	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T TPI	250	18/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI	250	18/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI	250	18/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC 2T TPI	250	18/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T TPI	250	18/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T TPI SM Wheels	250	18/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI SM Wheels	250	18/25	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI SM Wheels	250	18/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T TPI SM Wheels	250	18/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T TPI SM Wheels	250	18/25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T TPI SM Wheels	250	18/25	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC 2T SIX / 6DAYS	250	19/26	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 EXC 2T SIX / 6DAYS	250	19/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	250 EXC 2T SIX / 6DAYS	250	19/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	250 EXC 2T SIX / 6DAYS SM Wheels	250	19/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 EXC 2T SIX / 6DAYS SM Wheels	250	19/26	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC 2T SIX / 6DAYS SM Wheels	250	19/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	250 EXC 2T SIX / 6DAYS SM Wheels	250	19/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC 2T SIX / 6DAYS SM Wheels	250	19/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC 2T SIX / 6DAYS SM Wheels	250	19/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC-F 4T	250	01/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 EXC-F 4T	250	01/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 EXC-F 4T	250	01/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-F 4T	250	01/20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T	250	01/20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T	250	01/20	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-F 4T	250	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T	250	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	250 EXC-F 4T	250	10/26	1254XK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 EXC-F 4T	250	10/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 EXC-F 4T SM Wheels	250	01/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SM Wheels	250	01/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SM Wheels	250	01/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T SM Wheels	250	01/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC-F 4T SM Wheels	250	10/26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 EXC-F 4T SM Wheels	250	10/26	1640XK11	L	KF	*318	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 EXC-F 4T SM Wheels	250	10/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC-F 4T SM Wheels	250	10/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 EXC-F 4T SM Wheels	250	10/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	250	10/18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS	250	10/18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS	250	10/18	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	250	10/18	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	250	10/18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								

KTM	EXC-F 4T SIX DAYS	250	19/25	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS	250	19/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	250	19/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM Wh.	250	10/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS SM Wh.	250	10/18	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS SM Wh.	250	10/18	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM Wh.	250	10/18	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	250	19/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS SM WHEELS	250	19/25	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	250	19/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	250	19/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	250	19/25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC G	250	04/09	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC G	250	04/09	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC G	250	04/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC G	250	04/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC G	250	04/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC G SM Wheels	250	04/09	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC G SM Wheels	250	04/09	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC G SM Wheels	250	04/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC G SM Wheels	250	04/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC RACING	250	03/06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC RACING	250	03/06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC RACING	250	03/06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC RACING	250	03/06	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
KTM	F	250	06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	F	250	06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	F	250	06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	F	250	06	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	F	250	06	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	F SUPERMOTARD Wheels	250	06	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	F SUPERMOTARD Wheels	250	06	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	F SUPERMOTARD Wheels	250	06	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	F SUPERMOTARD Wheels	250	06	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	FREERIDE 2T	250	14	140	L	S	260	-	3,5	6	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	FREERIDE 2T	250	14	140X	L	S	260	-	3,0	6	6,5								
KTM	FREERIDE 2T	250	14	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	FREERIDE 2T	250	14	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
KTM	FREERIDE F 4T	250	18/21	1777X	L	S	260	-	4	4	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	FREERIDE R 2T	250	12/17	1777X	L	S	260	-	4	4	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	FREERIDE R 2T	250	12/17	1324X	L	F00,0	260	95	3,0	4	6,5								
KTM	MXC	250	01/03	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC	250	01/03	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC	250	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MXC	250	01/03	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC	250	01/03	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	250	98/00	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	250	98/00	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	250	98/00	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	250	98/00	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	250	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	250	01/03	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	250	01/03	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	250	01/03	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	250 SX 2T	250	01/27	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T	250	01/27	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T	250	01/27	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX 2T	250	01/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	250	01/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	250 SX 2T	250	09/27	1254XK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T	250	09/27	1254XBHK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T SUPERMOTARD Wheel	250	01/27	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T SUPERMOTARD Wheel	250	01/27	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX 2T 250 SUPERMOTARD Wheel	250	01/08	1640XK27	L	KF	*318	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX 2T 250 SUPERMOTARD Wheel	250	01/08	1640SPK27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T SUPERMOTARD Wheel	250	09/27	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T SUPERMOTARD Wheel	250	09/27	1640XK11	L	KF	*318	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 SX 2T SUPERMOTARD Wheel	250	09/27	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 SX 2T SUPERMOTARD Wheel	250	09/27	2025GK11	L	KF	*320	127	5,0	6	6,5								

KTM	250 SX 2T SUPERMOTARD Wheel	250	09/27	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 SX-F 4T	250	03/27	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 SX-F 4T	250	03/27	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 SX-F 4T	250	03/27	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX-F 4T	250	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T	250	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T	250	09/24	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	250 SX-F 4T SM Wheel	250	09/27	1254XBHK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 SX-F 4T SM Wheel	250	09/27	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T SM Wheels	250	03/08	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T SM Wheels	250	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T SM Wheels	250	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	250 SX-F 4T SM Wheel	250	09/27	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	250 SX-F 4T SM Wheel	250	09/27	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	250 SX-F 4T SM Wheel	250	09/27	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 SX-F 4T SM Wheel	250	09/27	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 SX-F 4T SM Wheel	250	09/27	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T ADAMO EDITION	250	25	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T ADAMO EDITION	250	25	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T ADAMO EDITION	250	25	140	L	S	260	-	3,5	6	6,5								
KTM	SX-F 4T ADAMO EDITION	250	25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T ADAMO EDITION	250	25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T ADAMO EDITION SM Wheel	250	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T ADAMO EDITION SM Wheel	250	25	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T ADAMO EDITION SM Wheel	250	25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T ADAMO EDITION SM Wheel	250	25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T ADAMO EDITION SM Wheel	250	25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T ADAMO EDITION SM Wheel	250	25	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T PRADO 4T	250	20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T PRADO 4T	250	20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T PRADO 4T	250	20	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX-F 4T PRADO 4T SM Wheels	250	20	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T PRADO 4T SM Wheels	250	20	1254XK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T PRADO 4T SM Wheels	250	20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T PRADO 4T SM Wheels	250	20	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T PRADO 4T SM Wheels	250	20	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T PRADO 4T SM Wheels	250	20	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T TROY LEE DESIGNS	250	21	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T TROY LEE DESIGNS	250	21	1254XK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T TROY LEE DESIGNS	250	21	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T TROY LEE SM Wh.	250	21	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T TROY LEE SM WHEELS	250	21	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T TROY LEE SM WHEELS	250	21	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T TROY LEE SM WHEELS	250	21	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T TROY LEE SM WHEELS	250	21	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T TROY LEE SM WHEELS	250	21	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS	250	03/19	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SXS	250	03/19	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SXS	250	03/19	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SXS	250	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	250	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	250	09/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	250	09/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	250	03/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SXS SUPERMOTARD Wheels	250	03/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SXS SUPERMOTARD Wheels	250	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	250	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	250	09/19	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	250	09/19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	250	09/19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS F	250	09/19	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SXS F	250	09/19	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SXS F	250	09/19	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SXS F	250	09/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS F	250	09/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS F SUPERMOTARD Wheels	250	09/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SXS F SUPERMOTARD Wheels	250	09/19	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SXS F SUPERMOTARD Wheels	250	09/19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SXS F SUPERMOTARD Wheels	250	09/19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC / XC-F	250	06/19	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5

KTM	XC / XC-F	250	06/19	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC / XC-F	250	06/19	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC / XC-F	250	06/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC / XC-F	250	06/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC / XC-F	250	09/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC / XC-F	250	09/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC / XC-F SM Wheels	250	06/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC / XC-F SM Wheels	250	06/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC / XC-F SM Wheels	250	06/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC / XC-F SM Wheels	250	06/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC / XC-F SM Wheels	250	09/19	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	XC / XC-F SM Wheels	250	09/19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC / XC-F SM Wheels	250	09/19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 XC	250	20/27	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 XC	250	20/27	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 XC	250	20/27	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	250 XC	250	20/27	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	250 XC	250	20/27	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC TPI SM Wheels	250	20/27	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC TPI SM Wheels	250	20/27	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC TPI SM Wheels	250	20/27	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC TPI SM Wheels	250	20/27	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-F	250	24/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-F	250	24/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-F	250	24/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-F	250	24/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F	250	24/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F SM Wheel	250	24/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-F SM Wheel	250	24/25	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-F SM Wheel	250	24/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-F SM Wheel	250	24/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W	250	06/19	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W	250	06/19	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W	250	06/19	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W	250	06/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	250	06/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	250	10/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	250	10/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SM Wheels	250	06/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	250	06/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	250	06/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SM Wheels	250	06/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SM Wheels	250	10/19	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SM Wheels	250	10/19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SM Wheels	250	10/19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 XC-W 2T	250	26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	250 XC-W 2T	250	26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	250 XC-W 2T	250	26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	250 XC-W 2T	250	26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	250 XC-W 2T	250	26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	250 XC-W 2T	250	26	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
KTM	250 XC-W 2T	250	26	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	250 XC-W 2T	250	26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	250 XC-W 2T	250	26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 XC-W 2T	250	26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	250 XC-W 2T	250	26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SIX DAYS	250	10/16	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS	250	10/16	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS	250	10/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W SIX DAYS	250	10/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SIX DAYS	250	10/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SIX DAYS SM Wheels	250	10/16	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS SM Wheels	250	10/16	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS SM Wheels	250	10/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SIX DAYS SM Wheels	250	10/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W TPI	250	18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI	250	18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI	250	18	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W TPI	250	18	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W TPI	250	18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								

KTM	XC-W TPI SM Wheels	250	18	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI SM Wheels	250	18	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W TPI SM Wheels	250	18	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W TPI SM Wheels	250	18	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF	250	10→	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF	250	10→	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF	250	10→	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF	250	10→	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF	250	10→	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF SUPERMOTARD Wheels	250	10→	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF SUPERMOTARD Wheels	250	10→	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF SUPERMOTARD Wheels	250	10→	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF SUPERMOTARD Wheels	250	10→	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W	250	10/16	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W	250	10/16	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W	250	10/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W	250	10/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W	250	10/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SM Wheels	250	10/16	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	250	10/16	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	250	10/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SM Wheels	250	10/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS	250	11	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS	250	11	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS	250	11	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS	250	11	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS	250	11	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	250	11	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	250	11	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	250	11	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	250	11	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T	300	01/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T	300	01/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T	300	01/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	300 EXC 2T	300	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T	300	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T	300	10/26	1254XK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T	300	10/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T Champion Edition	300	25/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T Champion Edition	300	25/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T Champion Edition	300	25/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	300 EXC 2T Champion Edition	300	25/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 EXC 2T Champion Edition	300	25/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 EXC 2T Champiom Edition SM Wheel	300	25/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T Champiom Edition SM Wheel	300	25/26	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T Champiom Edition SM Wheel	300	25/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	300 EXC 2T Champiom Edition SM Wheel	300	25/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T Champiom Edition SM Wheel	300	25/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T Champiom Edition SM Wheel	300	25/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO	300	24/25	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO	300	24/25	140	L	S	260	-	3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO	300	24/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	300 EXC 2T HARDENDURO	300	24/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 EXC 2T HARDENDURO	300	24/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	24/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO SM Wheel	300	24/25	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO SM Wheel	300	24/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	24/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	24/25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	24/25	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO	300	26	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO	300	26	1254XK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO	300	26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO SM Wheel	300	26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T HARDENDURO SM Wheel	300	26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T HARDENDURO SM Wheel	300	26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T SM Wheel	300	10/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5

KTM	300 EXC 2T SM Wheel	300	10/26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SM Wheel	300	10/26	1640XK11	L	KF	*318	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SM Wheel	300	10/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T SM Wheel	300	10/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T SM Wheel	300	10/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T SM Wheel	300	01/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SM Wheel	300	01/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	300 EXC 2T SIX DAYS	300	01/26	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SIX DAYS	300	01/26	140	L	S	260	-	3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SIX DAYS	300	01/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	300 EXC 2T SIX DAYS	300	01/09	1254XK16	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SIX DAYS	300	01/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SIX DAYS	300	10/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 EXC 2T SIX DAYS	300	10/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 EXC 2T SIX DAYS SM Wheel	300	01/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SIX DAYS SM Wheel	300	01/09	1640K27	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SIX DAYS SM Wheel	300	01/09	1640XK27	L	KF	*318	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 EXC 2T SIX DAYS SM Wheel	300	01/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T SIX DAYS SM Wheel	300	10/26	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	300 EXC 2T SIX DAYS SM Wheel	300	10/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	300 EXC 2T SIX DAYS SM Wheel	300	10/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EGS	300	01/03	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	EGS	300	01/03	140X	L	S	260	-	3,0	6	6,5								
KTM	EGS	300	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EGS	300	01/03	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EGS	300	01/03	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EGS SUPERMOTARD Wheels	300	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	EGS SUPERMOTARD Wheels	300	01/03	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	EGS SUPERMOTARD Wheels	300	01/03	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EGS SUPERMOTARD Wheels	300	01/03	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T TPI ERZBERGRODEO	300	20/23	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI ERZBERGRODEO	300	20/23	1254XK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI ERZBERGRODEO	300	20/23	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T TPI ERZBERGRODEO SM Wheel	300	20/23	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI ERZBERGRODEO SM Wheel	300	20/23	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T TPI ERZBERGRODEO SM Wheel	300	20/23	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T TPI ERZBERGRODEO SM Wheel	300	20/23	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T TPI ERZBERGRODEO SM Wheel	300	20/23	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T TPI ERZBERGRODEO SM Wheel	300	20/23	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-E	300	01/11	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-E	300	01/11	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-E	300	01/11	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-E SM Wheel	300	01/11	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-E SM Wheel	300	01/11									129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	MXC	300	01/06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC	300	01/06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC	300	01/06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MXC	300	01/06	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC	300	01/06	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC SUPERMOTARD Wheel	300	01/06	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheel	300	01/06	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheel	300	01/06	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MXC SUPERMOTARD Wheel	300	01/06	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX	300	01/03	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX	300	01/03	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX	300	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX	300	01/03	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	300	01/03	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	300 SX 2T	300	23/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 SX 2T	300	23/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 SX 2T	300	23/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	300 SX 2T	300	23/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 SX 2T	300	23/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 SX 2T SM Wheel	300	23/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 SX 2T SM Wheel	300	23/26	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 SX 2T SM Wheel	300	23/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	300 SX 2T SM Wheel	300	23/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 SX 2T SM Wheel	300	23/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 SX 2T SM Wheel	300	23/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	300	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	300	01/03	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5

KTM	SX SUPERMOTARD Wheels	300	01/03	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	300	01/03	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F	300	10/12	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX-F	300	10/12	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX-F	300	10/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX-F	300	10/12	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F	300	10/12	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F SUPERMOTARD Wheels	300	10/12	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX-F SUPERMOTARD Wheels	300	10/12	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX-F SUPERMOTARD Wheels	300	10/12	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F SUPERMOTARD Wheels	300	10/12	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC	300	06/09	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC	300	06/09	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC	300	06/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC	300	06/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC	300	06/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC SUPERMOTARD Wheels	300	06/09	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC SUPERMOTARD Wheels	300	06/09	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC SUPERMOTARD Wheels	300	06/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC SUPERMOTARD Wheels	300	06/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC TPI	300	20/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC TPI	300	20/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC TPI	300	20/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC TPI	300	20/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC TPI	300	20/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC TPI SM Wheels	300	20/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC TPI SM Wheels	300	20/25	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC TPI SM Wheels	300	20/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC TPI SM Wheels	300	20/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 XC-W	300	01/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 XC-W	300	01/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 XC-W	300	01/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	300 XC-W	300	06/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	300 XC-W	300	06/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	300 XC-W	300	10/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 XC-W	300	10/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 XC-W SM Wheel	300	06/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 XC-W SM Wheel	300	06/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 XC-W SM Wheel	300	06/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	300 XC-W SM Wheel	300	06/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	300 XC-W SM Wheel	300	10/26	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	300 XC-W SM Wheel	300	10/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	300 XC-W SM Wheel	300	10/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 XC-W 2T HARDENDURO	300	24/26	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 XC-W 2T HARDENDURO	300	24/26	140	L	S	260	-	3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 XC-W 2T HARDENDURO	300	24/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	300 XC-W 2T HARDENDURO	300	24/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 XC-W 2T HARDENDURO	300	24/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	300 XC-W 2T HARDENDURO SM Wheel	300	24/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	300 XC-W 2T HARDENDURO SM Wheel	300	24/26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	300 XC-W 2T HARDENDURO SM Wheel	300	24/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	300 XC-W 2T HARDENDURO SM Wheel	300	24/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 XC-W 2T HARDENDURO SM Wheel	300	24/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	300 XC-W 2T HARDENDURO SM Wheel	300	24/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SIX DAYS	300	10/18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS	300	10/18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS	300	10/18	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W SIX DAYS	300	17/18	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SIX DAYS	300	17/18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SIX DAYS SM Wheels	300	10/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS SM Wheels	300	17/18	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS SM Wheels	300	17/18	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SIX DAYS SM Wheels	300	17/18	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T	350	10/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T	350	10/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T	350	10/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	350 EXC-F 4T	350	10/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	350 EXC-F 4T	350	10/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4TFACTORY EDITION	350	22	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T FACTORY EDITION	350	22	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5

KTM	EXC-F 4T FACTORY EDITION	350	22	140	L	S	260	-	3,5	6	6,5								
KTM	EXC-F 4T FACTORY EDITION	350	22	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T FACTORY EDITION	350	22	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T FACTORY EDITION SM Wheel	350	22	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T FACTORY EDITION SM Wheel	350	22	1640XK11	L	KF	*318	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T FACTORY EDITION SM Wheel	350	22	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T FACTORY EDITION SM Wheel	350	22	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T FACTORY EDITION SM Wheel	350	22	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T FACTORY EDITION SM Wheel	350	22	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T SM Wheels	350	10/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T SM Wheels	350	10/26	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T SM Wheels	350	10/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	350 EXC-F 4T SM Wheels	350	10/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T SM Wheels	350	10/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T SM Wheels	350	10/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T SIX / 6DAYS	350	12/26	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T SIX / 6DAYS	350	12/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T SIX / 6DAYS	350	12/26	140	L	S	260	-	3,5	6	6,5								
KTM	350 EXC-F 4T SIX / 6DAYS	350	12/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	350 EXC-F 4T SIX / 6DAYS	350	12/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM Wh.	350	12/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS SM Wh.	350	12/18	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS SM Wh.	350	12/18	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM Wh.	350	12/18	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T SIX / 6DAYS SM Wheels	350	19/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T SIX / 6DAYS SM Wheels	350	19/26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	350 EXC-F 4T SIX / 6DAYS SM Wheels	350	19/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	350 EXC-F 4T SIX / 6DAYS SM Wheels	350	19/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T SIX / 6DAYS SM Wheels	350	19/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 EXC-F 4T SIX / 6DAYS SM Wheels	350	19/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T WESS	350	21	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T WESS	350	21	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T WESS	350	21	140	L	S	260	-	3,5	6	6,5								
KTM	EXC-F 4T WESS	350	21	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T WESS	350	21	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T WESS SM Wheels	350	21	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T WESS SM Wheels	350	21	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T WESS SM Wheels	350	21	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T WESS SM Wheels	350	21	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T WESS SM Wheels	350	21	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T WESS SM Wheels	350	21	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	FREERIDE	350	12/17	1777X	L	S	260	-	4	4	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	FREERIDE	350	12/17	1324X	L	F00,0	260	95	3,0	4	6,5								
KTM	350 SX-F 4T	350	10/27	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	350 SX-F 4T	350	10/27	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	350 SX-F 4T	350	10/27	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	350 SX-F 4T	350	10/27	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	350 SX-F 4T	350	10/27	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	350 SX-F 4T SM Wheel	350	10/27	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	350 SX-F 4T SM Wheel	350	10/27	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	350 SX-F 4T SM Wheel	350	10/27	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	350 SX-F 4T SM Wheel	350	10/27	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 SX-F 4T SM Wheel	350	10/27	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	350 SX-F 4T SM Wheel	350	10/27	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-F 350	350	10/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-F 350	350	10/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-F 350	350	10/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-F 350	350	10/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F 350	350	10/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F 350 SUPERMOTARD Wheel	350	10/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-F 350 SUPERMOTARD Wheel	350	10/25	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-F 350 SUPERMOTARD Wheel	350	10/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-F 350 SUPERMOTARD Wheel	350	10/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W	350	10/18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W	350	10/18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W	350	10/18	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W	350	10/18	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W	350	10/18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SM Wheels	350	10/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	350	10/18	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5

KTM	XCF-W SM Wheels	350	10/18	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SM Wheels	350	10/18	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS	350	14/16	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS	350	14/16	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS	350	14/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS	350	14/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS	350	14/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	350	14/16	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	350	14/16	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	350	14/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	350	14/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC / SX	380	01/02	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC / SX	380	01/02	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC / SX	380	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC / SX	380	01/02	1254XK16	L	KF	*270	-	3,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC / SX	380	01/02	1254XBHK16	L	KF	*270	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC / SX SM Wheels	380	01/02	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC / SX SM Wheels	380	01/02	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC / SX SM Wheels	380	01/02	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC / SX SM Wheels	380	01/02	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	MXC	380	01/02	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC	380	01/02	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC	380	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	390 ADVENTURE Spoked Wheel	390	23/24	2021 / 2021X	L	S	320	155	5,0	6	9,0	1311 / 1311X	R	S	230	104	4,0	6	10,5
KTM	390 ADVENTURE Spoked Wheel	390	23/24	--	L	F00,0	320	155	5,0	6	9,0								
KTM	390 ADVENTURE R	390	25/26	-	R	S	320	155,3	5,0	6	10,5	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	390 ADVENTURE R	390	25/26	--	R	S	320	155,3	5,0	6	10,5	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	390 ADVENTURE X	390	25/26	-	R	S	320	155	4,5	5	10,5	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	390 ENDURO R	390	25/26	-	R	S	285	155,9	4,5	6	10,6	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	390 SMC R	390	25/26	-	R	S	320	155,3	5,0	6	10,5	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	390 SMC R	390	25/26	--	R	S	320	155,3	5,0	6	10,5	2289 / 2289X	R	S	240	125	5	5	10,5
KTM	ADVENTURE ABS	390	18/21	1644	L	S	320	90	5,0	6	10,5	1311 / 1311X	R	S	230	104	4,0	6	10,5
KTM	ADVENTURE ABS	390	18/21	1642G / 1642XG	L	F00,0	320	90	5,0	6	10,5								
KTM	ADVENTURE Aluminium Wheels	390	22/24	1644	L	S	320	90	5,0	6	10,5	2116 / 2116X	R	S	230	104,5	4,0	5	10,5
KTM	ADVENTURE Aluminium Wheels	390	22/24	1642G / 1642XG	L	F00,0	320	90	5,0	6	10,5								
KTM	EXC	400	01/15	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC	400	01/15	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC	400	01/15	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC	400	01/06	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	400	01/06	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	400	10/15	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	400	10/15	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	400	01/15	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	400	01/06	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	400	01/06	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	400	01/06	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	400	10/15	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	400	10/15	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	400	10/15	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-G	400	04/06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC-G	400	04/06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC-G	400	04/06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-G	400	04/06	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-G	400	04/06	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-G SM Wheels	400	04/06	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC-G SM Wheels	400	04/06	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC-G SM Wheels	400	04/06	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-G SM Wheels	400	04/06	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC LC4	400	01/03	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC LC4	400	01/03	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC LC4	400	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC LC4 SM Wheels	400	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	400	07/09	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	400	07/09	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	400	07/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	400	07/09	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS SM Wheels	400	07/09									129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS	400	01/02	1043 / 1043X	L	S	300	127	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS	400	01/02	1733 / 1733X	L	F00,0	300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EXC	400	01/03	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5

KTM	LC4 EXC	400	01/03	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EXC	400	01/03	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	LC4 EXC SM Wheels	400	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 EXC SM Wheels	400	01/03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EXC SM Wheels	400	94/00	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 EXC SM Wheels	400	94/00	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX 4T	400	01/10	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SX 4T	400	01/10	140X	L	S	260	-	3,0	6	6,5								
KTM	SX 4T	400	01/10	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX 4T	400	01/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 4T	400	01/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 4T	400	09/10	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 4T	400	09/10	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 4T SUPERMOTARD Wheels	400	01/10	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SX 4T SUPERMOTARD Wheels	400	01/08	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 4T SUPERMOTARD Wheels	400	01/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX 4T SUPERMOTARD Wheels	400	01/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 4T SUPERMOTARD Wheels	400	09/10	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX 4T SUPERMOTARD Wheels	400	09/10	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX 4T SUPERMOTARD Wheels	400	09/10	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC F-W	400	10	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F-W	400	10	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F-W	400	10	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC F-W	400	10	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F-W	400	10	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F-W SM Wheels	400	10	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F-W SM Wheels	400	10	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F-W SM Wheels	400	10	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC F-W SM Wheels	400	10	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W	400	07/10	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W	400	07/10	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W	400	07/10	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W	400	07/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	400	07/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	400	10	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	400	10	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SM Wheels	400	07/10	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	400	07/09	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	400	07/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SM Wheels	400	07/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SM Wheels	400	10	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SM Wheels	400	10	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SM Wheels	400	10	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T	450	03/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T	450	03/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T	450	03/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	450 EXC-F 4T	450	03/09	1254XK16	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T	450	03/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T	450	10/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	450 EXC-F 4T	450	10/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	450 EXC-F 4T SM Wheels	450	10/26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SM Wheels	450	10/26	1640XK11	L	KF	*318	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SM Wheels	450	10/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SM Wheels	450	10/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SM Wheels	450	10/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS	450	20/26	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS	450	20/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS	450	20/26	140	L	S	260	-	3,5	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS	450	20/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS	450	20/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	450	20/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	450	20/26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	450	20/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	450	20/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	450	20/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	450	20/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 RALLY REPLICA	450	11/27	1043X / 1043	L	S	300	127	4,0	6	6,5	1294X	R	S	240	110	4,0	6	6,5
KTM	450 RALLY REPLICA	450	11/27	1733X / 1733	L	F00,0	300	127	5,0	6	6,5								
KTM	450 RALLY REPLICA Sanders Edition	450	26	1043X / 1043	L	S	300	127	4,0	6	6,5	1294X	R	S	240	110	4,0	6	6,5
KTM	450 RALLY REPLICA Sanders Edition	450	26	1733X / 1733	L	F00,0	300	127	5,0	6	6,5								

KTM	450 SX-F 4T	450	03/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 SX-F 4T	450	03/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 SX-F 4T	450	03/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	450 SX-F 4T	450	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	450 SX-F 4T	450	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	450 SX-F 4T	450	09/26	1254XK17	L	KF	*270	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 SX-F 4T	450	09/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 SX-F 4T SM Wheel	450	09/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 SX-F 4T SM Wheel	450	09/26									129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 SX-F 4T SM Wheel	450	09/26	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	450 SX-F 4T SM Wheel	450	09/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	450 SX-F 4T SM Wheel	450	09/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 SX-F 4T SM Wheel	450	09/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 SX-F 4T SM Wheel	450	09/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T / EXC 2T SIX DAYS	450	03/18	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T / EXC 2T SIX DAYS	450	03/18	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T / EXC 2T SIX DAYS	450	03/18	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC 2T / EXC 2T SIX DAYS	450	03/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / EXC 2T SIX DAYS	450	03/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / EXC 2T SIX DAYS	450	10/18	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / EXC 2T SIX DAYS	450	10/18	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / SIX DAYS SM Wheels	450	03/18	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC 2T / SIX DAYS SM Wheels	450	03/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC 2T / SIX DAYS SM Wheels	450	03/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T / SIX DAYS SM Wheels	450	03/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T / SIX DAYS SM Wheels	450	10/18	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T / SIX DAYS SM Wheels	450	10/18	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T / SIX DAYS SM Wheels	450	10/18	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SM Wheels	450	10/22	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SM Wheels	450	03/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SM Wheels	450	03/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T SM Wheels	450	03/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	450	03/19	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS	450	03/19	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS	450	03/19	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	450	03/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	450	03/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	450	10/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	450	10/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	450	03/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS SM WHEELS	450	03/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS SM WHEELS	450	03/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	450	03/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	450	10/19	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	450	10/19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS SM WHEELS	450	10/19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-R	450	08/09	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-R	450	08/09	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-R	450	08/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-R	450	08/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-R	450	08/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-R SM Wheels	450	08/09	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-R SM Wheels	450	08/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-R SM Wheels	450	08/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-R SM Wheels	450	08/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	MXC	450	03/06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC	450	03/06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC	450	03/06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MXC	450	03/06	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC	450	03/06	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	450	03/06	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	450	03/06	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	MXC SUPERMOTARD Wheels	450	03/06	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MXC SUPERMOTARD Wheels	450	03/06	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	RALLY FACTORY REPLICA	450	22	1043X / 1043	L	S	300	127	4,0	6	6,5	1294X	R	S	240	110	4,0	6	6,5
KTM	RALLY FACTORY REPLICA	450	22	1733X / 1733	L	F00,0	300	127	5,0	6	6,5								
KTM	SMR	450	04/14	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SMR	450	04/14	2029XG	L	F00,0	310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 SMR	450	21/26	2029XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 SMR	450	21/26	2025XG / 2025G	L	F00,0	*320	127	5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5

KTM	SX-F 4T SM Wheels	450	03/08	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T SM Wheels	450	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T SM Wheels	450	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F CAIROLI 4T	450	20	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F CAIROLI 4T	450	20	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F CAIROLI 4T	450	20	140	L	S	260	-	3,5	6	6,5								
KTM	SX-F CAIROLI 4T	450	20	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F CAIROLI 4T	450	20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F CAIROLI 4T SM Wheels	450	20	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F CAIROLI 4T SM Wheels	450	20	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F CAIROLI 4T SM Wheels	450	20	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F CAIROLI 4T SM Wheels	450	20	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION	450	03/20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION	450	03/20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION	450	03/20	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION	450	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION	450	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION	450	09/20	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION	450	09/20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheel	450	03/20	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION SM Wheel	450	03/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION SM Wheel	450	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheel	450	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheel	450	09/20	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheel	450	09/20	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheel	450	09/20	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION	450	21/24	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION	450	21/24	1254XK17	L	KF	*270	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION	450	21/24	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheels	450	21/24	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION SM Wheels	450	21/24	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T FACTORY EDITION SM Wheels	450	21/24	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheels	450	21/24	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheels	450	21/24	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T FACTORY EDITION SM Wheels	450	21/24	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX-F 4T HERLINGS REPLICA	450	19	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T HERLINGS REPLICA	450	19	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T HERLINGS REPLICA	450	19	140	L	S	260	-	3,5	6	6,5								
KTM	SX-F 4T HERLINGS REPLICA	450	19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T HERLINGS REPLICA	450	19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T HERLINGS REPLICA	450	03/16	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
KTM	SX-F 4T HERLINGS REPLICA SM Wheel	450	19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T HERLINGS REPLICA SM Wheel	450	19	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T HERLINGS REPLICA SM Wheel	450	19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX-F 4T HERLINGS REPLICA SM Wheel	450	19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS / SXS-F	450	03/16	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SXS / SXS-F	450	03/16	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SXS / SXS-F	450	03/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SXS / SXS-F	450	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS / SXS-F	450	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS / SXS-F	450	09/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS / SXS-F	450	09/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS / SXS-F SM Wheels	450	03/08	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SXS / SXS-F SM Wheels	450	03/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SXS / SXS-F SM Wheels	450	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SXS / SXS-F SM Wheels	450	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SXS / SXS-F SM Wheels	450	09/16	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS / SXS-F SM Wheels	450	09/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC	450	06/09	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC	450	06/09	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC	450	06/09	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC	450	06/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC	450	06/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC SUPERMOTARD Wheels	450	06/09	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC SUPERMOTARD Wheels	450	06/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC SUPERMOTARD Wheels	450	06/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC SUPERMOTARD Wheels	450	06/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC SIX DAYS	450	10	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC SIX DAYS	450	10	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC SIX DAYS	450	10	1725X	L	F00,0	260	-	3,0	6	6,5								

KTM	XC SIX DAYS	450	10	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC SIX DAYS	450	10	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC SIX DAYS SM Wheels	450	10	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC SIX DAYS SM Wheels	450	10	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC SIX DAYS SM Wheels	450	10	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC SIX DAYS SM Wheels	450	10	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-F 450	450	07/25	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-F 450	450	07/25	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-F 450	450	07/25	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-F	450	07/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F	450	07/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F 450	450	09/25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F 450	450	09/25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-F 450 SUPERMOTARD Wheel	450	09/25	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XC-F SUPERMOTARD Wheels	450	07/08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XC-F SUPERMOTARD Wheels	450	07/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC-F SUPERMOTARD Wheels	450	07/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC-F 450 SUPERMOTARD Wheel	450	09/25	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-F 450 SUPERMOTARD Wheel	450	09/25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-F 450 SUPERMOTARD Wheel	450	09/25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC F-W SIX DAYS	450	10→	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F-W SIX DAYS	450	10→	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F-W SIX DAYS	450	10→	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC F-W SIX DAYS	450	10→	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F-W SIX DAYS	450	10→	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F-W SIX DAYS SM Wheels	450	10→	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F-W SIX DAYS SM Wheels	450	10→	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F-W SIX DAYS SM Wheels	450	10→	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC F-W SIX DAYS SM Wheels	450	10→	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-G	450	06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-G	450	06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-G	450	06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-G	450	06	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-G	450	06	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC-G SUPERMOTARD Wheels	450	06	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-G SUPERMOTARD Wheels	450	06	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-G SUPERMOTARD Wheels	450	06	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC-G SUPERMOTARD Wheels	450	06	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W	450	10/16	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W	450	10/16	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W	450	10/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W	450	10/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	450	10/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SUPERMOTARD Wheels	450	10/16	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W SUPERMOTARD Wheels	450	10/16	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W SUPERMOTARD Wheels	450	10/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SUPERMOTARD Wheels	450	10/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W SIX DAYS	450	10/11	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS	450	10/11	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS	450	10/11	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W SIX DAYS	450	10/11	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SIX DAYS	450	10/11	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SIX DAYS SM Wheels	450	10/11	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS SM Wheels	450	10/11	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W SIX DAYS SM Wheels	450	10/11	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SIX DAYS SM Wheels	450	10/11	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC / EXC SIX DAYS	500	12/16	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC / EXC SIX DAYS	500	12/16	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC / EXC SIX DAYS	500	12/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC / EXC SIX DAYS	500	12/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC / EXC SIX DAYS	500	12/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC / EXC SIX DAYS SM Wh.	500	12/16	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC / EXC SIX DAYS SM Wh.	500	12/16	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC / EXC SIX DAYS SM Wh.	500	12/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC / EXC SIX DAYS SM Wh.	500	12/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	500 EXC-F 4T	500	20/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	500 EXC-F 4T	500	20/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	500 EXC-F 4T	500	20/26	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	500 EXC-F 4T	500	20/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	500 EXC-F 4T	500	20/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								

KTM	500 EXC-F 4T SM Wheels	500	20/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	500 EXC-F 4T SM Wheels	500	20/26	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	500 EXC-F 4T SM Wheels	500	20/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	500 EXC-F 4T SM Wheels	500	20/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	500 EXC-F 4T SM Wheels	500	20/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	500 EXC-F 4T SM Wheels	500	20/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	1725X	L	F00,0	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	140	L	S	260	-	3,5	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	1733X / 1733	L	FO	*300	127	5,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T 500 CHAMPION EDITION	500	25	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08/19	140X	L	S	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T / SIX DAYS	500	08/19	140	L	S	260	-	3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T / SIX DAYS	500	08/19	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08/19	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08/19	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC F 4T / SIX DAYS SM Wh.	500	08/19	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T / SIX DAYS SM Wh.	500	08	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T / SIX DAYS SM Wh.	500	08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS SM Wh.	500	08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS SM Wh.	500	09/19	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS SM Wh.	500	09/19	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS SM Wh.	500	09/19	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS	500	20/26	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS	500	20/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS	500	20/26	140	L	S	260	-	3,5	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS	500	20/26	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS	500	20/26	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	500	20/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	500	20/26	1640K11	L	KF	*320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	500	20/26	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	500	20/26	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	500	20/26	2025GK11	L	KF	*320	127	5,0	6	6,5								
KTM	450 EXC-F 4T SIX / 6DAYS SM Wheels	500	20/26	2025XGK11	L	KF	*320	127	5,0	6	6,5								
KTM	MX / SX	500	01/11	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	MX / SX	500	01/11	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	MX / SX	500	01/11	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MX / SX	500	01/11	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MX / SX	500	01/11	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MX / SX SM Wheels	500	01/11	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	MX / SX SM Wheels	500	01/11	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	MX / SX SM Wheels	500	01/11	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MX / SX SM Wheels	500	01/11	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC F	500	07/09	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F	500	07/09	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F	500	07/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC F	500	07/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC F	500	07/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC F SUPERMOTARD Wheels	500	07/09	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F SUPERMOTARD Wheels	500	07/09	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F SUPERMOTARD Wheels	500	07/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC F SUPERMOTARD Wheels	500	07/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W	500	12/16	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W	500	12/16	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W	500	12/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC-W	500	12/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	500	12/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W SM Wheels	500	12/16	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	500	12/16	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W SM Wheels	500	12/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XC-W SM Wheels	500	12/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W	500	20	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5

KTM	XCF-W	500	20	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W	500	20	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W	500	20	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W	500	20	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SM Wheels	500	20	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	500	20	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	500	20	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SM Wheels	500	20	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SM Wheels	500	12/16	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	500	12/16	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	500	12/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SM Wheels	500	12/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	500	12/16	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	500	12/16	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	500	12/16	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	500	12/16	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SX	500	07	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX	500	07	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX	500	07	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX	500	07	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	500	07	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	500	07	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	500	07	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	500	07	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	500	07	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX F	505	07/09	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX F	505	07/09	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX F	505	07/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX F	505	07/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX F	505	07/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX F	505	09	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX F	505	09	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX F SM Wheels	505	07/09	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX F SM Wheels	505	07/08	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX F SM Wheels	505	07/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX F SM Wheels	505	07/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX F SM Wheels	505	09	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX F SM Wheels	505	09	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX F SM Wheels	505	09	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	MXC 4T / SX 4T	520	01/02	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC 4T / SX 4T	520	01/02	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC 4T / SX 4T	520	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MXC 4T / SX 4T	520	01/02	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC 4T / SX 4T	520	01/02	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC 4T / SX 4T SM Wheels	520	01/02	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC 4T / SX 4T SM Wheels	520	01/02	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC 4T / SX 4T SM Wheels	520	01/02	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MXC 4T / SX 4T SM Wheels	520	01/02	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 4T	520	01/02	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SX 4T	520	01/02	140X	L	S	260	-	3,0	6	6,5								
KTM	SX 4T	520	01/02	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX 4T	520	01/02	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
KTM	EXC	525	03/08	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC	525	03/08	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC	525	03/08	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC	525	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	525	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	525	03/08	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	525	03/08	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	525	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	525	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W 530	525	10/12	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W 530	525	10/12	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W 530	525	10/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W 530	525	10/12	1254XK17	L	KF	*270	-	3,0	6	6,5								

KTM	XCF-W 530	525	10/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W 530 SM Wheels	525	10/12	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W 530 SM Wheels	525	10/12	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W 530 SM Wheels	525	10/12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W 530 SM Wheels	525	10/12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	MXC 4T	525	03/05	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC 4T	525	03/05	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC 4T	525	03/05	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MXC 4T	525	03/05	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC 4T	525	03/05	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC 4T SM Wheels	525	03/05	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC 4T SM Wheels	525	03/05	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC 4T SM Wheels	525	03/05	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	MXC 4T SM Wheels	525	03/05	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SMR	525	05/07	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SMR	525	05/07	2029XG	L	F00,0	310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX	525	03/07	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SX	525	03/07	140X	L	S	260	-	3,0	6	6,5								
KTM	SX	525	03/07	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SX	525	03/07	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	525	03/07	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	525	03/07	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SX SUPERMOTARD Wheels	525	03/07	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	525	03/07	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX SUPERMOTARD Wheels	525	03/07	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC G / XC W	525	06/08	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC G / XC W	525	06/08	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC G / XC W	525	06/08	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XC G / XC W	525	06/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC G / XC W	525	06/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC G / XC W SM Wheels	525	06/08	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC G / XC W SM Wheels	525	06/08	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC G / XC W SM Wheels	525	06/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC G / XC W SM Wheels	525	06/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC	530	08/12	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC	530	08/12	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC	530	08/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC	530	08/11	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	530	08/11	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	530	12	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	530	12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	530	08/12	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	530	08/11	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	530	08/11	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	530	08/11	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	530	12	1640K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	530	12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	530	12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC CHAMPION EDITION	530	10	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC CHAMPION EDITION	530	10	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC CHAMPION EDITION	530	10	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC CHAMPION EDITION	530	10	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC CHAMPION EDITION	530	10	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC CHAMPION SM Wheels	530	10	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC CHAMPION SM Wheels	530	10	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC CHAMPION SM Wheels	530	10	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC CHAMPION SM Wheels	530	10	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F	530	10/12	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F	530	10/12	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F	530	10/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-F	530	10/12	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F	530	10/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F SM Wheels	530	10/12	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F SM Wheels	530	10/12	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F SM Wheels	530	10/12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F SM Wheels	530	10/12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F SIX DAYS	530	09/12	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F SIX DAYS	530	09/12	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F SIX DAYS	530	09/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-F SIX DAYS	530	09/12	1254XK17	L	KF	*270	-	3,0	6	6,5								

KTM	EXC-F SIX DAYS	530	09/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F SIX DAYS SM Wheels	530	09/12	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F SIX DAYS SM Wheels	530	09/12	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F SIX DAYS SM Wheels	530	09/12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F SIX DAYS SM Wheels	530	09/12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F FACTORY EDITION	530	11	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F FACTORY EDITION	530	11	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F FACTORY EDITION	530	11	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC-F FACTORY EDITION	530	11	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F FACTORY EDITION	530	11	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F FACTORY SM Wheels	530	11	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F FACTORY SM Wheels	530	11	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F FACTORY SM Wheels	530	11	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F FACTORY SM Wheels	530	11	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC R	530	08/09	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC R	530	08/09	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC R	530	08/09	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC R	530	08/09	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC R	530	08/09	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC R SM Wheels	530	08/09	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC R SM Wheels	530	08/09	1640K27	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC R SM Wheels	530	08/09	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC R SM Wheels	530	08/09	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SIX DAYS	530	09/12	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	530	09/12	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS	530	09/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC SIX DAYS	530	09	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SIX DAYS	530	09	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	530	09/12	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS SM Wheels	530	09	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC SIX DAYS SM Wheels	530	09	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SIX DAYS SM Wheels	530	09	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W	530	10/12	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W	530	10/12	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W	530	10/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W	530	10/12	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W	530	10/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SM Wheels	530	10/12	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	530	10/12	1640K11	L	KF	*320	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SM Wheels	530	10/12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SM Wheels	530	10/12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W CHAMPION EDITION	530	10	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W CHAMPION EDITION	530	10	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W CHAMPION EDITION	530	10	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W CHAMPION EDITION	530	10	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W CHAMPION EDITION	530	10	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W CHAMPION SM Wheels	530	10	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W CHAMPION SM Wheels	530	10	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W CHAMPION SM Wheels	530	10	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W CHAMPION SM Wheels	530	10	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W FACTORY EDITION	530	11	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W FACTORY EDITION	530	11	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W FACTORY EDITION	530	11	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W FACTORY EDITION	530	11	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W FACTORY EDITION	530	11	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W FACTORY SM Wheels	530	11	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W FACTORY SM Wheels	530	11	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W FACTORY SM Wheels	530	11	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W FACTORY SM Wheels	530	11	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS	530	09/12	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS	530	09/12	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS	530	09/12	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS	530	09/12	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS	530	09/12	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	530	09/12	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	530	09/12	1640K11	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W SIX DAYS SM Wheels	530	09/12	1640XK11	L	KF	*318	127	5,0	6	6,5								
KTM	XCF-W SIX DAYS SM Wheels	530	09/12	1640SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS	540	01/06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SXS	540	01/06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5

KTM	SXS	540	01/06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SXS	540	01/06	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	540	01/06	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	540	01/06	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SXS SUPERMOTARD Wheels	540	01/06	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SXS SUPERMOTARD Wheels	540	01/06	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SXS SUPERMOTARD Wheels	540	01/06	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SMR	560	06/08	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SMR	560	06/08	2029XG	L	F00,0	310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SMR	560	09/12	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SMR	560	09/12	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	GS 4T	600	01/11	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	GS 4T	600	01/11	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	GS 4T	600	01/11	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	GS 4T	600	01/11	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	GS 4T	600	01/11	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	GS 4T SM Wheels	600	01/11	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	GS 4T SM Wheels	600	01/11	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	GS 4T SM Wheels	600	01/11	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	GS 4T SM Wheels	600	01/11	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	LC4 EGS	620	96/02	1043 / 1043X	L	S	300	127	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS	620	96/02	1733 / 1733X	L	F00,0	300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPER COMPETICION	620	01	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPER COMPETICION	620	01	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPER COMPETICION	620	01	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	LC4 SUPER COMPETICION	620	01	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
KTM	LC4 SXC 4T SUPER MOTO	620	01	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 SXC 4T SUPER MOTO	620	01	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 SXC 4T SUPER MOTO	620	01	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	LC4 SXC 4T SUPERMOTO	620	01	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
KTM	EXC	625	03	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC	625	03	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC	625	03	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	EXC	625	03	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	625	03	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	625	03	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	625	03	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC SUPERMOTARD Wheels	625	03	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC SUPERMOTARD Wheels	625	03	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	LC4 SUPER COMPETICION	625	01/04	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPER COMPETICION	625	01/04	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPER COMPETICION	625	01/04	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	LC4 SUPER COMPETICION	625	01/04	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	LC4 SUPER COMPETICION	625	01/04	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	LC4 SUPER COMPET. SM Wh.	625	01/04	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPER COMPET. SM Wh.	625	01/04	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPER COMPET. SM Wh.	625	01/04	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	LC4 SUPER COMPET. SM Wh.	625	01/04	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	LC4 SUPERMOTARD	625	05	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPERMOTARD	625	05	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPERMOTARD	625	05	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	LC4 SUPERMOTARD	625	05	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	LC4 SUPERMOTARD	625	05	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	LC4 SUPERMOTARD SM Wh.	625	05	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPERMOTARD SM Wh.	625	05	1640K27	L	KF	*320	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 SUPERMOTARD SM Wh.	625	05	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	LC4 SUPERMOTARD SM Wh.	625	05	1640SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SMC	625	04/08	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SMC	625	04/08	725X	L	F00,0	318	127	5,0	6	6,5								
KTM	SMC	625	04/08	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SMC	625	04/08	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	SXC	625	03/08	140	L	S	260	-	3,5	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SXC	625	03/08	140X	L	S	260	-	3,0	6	6,5								
KTM	SXC	625	03/08	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	SXC	625	03/08	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXC	625	03/08	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXC SUPERMOTARD Wheels	625	03/08	1733 / 1733X	L	FO	*300	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SXC SUPERMOTARD Wheels	625	03/08	1640K27	L	KF	*320	127	5,0	6	6,5								
KTM	SXC SUPERMOTARD Wheels	625	03/08	1640XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SXC SUPERMOTARD Wheels	625	03/08	1640SPK27	L	KF	*320	127	5,0	6	6,5								

KTM	DUKE / DUKE 2 / DUKE E	640	01/02	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	DUKE / DUKE 2 / DUKE E	640	01/02	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	DUKE / DUKE 2 / DUKE E	640	01/02	730	L	F00,0	320	127	4,0	6	6,5								
KTM	DUKE / DUKE 2 / DUKE E	640	01/02	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	DUKE 2	640	03/08	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	DUKE 2	640	03/08	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	01/02	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	01/02	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	01/02	730	L	F00,0	320	127	4,0	6	6,5								
KTM	LC4 ADVENTURE	640	01/02	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	LC4 ADVENTURE	640	04/07	1043 / 1043X	L	S	300	127	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	04/07	1733 / 1733X	L	F00,0	300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 ENDURO	640	01/07	1043 / 1043X	L	S	300	127	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 ENDURO	640	01/07	1733 / 1733X	L	F00,0	300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T	640	04/06	140	L	S	260	-	3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T	640	04/06	140X	L	S	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T	640	04/06	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	LC4 EGS 4T	640	04/06	1733 / 1733X	L	FO	*300	127	5,0	6	6,5								
KTM	LC4 EGS 4T SM	640	01/03	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T SM	640	01/03	725X	L	F00,0	318	127	5,0	6	6,5								
KTM	LC4 EGS 4T SM	640	01/03	730	L	F00,0	320	127	4,0	6	6,5								
KTM	LC4 EGS 4T SM	640	01/03	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	LC4 SMC 4T SUPERMOTO	640	01/07	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	LC4 SMC 4T SUPERMOTO	640	01/07	725X	L	F00,0	318	127	5,0	6	6,5								
KTM	LC4 SMC 4T SUPERMOTO	640	01/07	730	L	F00,0	320	127	4,0	6	6,5								
KTM	LC4 SMC 4T SUPERMOTO	640	01/07	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	RALLY	660	01/03	1043 / 1043X	L	S	300	127	4,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	RALLY	660	01/03	1733 / 1733X	L	F00,0	300	127	5,0	6	6,5								
KTM	LC4 SMC	660	05/08	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	LC4 SMC	660	05/08	725X	L	F00,0	318	127	5,0	6	6,5								
KTM	LC4 SMC	660	05/08	730	L	F00,0	320	127	4,0	6	6,5								
KTM	LC4 SMC	660	05/08	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	690 ENDURO NON ABS	690	08/14	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	1337X / 1337	R	S	240	111	5,0	6	6,5
KTM	690 ENDURO NON ABS	690	08/14	2025XG / 2025G	L	F00,0	320	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5,0	6	6,5
KTM	690 ENDURO R NON ABS	690	09/13	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	1337X / 1337	R	S	240	111	5,0	6	6,5
KTM	690 ENDURO R NON ABS	690	09/13	2025XG / 2025G	L	F00,0	320	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5,0	6	6,5
KTM	690 ENDURO R ABS	690	14/18	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	2373X / 2373	R	S	240	110	5,0	6	6,5
KTM	690 ENDURO R ABS	690	14/18	2025XG / 2025G	L	F00,0	320	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5,0	6	6,5
KTM	690 ENDURO R ABS	690	19/26	1733X / 1733	L	F00,0	300	127	5,0	6	6,5	1337X / 1337	R	S	240	111	5,0	6	6,5
KTM	690 ENDURO R ABS	690	19/26	2025XG / 2025G	L	F00,0	320	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5,0	6	6,5
KTM	DUKE EJC	690	12/13	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	DUKE EJC	690	12/13	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERDUKE	690	07/08	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERDUKE	690	07/08	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO	690	07/10	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	SUPERMOTO	690	07/10	725X	L	F00,0	318	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	SUPERMOTO	690	07/10	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SUPERMOTO	690	07/10	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	SM / SM PRESTIGE	690	07	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	SM / SM PRESTIGE	690	07	725X	L	F00,0	318	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	SM / SM PRESTIGE	690	07	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SM / SM PRESTIGE	690	07	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	SM	690	08/11	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SM	690	08	725X	L	F00,0	318	127	5,0	6	6,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM	690	08	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SM	690	08	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	SMC	690	07/14	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	SMC	690	07/14	725X	L	F00,0	318	127	5,0	6	6,5	2322X / 2322	R	F00,0	240	110	5,0	6	6,5
KTM	SMC	690	07/14	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SMC	690	07/14	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	SMC R	690	12/13	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	SMC R	690	12/13	725X	L	F00,0	318	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	SMC R	690	12/13	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SMC R	690	12/13	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	690 SMC R	690	14/26	2025G / 2025XG	L	F00,0	320	127	5,0	6	6,5	2322 / 2322X	F00,0	240	110	5,0	6	6,5	
KTM	690 SMC R	690	14/26									2373 / 2373X	S	240	110	5,0	6	6,5	
KTM	SMR	690	07	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM																			

KTM	SUPERMOTO	690	07/10	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	SUPERMOTO	690	07/10	725X	L	F00,0	318	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	SUPERMOTO	690	07/10	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SUPERMOTO	690	07/10	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5								
KTM	SUPERMOTO R	690	08/10	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERMOTO R	690	08/10	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO PRESTIGE / R	690	07/08	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	1172X / 1172	R	S	240	111	4,0	6	6,5
KTM	SUPERMOTO PRESTIGE / R	690	07/08	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5	1337X / 1337	R	S	240	111	5,0	6	6,5
KTM	790 ADVENTURE (799cc)	799	18/27	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
KTM	790 ADVENTURE (799cc)	799	18/27	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
KTM	790 ADVENTURE (799cc)	799	18/27	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	790 ADVENTURE R (799cc)	799	18/26	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
KTM	790 ADVENTURE R (799cc)	799	18/26	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
KTM	790 ADVENTURE R (799cc)	799	18/26	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	790 ADVENTURE R RALLY (799cc)	799	20	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
KTM	790 ADVENTURE R RALLY (799cc)	799	20	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
KTM	790 ADVENTURE R RALLY (799cc)	799	20	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	890 ADVENTURE	890	21/25	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	110	5,0	5,0	6	6,5
KTM	890 ADVENTURE	890	21/25	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
KTM	890 ADVENTURE	890	21/25	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE L ABS	890	21/22	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
KTM	ADVENTURE L ABS	890	21/22	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
KTM	ADVENTURE L ABS	890	21/22	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE R ABS	890	21/26	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
KTM	ADVENTURE R ABS	890	21/26	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
KTM	ADVENTURE R ABS	890	21/26	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	890 ADVENTURE R RALLY	890	21/27	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1953 / 1953X	R	S	260	110	5,0	6	6,5
KTM	890 ADVENTURE R RALLY	890	21/27	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5	1944 / 1944X	R	F00,0	260	110	5,0	6	6,5
KTM	890 ADVENTURE R RALLY	890	21/27	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	890 SMT	890	23/24	2293G / 2293XG	L/R	F9,3	320	64,5	5,0	5	8,5	2294 / 2294X	R	S	260	107,5	5	5	8,5
KTM	890 SMT	890	23/24									2295 / 2295X	R	F00,0	260	107,5	5	5	8,5
KTM	ENDURO R	950	06/08	-	L	F00,0	300	-	-	-	-	-	-	-	-	-	-	-	-
KTM	LC8 ADVENTURE	950	02/07	1043 / 1043X	L/R	S	300	127	4,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	LC8 ADVENTURE	950	02/07	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5								
KTM	LC8 ADVENTURE S	950	04/06	1043 / 1043X	L/R	S	300	127	4,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	LC8 ADVENTURE S	950	04/06	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5								
KTM	LC8 DUKE	950	03	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KTM	LC8 DUKE	950	03	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
KTM	SMR / SMT	950	07/10	1369 / 1369X	L/R	F9,7	305	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KTM	SUPER DUKE	950	05	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KTM	SUPER DUKE	950	05	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
KTM	SUPER ENDURO R	950	06/09	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	SUPERMOTO 950 Non abs	950	05/07	1369 / 1369X	L/R	F9,7	305	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERMOTO 950 Non abs	950	05/07									1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO R	950	05	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5	1823X / 1823	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO R	950	05	1060X / 1060	L	F10,5	320	64	5,0	6	8,5								
KTM	SUPERMOTO 950 R Non ABS	950	07/08	1369 / 1369X	L/R	F9,7	305	64	5,0	6	8,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	SUPERMOTO 950 R Non ABS	950	07/08									2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	990 ADVENTURE DAKAR	990	11	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	990 ADVENTURE DAKAR	990	11	2025G / 2025XG	L	F00,0	320	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	LC8 ADVENTURE / R	990	02/05	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	LC8 ADVENTURE	990	06/13	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	LC8 ADVENTURE	990	06/13									1459 / 1459X	R	S	240	110	5,0	6	6,5
KTM	LC8 ADVENTURE R	990	09	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	LC8 ADVENTURE R	990	09									1459 / 1459X	R	S	240	110	5,0	6	6,5
KTM	LC8 ADVENTURE R DAKAR	990	06/13	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	1578 / 1578X	R	F00,0	240	106,3	5,0	6	6,5
KTM	LC8 ADVENTURE S / ABS	990	06/08	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	LC8 ADVENTURE S / ABS	990	06/08	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	1337 / 1337X	R	S	240	111	5,0	6	6,5
KTM	R SUPER ENDURO	990	06	1733 / 1733X	L/R	F00,0	300	127	5,0	6	6,5	2322 / 2322X	R	F00,0	240	110	5,0	6	6,5
KTM	R SUPER ENDURO	990	06									1459 / 1459X	R	S	240	110	5,0	6	6,5
KTM	SM	990	07→	1369 / 1369X	L/R	F9,7	305	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SM	990	07→									1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM R	990	07/08	1369 / 1369X	L/R	F9,7	305	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SM R	990	07/08									1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM R	990	09/14	1369 / 1369X	L/R	F9,7	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM R	990	08/14									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO ABS	990	08/09	2417G / --XG	L/R	F10,5	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO ABS	990	08/09									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO R ABS	990	12/13	2417G / --XG	L/R	F10,5	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO R ABS	990	12/13									1171 / 1171X	R	S	240	107,5	5,0	5	8,5

KTM	990 SUPERMOTO R Non ABS	990	09/11	1369 / 1369X	L/R	F9,7	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO R Non ABS	990	09/11									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO T ABS	990	11/13	2417G / --XG	L/R	F10,5	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO T ABS	990	11/13									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO T Non ABS	990	09/10	1369 / 1369X	L/R	F10,5	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	990 SUPERMOTO T Non ABS	990	09/10									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	ADVENTURE 1090 ABS (1050cc) / ADVENTURE 1090 R ABS (1050cc)	1050	13/16	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5				240	107,5	5,0	5	8,5
KTM	ADVENTURE 1090 ABS / ADVENTURE 1090 R ABS (1050cc)	1050	13/16	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE 1090 ABS / ADVENTURE 1090 R ABS (1050cc)	1050	13/16	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE 1090 ABS (1050cc) / ADVENTURE 1090 R ABS (1050cc)	1050	17/18	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	ADVENTURE 1090 ABS (1050cc) / ADVENTURE 1090 R ABS (1050cc)	1050	17/18	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE 1090 ABS (1050cc) / ADVENTURE 1090 R ABS (1050cc)	1050	17/18	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1090 SUPER ADVENTURE (1050cc)	1050	17	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	1090 SUPER ADVENTURE (1050cc)	1050	17	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1090 SUPER ADVENTURE (1050cc)	1050	17	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1090 SUPER ADVENTURE R (1050cc)	1050	17	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	1090 SUPER ADVENTURE R (1050cc)	1050	17	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1090 SUPER ADVENTURE R (1050cc)	1050	17	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE / ABS / ADVENTURE R / ABS	1190	13/17	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	ADVENTURE / ABS / ADVENTURE R / ABS	1190	13/17	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE / ABS / ADVENTURE R / ABS	1190	13/17	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	SUPER ADVENTURE 1290 (1301 cc)	1301	15/16	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	SUPER ADVENTURE 1290 (1301 cc)	1301	15/16	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	SUPER ADVENTURE 1290 (1301cc)	1301	15/16	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1290 SUPER ADVENTURE R (1301cc)	1301	17/25	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	1290 SUPER ADVENTURE R (1301cc)	1301	17/25	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1290 SUPER ADVENTURE R (1301cc)	1301	17/25	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1290 SUPER ADVENTURE S (1301cc)	1301	17/25	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	T	1301	17/25	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	1290 SUPER ADVENTURE S (1301cc)	1301	17/25	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	SUPER ADVENTURE 1290 T ABS (1301 cc)	1301	17/19	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457 / 1457X	R	F00,0	267	108,5	5,0	6	6,5
KTM	SUPER ADVENTURE 1290 T ABS (1301 cc)	1301	17/19	1840G / 1840XG	L/R	F00,0	320	137	5,0	6	6,5								
KTM	SUPER ADVENTURE 1290 T ABS (1301cc)	1301	17/19	1840PG	L/R	F00,0	320	137	5,0	6	6,5								
LEONART	TRACKER	125	17/18	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LETBE	FLYGN 125	125	25	-X	R	S	280	-	-	-	-	-X	R	S	220	-	-	-	-
LEXMOTO	HUNTER	50	17/18	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
LEXMOTO	AQUARIUS / ARIES	125	17/18	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LEXMOTO	ASPIRE Efi	125	17/18	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LEXMOTO	ADRENALINE Efi	125	17/18	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
LEXMOTO	HAWK	125	17/18	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
LEXMOTO	TEKKEN	125	17/18	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
LEXMOTO	TEMPEST	125	17/18	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LEXMOTO	XTR S	125	17/18	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MACBOR	XR-E	E	23/24	-	L	F11,2	265	50	4,0	4	8,5	-	R	S	240	105	4,0	5	10,5
MACBOR	XC 510 RACING	50	04/11	668	L	S	184	46	3,0	5	6,5	426	R	S	150	45	3,0	5	6,5
MACBOR	XC 512 PRO / XC RACING 7 T	50	04/11	668	L	S	184	46	3,0	5	6,5	Drum	-	-	-	-	-	-	-
MACBOR	XC 515 R 6V	50	04/11	700	L	S	184	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
MACBOR	XC 515 R 6V	50	04/11									650SP	R	S	150	45	3,0	4	6,5
MACBOR	MONTANA XR1 CBS	125	17/21	2017G	L	F10,8	265	50	4,0	4	8,5	2012 / 2012X	R	S	240	105	4,0	5	10,5
MACBOR	MONTANA XR1 CBS	125	22/24	ND / NA	L	F11,2	265	50	4	4	8,5	-	R	S	240	105	4,0	5	10,5
MACBOR	MONTANA XR1 125 EVO	125	25	ND / NA	L	F11,2	265	50	4	4	8,5	-	R	S	240	105	4,0	5	10,5
MACBOR	MONTANA XR3 ABS	250	17/22	1899X	L	S	260	124	4,0	6	8,5	-	R	S	-	-	-	-	-
MACBOR	MONTANA XR3 ABS	250	23/24	-	L	F11,2	265	50	4	4	8,5	-	R	S	240	105	4,0	5	10,5
MACBOR	MONTANA XR5 ABS	500	20/24	2039X	L/R	F00,0	298	112	4,0	5	10,5	2040X	R	S	240	115	4,0	5	10,5
MACBOR	MONTANA XR 510	510	23/26	2039X	L/R	F00,0	298	112	4,0	5	10,5	2040X	R	S	240	115	4,0	5	10,5
MALAGUTI	CRW ENDURO	50	03→	193 / 840X	L	S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI	X3M ENDURO	50	07/08	837	L	T	240	108	3,5	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI	X3 MOTARD EXTREME	50	07/08	614	L	S	259	108	3,5	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI	X3 MOTARD EXTREME	50	07/08	828	L	T	260	108	4,0	6	7,5								
MALAGUTI	XSM	50	19/20	-X	L	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
MALAGUTI	XSM SUPERMOTARD	50	04	119	L	S	240	118	3,5	4	6,5	2207	R	S	218	62	3,5	3	8,5
MALAGUTI	XSM SUPERMOTARD	50	03/06	614	L	S	259	108	3,5	6	6,5	2207	R	S	218	62	3,5	3	8,5
MALAGUTI	XSM SUPERMOTARD	50	07/10	1531	L	S	259	108	3,5	6	6,5	2207	R	S	218	62	3,5	3	8,5
MALAGUTI	XTM	50	07/10	1539	L	S	240	108	3,5	6	6,5	2207	R	S	218	62	3,5	3	8,5
MALAGUTI	XTM	50	07/10									836	R	T	218	62	3,5	3	8,5
MALAGUTI	XTM	50	19/20	-	L	S	-	-	-	-	-	-	R	T	-	-	-	-	-
MALAGUTI	DUNE	125	19/22	2196	L	S	300	108	4	6	6,5	2207	R	S	218	62	3,5	3	8,5
MALAGUTI	DUNE 125 ADVENTURE	125	19/23	2024X	L	S	280	108	4	6	6,5	2207	R	S	218	62	3,5	3	8,5
MALAGUTI	DUNE 125 X BLACK EDITION	125	19/23	2196	L	S	300	108	4	6	6,5	2207	R	S	218	62	3,5	3	8,5
MALAGUTI	XSM	125	19/23	2196	L	S	300	108	4	6	6,5	2207	R	S	218	62	3,5	3	8,5

MLAGUTI	XTM	125	19/23	2240X	L	S	260	108	4	6	6,5	2241X	R	S	218	62	3,5	3	8,5
MASH	DIRT TRACK	125	17/20	-	-	-	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	DIRT TRACK ABS	250	19/20	-	R	S	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	X-RIDE	650	20/22	-	L	F00,0	280	-	-	-	-	-	R	S	240	-	-	-	-
MBK	X LIMIT	50	00/02	274	L	S	230	112	4,5	6	6,5	Drum	-	-	-	-	-	-	-
MBK	X LIMIT LIMIT ENDURO	50	03/05	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
MBK	X LIMIT SM	50	03	614	L	S	259	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
MBK	X LIMIT SM	50	03	828	L	T	260	108	4,0	6	7,5	-	-	-	-	-	-	-	-
MECATECNO	T8	E	17/18	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
MECATECNO	T12 / X12	E	17/18	-	L	S	-	-	-	-	-	-	L	S	-	-	-	-	-
MECATECNO	T14 / R14	E	17/18	-	L	S	180	-	-	-	-	-	R	S	150	-	-	-	-
MECATECNO	SCHOOL BOY	50	-	035	L	S	185	103	3,5	-	-	-	-	-	-	-	-	-	-
MECATECNO	SCHOOL BOY	50	-	332	L	S	185	103	3,5	-	-	-	-	-	-	-	-	-	-
METRAKIT	SRM 4T	110	07	1025 / 1025X	L	S	198	89	3	3	6,5	1026 / 1026X	R	S	160	45,5	3	4	6,5
MH	CITY	50	03	-	L	F00,0	260	90	4,0	6	MH	-	-	-	-	-	-	-	-
MH	FURIA	50	97/01	336	L	S	220	108	3,5	6	6,5	077	R	S	180	103	3,5	-	-
MH	FURIA	50	02	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5
MH	FURIA / FURIA E1	50	02/05	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
MH	FURIA / FURIA E1	50	02/05	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
MH	FURIA MAX	50	05	-	-	-	-	-	-	-	-	079	R	S	180	62	3,5	3	10,5
MH	FURIA MAX	50	06	-	-	-	-	-	-	-	-	8025	R	T	180	58	3,5	6	6,5
MH	FURIA MAX	50	07/08	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
MH	FURIA MAX	50	07/08	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
MH	FURIA SUPERMOTARD	50	07/08	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
MH	FURIA SUPERMOTARD	50	07/08	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
MH	FURIA MAX	50	09/11	8024	L	T	240	90	3,5	6	6,5	-	-	-	-	-	-	-	-
MH	FURIA SUPERMOTARD	50	97/01	336	L	S	220	108	3,5	6	6,5	077	R	S	180	103	3,5	-	-
MH	FURIA SUPERMOTARD	50	02	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5
MH	FURIA SM Aluminium Wheels	50	05	728	L	S	260	90	3,5	6	6,5	729	R	S	200	57	3,5	6	6,5
MH	FURIA SM Aluminium Wheels	50	05	-	L	F00,0	260	90	4,0	6	MH	-	-	-	-	-	-	-	-
MH	FURIA SM Spoke Wheels	50	03/05	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
MH	FURIA SM Spoke Wheels	50	03/05	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
MH	MH10 L.C.	50	12/13	8019	L	T	280	108	4,0	6	6,5	213	R	S	220	62	3,5	3	10,5
MH	10 L.C.	50	12/13	2024X	L	S	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
MH	MH10 L.C. SUPERMOTARD	50	12/13	8019	L	T	280	108	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	10 L.C. SUPERMOTARD	50	12/13	2024X	L	S	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
MH	RX SUPER RACING	50	00/06	xxxxX	L	F00,0	260	90	4,0	6	MH	8022	R	T	220	57	4,0	6	6,5
MH	ENDURO	50	05/13	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	PRO ENDURO	50	12/13	8019	L	T	280	108	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
MH	PRO ENDURO	50	12/13	2024X	L	S	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
MH	PRO RACING	50	06	342 / 342X	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	PRO RACING	50	06	-	L	F00,0	260	90	4,0	6	MH	8022	R	T	220	57	4,0	6	6,5
MH	PRO SUPER MOTARD	50	12/13	8019	L	T	280	108	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
MH	PRO SUPER MOTARD	50	12/13	2024X	L	S	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
MH	SUPERMOTARD	50	99/13	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	URBAN BIKE	50	06	342 / 342X	L	S	260	90	3,5	6	6,5	729	R	S	200	57	3,5	6	6,5
MH	URBAN BIKE	50	06	-	L	F00,0	260	90	4,0	6	MH	-	-	-	-	-	-	-	-
MH	URBAN BIKE / PRO RACING	50	07/08	8019	L	T	280	108	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	URBAN BIKE / PRO RACING	50	07/08	2024X	L	S	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
MH	XP6	50	06	-	-	-	-	-	-	-	-	8025	R	T	180	58	3,5	6	6,5
MH	XP6 P UP	50	10/11	8024	L	T	240	90	3,5	6	6,5	-	-	-	-	-	-	-	-
MH	XP7 / YR11	50	11	8024	L	T	240	90	3,5	6	6,5	916	R	T	200	58	4,0	6	6,5
MH	XPS TRACK	50	06/07	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	ARENA ENDURO	125	05	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	ARENA SUPERMOTO	125	05	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA	125	12/13	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA HARD ROAD ECO	125	10	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA REVOLUTION	125	07/09	728	L	S	260	90	3,5	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	DUNA REVOLUTION	125	07/09	-	L	F00,0	260	90	4,0	6	MH	343	R	S	220	57	3,5	6	6,5
MH	DUNA REVOLUTION	125	12/13	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA REVOLUTION DUAL PLUS	125	08	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA REVOLUTION SUPER CITY	125	08	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	MH10 PRO L.C. ENDURO	125	12/13	8019	L	T	280	108	4,0	6	6,5	213	R	S	220	62	3,5	3	10,5
MH	10 PRO L.C. ENDURO	125	12/13	2024X	L	S	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
MH	MH10 PRO L.C. ENDURO	125	12/13	1327 / 1327X	L	S	280	108	4,0	6	7,5	-	-	-	-	-	-	-	-
MH	MH10 PRO L.C. SM	125	12/13	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	MH10 PRO L.C. SM	125	12/13	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	MHX Efi CBS	125	17/20	-X	L	S	280	-	-	-	-	-X	R	S	220	-	-	-	-
MH	RANGER L.C.	125	16/17	-	L	S	280	-	-	-	-	-	R	S	210	-	-	-	-
MH	RXX ABS	125	20/21	-X	L	S	290	-	-	-	-	-X	R	S	240	-	-	-	-

MH	WYN Efi CBS	125	17/20	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
MITT	TK 4T CBS	125	19/20	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MONKEY BIKE	MB D / G / R 10" Wheels	50	06→	406	R	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
MONKEY BIKE	MB-DAX CBS 10" Wheels	50	18/20	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MONKEY BIKE	MB-G CBS 10" Wheels	50	18/20	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
MONKEY BIKE	MB R	50	18/19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONKEY BIKE	MB 90 R	50	06→	406	R	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
MONKEY BIKE	MB 110 D / G / M	50	06→	406	R	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
MONTESA	COTA 4RT	250	05/06	627 / 627X	L	S	183,3	-	3,5	4	18,5	607	R	S	150	46	2,5	4	6,5
MONTESA	COTA 4RT	250	07/15	627 / 627X	L	S	183,3	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 4RT	250	07/15	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	4RIDE 260	260	15/26	627X / 627	L	S	183,3	-	3,5	4	18,5	1810X	R	S	183	45	3,5	4	6,5
MONTESA	COTA 314R	260	94/96	-	L	S	-	-	-	-	-	252	R	S	150	45	3,5	5	6,5
MONTESA	COTA 4RT	260	07/21	627 / 627X	L	S	183,3	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 4RT	260	07/21	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT R	260	07/21	627X / 627	L	S	183,3	-	3,5	4	18,5	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT R	260	07/21	-	-	-	-	-	-	-	-	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 4RT 260 R	260	22/26	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT 260 R	260	22/26	-	-	-	-	-	-	-	-	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 4RT RACE REPLICA	260	07/21	-	L	S	183,3	-	3,5	4	18,5	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT RACE REPLICA	260	07/21	-	-	-	-	-	-	-	-	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 4RT RACE REPLICA	260	22	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT RACE REPLICA	260	22	-	-	-	-	-	-	-	-	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 300 RR	289	15/19	627 / 627X	L	S	183,3	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 300 RR	289	15/19	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA RR 50 Anniversary	289	15/19	627 / 627X	L	S	183,3	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 300 RR 50 Anniversary	289	15/19	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 300 RR SP2	289	18/19	627 / 627X	L	S	183,3	-	3,5	4	18,5	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT 301 RR (299cc)	299	20/26	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT 301 RR (299cc)	299	20/26	-	-	-	-	-	-	-	-	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 301 RR 75 Anniversary (299cc)	299	21	627X / 627	L	S	183,3	-	3,5	4	18,5	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 301 RR 75 Anniversary (299cc)	299	21	-	-	-	-	-	-	-	-	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA 4RT 301 RR RACE REPLICA (299cc)	299	20/25	2215X	L	S	183,3	70,5	3	4	15,6	1570X	R	FIM	150	45	3,0	4	6,5
MONTESA	COTA 4RT 301 RR RACE REPLICA (299cc)	299	20/25	-	-	-	-	-	-	-	-	905	R	S	150	45	2,5	4	6,5
MONTESA	COTA R	315	00/03	355	L	S	184	72	3,8	6	15,5	356	R	S	150	46	3,0	5	10,5
MONTESA	COTA	315	04	627 / 627X	L	S	184	-	3,5	4	18,5	607	R	S	150	46	2,5	4	6,5
MORBIDELLI - MBP	T125	125	25	-X	L	S	265	-	-	-	-	-X	R	S	220	-	-	-	-
MORBIDELLI - MBP	T125X	125	25	-X	L	S	265	-	-	-	-	-X	R	S	220	-	-	-	-
MORBIDELLI - MBP	T1002VX	1000	24/25	--X	L	Fxx,x	320	-	-	-	-	-X	R	S	300	-	-	-	-
MOTO GUZZI	V85 CONCEPT	850	19	-	L/R	-	-	-	-	-	-	-	L	S	-	-	-	-	-
MOTO GUZZI	V85 STRADA	850	24/25	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	L	Sxx,x	260	-	-	-	-
MOTO GUZZI	V85 STRADA	850	24/25	-	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 STRADA	850	24/25	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 850 TT	850	19/25	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	L	Sxx,x	260	-	-	-	-
MOTO GUZZI	V85 850 TT	850	19/25	-	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 850 TT	850	19/25	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 TT Evocative Graphics ABS	850	21/22	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	L	Sxx,x	260	-	-	-	-
MOTO GUZZI	V85 TT Evocative Graphics ABS	850	21/22	-	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 TT Evocative Graphics ABS	850	21/22	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 TT GUARDIA D'ONORE ABS	850	22	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	L	Sxx,x	260	-	-	-	-
MOTO GUZZI	V85 TT GUARDIA D'ONORE ABS	850	22	-	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 TT 850 TRAVEL	850	20/25	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	L	Sxx,x	260	-	-	-	-
MOTO GUZZI	V85 TT 850 TRAVEL	850	20/25	-	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 TT 850 TRAVEL	850	20/25	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 TT Centenario ABS	850	22	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	L	Sxx,x	260	-	-	-	-
MOTO GUZZI	V85 TT Centenario ABS	850	22	-	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V85 TT Centenario ABS	850	22	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO 1000	1000	23/24	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5	2330	L	S	280	148	5	5	8,5
MOTO GUZZI	STELVIO 8V / NTX	1151	08/15	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	STELVIO 8V / NTX	1151	08/15	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO TT	1151	08/10	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	STELVIO TT	1151	08/10	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO	1200	08/11	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	STELVIO	1200	08/11	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO 8V ABS	1200	11/17	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO 8V ABS	1200	11/17	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO 8V NTX	1200	11/14	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO 8V NTX	1200	11/14	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STELVIO NTX ABS	1200	09/10	1790G / 1790XG	L/R	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO MORINI	ALLTRHIKE 450cc	450	25	--	L/R	Fxx,x	320	-	-	-	-	-	R	S	255	-	-	-	-

MOTO MORINI	SEIEMMEZZO SCR 650cc	650	22/25	2121G / 2121XG	L/R	F9,7	298	64	4,5	6	8,5	1106	R	S	255	87	5,0	4	8,5
MOTO MORINI	X-CAPE 649cc	650	20/23	2121G / 2121XG	L/R	F9,7	298	64	4,5	6	8,5	1106	R	S	255	87	5,0	4	8,5
MOTO MORINI	X-CAPE 700 693cc	693	24/25	2121G / 2121XG	L/R	F9,7	298	64	4,5	6	8,5	1106	R	S	255	87	5,0	4	8,5
MOTO MORINI	X-CAPE 700 GOLD EDITION 693cc	693	24/25	2121G / 2121XG	L/R	F9,7	298	64	4,5	6	8,5	1106	R	S	255	87	5,0	4	8,5
MOTO MORINI	GRANPASSO	1200	08/09	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	1106	R	S	255	87	5,0	4	8,5
MOTO MORINI	ONE-OFF ABS	1200	19/20	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-X	R	S	220	-	-	-	-
MOTO MORINI	ONE-OFF ABS	1200	19/20	-	L	F10,5	320	64	4,5	6	8,5								
MOTO MORINI	ONE-OFF ABS	1200	19/20	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO MORINI	SCRAMBLER	1200	09/10	404 / 404X	L	F9,5	298	64	4,0	6	8,5	1173	R	S	255	87	5,0	5	8,5
MOTO MORINI	SCRAMBLER	1200	18/19	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
MOTO MORINI	SCRAMBLER	1200	18/19	-	L/R	F10,5	320	64	4,5	6	8,5								
MOTO MORINI	SCRAMBLER	1200	18/19	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO MORINI	X-CAPE 1200	1200	26	--	L	Fxx,x	320	-	-	-	-	-	R	S	280	-	-	-	-
MOTRON	X-NORD	125	21/23	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MOTRON	X-NORD TOURING	125	21/23	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MV AGUSTA	STRADALE / EAS / ABS	800	14/17	1846G / 1846XG	L/R	F00,0	320	80	5,0	5	8,5	1918	L	S	220	108	5,0	4	7,5
MV AGUSTA	STRADALE / EAS / ABS	800	14/17	1955G / 1955XG	L/R	F00,0	320	80	5,5	5	8,5								
MV AGUSTA	ENDURO VELOCE 931	931	2425	1846G / 1846XG	L/R	F00,0	320	80	5,0	5	8,5	-	R	F00,0	265	-	-	-	-
MV AGUSTA	LUCKY EXPLORER 9.5 ABS	931	22/23	-	L/R	-	320	-	-	-	-	-	R	S	265	-	-	-	-
MV AGUSTA	LXP ORIOLI 931	931	24/25	1846G / 1846XG	L/R	F00,0	320	80	5,0	5	8,5	-	R	F00,0	265	-	-	-	-
NIU	XQI3 ELECTRIC STREET F: 19" / R: 20" Wheels	E	24/25	-	L	S	220	-	-	-	-	-	L	S	220	-	-	-	-
NIU	XQI3 ELECTRIC WILD F: 19" / R: 20" Wheels	E	24/25	-	L	S	220	-	-	-	-	-	L	S	220	-	-	-	-
OSSA	TR i	125	14/17	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
OSSA	TR i	250	14/17	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
OSSA	EXPLORER i	280	12/14	649	L	S	185	-	3,0	4	6,5	1314	-	S	180	45	2,5	4	6,5
OSSA	TR i	280	09/10	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
OSSA	TR i	280	09/10									650SP	R	S	150	45	3,0	4	6,5
OSSA	TR i	280	09/10									1570X	R	FIM	150	45	3,0	4	6,5
OSSA	TR i	280	11/17	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
OSSA	TR i Factory R	290	11/15	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
OSSA	TR i	300	14/17	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
PEUGEOT	XP-6 Aluminum Hub	50	02	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
PEUGEOT	XP-6 Aluminum Hub	50	02									089X	R	S	180	62	3,8	3	10,5
PEUGEOT	XP-6 SUPERMOTARD	50	97/01	336	L	S	220	108	3,5	6	6,5	-	-	-	-	-	-	-	-
PEUGEOT	XP-6 SUPERMOTARD	50	05	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5
PEUGEOT	XP-6 SM - STEEL HUB	50	02	336	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5
PEUGEOT	XP-6 SM - Aluminium Hub	50	02	336	L	S	220	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
PEUGEOT	XP-6 SM - Aluminium Hub	50	02									089X	R	S	180	62	3,8	3	10,5
PEUGEOT	XP6 SUPERMOTARD 50	50	26	2416X	L	S	300	107,3	3,5	5	10,0	089X / 089	R	S	180	62	3,8	3	10,5
PEUGEOT	XP-6 TOP ROAD	50	08/09	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
PEUGEOT	XP-6 TOP ROAD	50	08/09									089X	R	S	180	62	3,8	3	10,5
PEUGEOT	XPS ENDURO	50	05/09	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
PEUGEOT	XPS STREET	50	05	342 / 342X	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5
PEUGEOT	XPS STREET	50	05	-	L	F00,0	260	90	4,0	6	MH	8022	R	T	220	57	4,0	6	6,5
PEUGEOT	XPS SUPERMOTARD	50	05	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
PEUGEOT	XPS TOP ROAD POWER	50	05	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
PEUGEOT	XPS TRACK	50	08/09	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
PEUGEOT	XR-7	50	08/12	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
PEUGEOT	XR-7	50	08/12	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
PUCH	CONDOR	50	93/96	003	L	S	220	108	4,0	6	6,5	Drum	-	-	-	-	-	-	-
PUCH	CONDOR	50	93/96	026	L	S	220	108	4,0	6	6,5								
QJ MOTOR	SRT 550 X	550	23/24	1956XG / 1956G	L/R	F10,5	320	112	5	6	8,5	2020X / 2020	R	S	260	110	5	6	6,5
QJ MOTOR	SRK 600 SX	600	24/25	1956G / 1956XG	L/R	F10,5	320	112	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 600 X	600	24/26	1060X / 1060	L/R	F10,5	320	64	5	6	8,5	2020X / 2020	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 600 X	600	24/26	1060XG / 1060G	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 600 X	600	24/25	1060ZG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 600 SX	600	24/25	1060X / 1060	L/R	F10,5	320	64	5	6	8,5	2020X / 2020	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 600 SX	600	24/25	1060XG / 1060G	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 600 SX	600	24/25	1060ZG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SVT 650 X	650	24/26	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SVT 650 X	650	24/26	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 700	700	22/23	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 700	700	22/23	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 700	700	24/25	1956G / 1956XG	L/R	F10,5	320	112	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 700 S	700	25	1956G / 1956XG	L/R	F10,5	320	112	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 700 SX	700	25	1956G / 1956XG	L/R	F10,5	320	112	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 700 X	700	22/25	1060X / 1060	L/R	F10,5	320	64	5	6	8,5	2020X / 2020	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 700 X	700	22/25	1060XG / 1060G	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT	800	22/24	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT	800	22/24	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								

QJ MOTOR	SRT 800 Brembo caliper	800	24	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 800 Brembo caliper	800	24	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 800 X	800	22/25	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 800 X	800	22/25	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 800 RX	800	24/25	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 800 RX	800	24/25	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 800 X Brembo caliper	800	24	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 800 X Brembo caliper	800	24	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 800 X SPECIAL VERSION	800	24	1060 / 1060X	L/R	F10,5	320	64	5	6	8,5	2020 / 2020X	R	S	260	110	5	6	6,5
QJ MOTOR	SRT 800 X SPECIAL VERSION	800	24	1060G / 1060XG	L/R	F10,5	320	64	5	6	8,5								
QJ MOTOR	SRT 900 S	900	25/26	--X	L/R	Fxx,x	320	-	-	-	-	-	R	S	260	-	-	-	-
QJ MOTOR	SRT 900 SX	900	25/26	--X	L/R	Fxx,x	320	-	-	-	-	-	R	S	260	-	-	-	-
QUANTYA	VRONE	E	11	1239	R	S	218	62	3,5	3	10,5	1239	L	S	218	62	3,5	3	10,5
RIEJU	E-TANGO ELECTRIC	E	24	-	L	F00,0	260	43,2	2,2	6	6,5	-	L	F00,0	211,5	43,2	2,2	6	6,5
RIEJU	E-TANGO ELECTRIC	E	25	--X	L	F00,0	210	-	-	-	-	--X	L	F00,0	210	-	-	-	-
RIEJU	MX12 ELECTRIC 250W 12" Wheel	E	24/25	NIL	-	-	-	-	-	-	-	1447X	L	S	160	-	1,8	6	5,0
RIEJU	MX14 ELECTRIC 500W 14" Wheel	E	24/25	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0
RIEJU	DRAC	50	92/96	336	L	S	220	108	3,5	6	6,5	Drum	-	-	-	-	-	-	-
RIEJU	DRAC AM / DRAC RR	50	94/99	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	DRAC DL / DRAC TRAIL	50	93/94	336	L	S	220	108	3,5	6	6,5	-	-	-	-	-	-	-	-
RIEJU	MRT	50	09/11	1242	L	S	220	108	3,5	6	7,5	2016	R	S	180	62	3,5	3	10,5
RIEJU	MRT	50	12/14	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT	50	12/13	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRT	50	14/18	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT	50	19/20	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT 50	50	21/26	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT 50 PRO	50	15/26	866X	L	S	300	108	4,0	6	7,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT PRO / MRT PRO SUPERMOTARD	50	12/14	866 / 866X	L	T/S	300	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT PRO / MRT PRO SUPERMOTARD	50	12/14	867	L	T	300	108	3,5	6	6,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRT PRO / MRT PRO SUPERMOTARD	50	12/14	2196	L	S	300	108	4	6	6,5								
RIEJU	MRT PRO COMPETITION	50	12	866 / 866X	L	T/S	300	108	4,0	6	7,5	-	-	-	220	-	-	3	-
RIEJU	MRT PRO COMPETITION	50	12	867	L	T	300	108	3,5	6	6,5								
RIEJU	MRT PRO COMPETITION	50	12	2196	L	S	300	108	4	6	6,5								
RIEJU	MRT PRO SUPERMOTARD	50	15/16	866 / 866X	L	T/S	300	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT PRO SUPERMOTARD	50	17/19	866X / 866	L	S/T	300	108	4,0	6	7,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT PRO SM REPLICA	50	19	866X / 866	L	S/T	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT REPLICA / REPLICA SM	50	17/18	866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT 50 SM	50	15/25	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT 50 SM PRO	50	17/25	866X	L	S	300	108	4,0	6	7,5	014X / 014	R	S	200	62	4,0	3	8,5
RIEJU	MRT SM RACING	50	12/13	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT SM RACING	50	12/13	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRT SM MATT GREY	50	25	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT 50 SM TROPHY	50	17/25	866X	L	S	300	108	4,0	6	7,5	014X / 014	R	S	200	62	4,0	3	8,5
RIEJU	MRT SUPERMOTARD	50	09/11	1242	L	S	220	108	3,5	6	7,5	2016	R	S	180	62	3,5	3	10,5
RIEJU	MRT SUPERMOTARD	50	12/14	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT SUPERMOTARD	50	12/14	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRT SUPERMOTO	50	12/13	866 / 866X	L	T/S	300	108	4,0	6	7,5	303	R	S	190	58	4,0	3	8,5
RIEJU	MRT SUPERMOTO	50	12/13	867	L	T	300	108	3,5	6	6,5	1022 / 1022X	R	MD	190	58	3,7	3	MH
RIEJU	MRT SUPERMOTO	50	12/13	2196	L	S	300	108	4	6	6,5								
RIEJU	MRT 50 TROPHY MIRAGE	50	17/19	866X / 866	L	S/T	300	108	4,0	6	7,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MRTTROPHY SM	50	15/20	866X	L	S	300	108	4,0	6	7,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX	50	03/06	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX	50	03/06	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRX PRO	50	05/06	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX PRO	50	05/06	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRX PRO	50	07/08	866 / 866X	L	T/S	300	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	PRO	50	06	-	-	-	-	-	-	-	-	916	R	T	200	58	4,0	6	6,5
RIEJU	PRO SUPERMOTARD	50	20	866X / 866	L	S/T	300	108	4,0	6	7,5	014X / 014	R	S	200	62	4,0	3	8,5
RIEJU	RJ SUPERMOTARD	50	99/01	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RJ SPIKE SUPERMOTARD	50	01	341	L	S	260	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RJ SPIKE RACING PRO	50	02/03	341	L	S	260	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RR AM 6 AUTOMIX	50	97/01	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RR AM 6 SUPERMOTARD	50	97/98	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RR CASTROL SERIES	50	99/01	341	L	S	260	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RR SPORT EDITION	50	04	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RR SPORT EDITION	50	05/08	336	L	S	220	108	3,5	6	6,5	368	R	S	200	80	3,5	3	8,5
RIEJU	RR THUNDERFIRE	50	99/00	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RRX	50	07/08	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	RRX	50	07/08	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	RRX SPIKE	50	07/09	915	L	T	260	90	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5

RIEJU	RRX SPIKE	50	07/09	xxxxX	L	F00,0	260	90	4,0	6	MH								
RIEJU	RRX SPIKE	50	08/09	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	RRX SPIKE	50	08/09	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	SMX	50	06	915	L	T	260	90	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
RIEJU	SMX	50	06	-	L	F00,0	260	90	4,0	6	MH								
RIEJU	SMX	50	10/15	013 / 013X	L	S	260	108	4,0	6	7,5	916	R	T	200	58	4,0	6	6,5
RIEJU	SMX	50	10/15	828	L	T	260	108	4,0	6	7,5								
RIEJU	SMX / SMX FR	50	01/09	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	SMX / SMX FR	50	01/09	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	SMX PRO	50	07/08	866 / 866X	L	T/S	300	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	SMX PRO	50	07/08	867	L	T	300	108	3,5	6	6,5								
RIEJU	SMX PRO	50	07/08	2196	L	S	300	108	4	6	6,5								
RIEJU	TANGO	50	12	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO	50	12	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	TANGO	50	14/17	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO / RACING / MOTARD	50	07/10	1242	L	S	220	108	3,5	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO / RACING / MOTARD	50	07/10									844	R	T	200	62	4,0	3	8,5
RIEJU	TANGO / RACING / MOTARD	50	11	1242	L	S	220	108	3,5	6	7,5	1286	R	S	200	62	4,0	3	10,5
RIEJU	AVENTURA 125	125	22/26	013X / 013	L	S	260	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON AC	125	17/18	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON ENDURO AC / S. MOTARD	125	17/18	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON	125	08/12	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON	125	08/12	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MARATHON	125	14	866 / 866X	L	T/S	300	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MARATHON	125	14	867	L	T	300	108	3,5	6	6,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON	125	14	2196	L	S	300	108	4	6	6,5								
RIEJU	MARATHON 125 EUROPE	125	24/26	866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON 125 EUROPE SM	125	24/26	866X	L	S	300	108	4,0	6	7,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON 125 PRO	125	19/25	866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON PRO ENDURO SM LC	125	12/18	866X	L	S	300	108	4,0	6	7,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON PRO COMPETICION	125	12	013 / 013X	L	S	260	108	4,0	6	7,5	-	-	-	220	-	-	3	-
RIEJU	MARATHON PRO COMPETICION	125	12	828	L	T	260	108	4,0	6	7,5								
RIEJU	MARATHON PRO L.C.	125	09/17	013 / 013X	L	S	260	108	4,0	6	7,5	2016	R	S	180	62	3,5	3	10,5
RIEJU	MARATHON SM	125	08/10	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON SM	125	08/10	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MARATHON SM	125	11	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON SM	125	11	828	L	T	260	108	4,0	6	7,5								
RIEJU	MARATHON SM PRO	125	17/22	866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON 125 SM PRO	125	23/25	866X	L	S	300	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MR PRO 125	125	23/24	1690X	L	F00,0	260	108	3,0	6	6,5	014X / 014	R	S	200	62	4,0	3	8,5
RIEJU	MR PRO 125	125	25	731X / 731XK	L	S	260	108	3,0	6	6,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MR PRO 125	125	25	1690X	L	F00,0	260	108	3,0	6	6,5								
RIEJU	MRT A.C.	125	19/21	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT E4 A.C. SM	125	19	013 / 013X	L	S	260	108	4,0	6	7,5	2016	R	S	180	62	3,5	3	10,5
RIEJU	MRT A.C. SM	125	20/22	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT 125 LC	125	19/25	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT L.C. SM	125	19	866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT L.C. SM TROPHY	125	21/22	866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT L.C. SM PRO	125	21/22	866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT 125 SM LC	125	23/25	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRX 4T	125	03/10	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX 4T	125	03/10	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRX 4T	125	11	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRX 4T	125	11	828	L	T	260	108	4,0	6	7,5								
RIEJU	MRX 4T	125	12/17	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX 4T	125	12/17	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	SMX 4T	125	03/10	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	SMX 4T	125	11	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	SMX 4T	125	11	828	L	T	260	108	4,0	6	7,5								
RIEJU	TANGO / TANGO PRO	125	06/14	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO / TANGO PRO	125	06/14	828	L	T	260	108	4,0	6	7,5								
RIEJU	TANGO	125	15/16	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO / 2.0 Spoke Wheels	125	17/20	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO Aluminium Wheels	125	20	013X / 013	L	S	260	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	TANGO CITY	125	20	013X / 013	L	S	260	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	TANGO 125i	125	21/25	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO LEGEND	125	23	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO 125i SCRAMBLER	125	20/25	013X / 013	L	S	260	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,

RIEJU	MR PERSONALIZZATA	200	22/23	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR PERSONALIZZATA	200	22/23	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PERSONALIZZATA	200	22/23	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR RACING	200	22/23	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR RACING	200	22/23	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR RACING	200	22/23	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR RACING	200	22/23	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR RANGER	200	22/24	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
RIEJU	MR RANGER	200	22/24	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR RANGER	200	22/24	1738XBH	L	F00,0	*270	108	3	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR RANGER	200	22/24									1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MARATHON	250	09	276X / 276	L	F00,0	250	118	3,0	6	6,5	372X / 372	R	S	240	115	4,0	6	6,5
RIEJU	MARATHON	250	09	675X / 675	L	S	250	118	3,0	6	6,5								
RIEJU	MARATHON	250	09	719	L	SO	*270	118	3,0	6	6,5								
RIEJU	MR LEGEND	250	23	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR LEGEND	250	23	731XK	L	S	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR LEGEND	250	23	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR LEGEND	250	23	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR LEGEND	250	23	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PERSONALIZZATA	250	22/23	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR PERSONALIZZATA	250	22/23	731XK	L	S	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR PERSONALIZZATA	250	22/23	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR PERSONALIZZATA	250	22/23	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PERSONALIZZATA	250	22/23	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PRO	250	20/21	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR PRO	250	20/21	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR PRO	250	20/21	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR PRO	250	20/21	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PRO	250	22/24	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR PRO	250	22/24	1738XBH	L	F00,0	*270	108	3	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR PRO	250	22/24									1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR RACING	250	20/24	731XK	L	S	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR RACING	250	20/24	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MRX	250	06	276X / 276	L	F00,0	250	118	3,0	6	6,5	372X / 372	R	S	240	115	4,0	6	6,5
RIEJU	MRX	250	06	675X / 675	L	S	250	118	3,0	6	6,5								
RIEJU	MRX	250	06	719	L	SO	*270	118	3,0	6	6,5								
RIEJU	TANGO	250	12/13	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO	250	12/13	828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	TANGO	250	14/17	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO MOTARD	250	08/11	915	L	T	260	90	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
RIEJU	TANGO MOTARD	250	08/11	-	L	F00,0	260	90	4,0	6	MH								
RIEJU	AVENTURA RALLY 307 (293cc)	293	25/27	2393X	L	S	298	144	5	6	6,5	2415X	R	S	240	80	4,0	6	6,5
RIEJU	AVENTURA RALLY 307R (293cc)	293	25/27	2393X	L	S	298	144	5	6	6,5	2415X	R	S	240	80	4,0	6	6,5
RIEJU	MR 6DAYS SPAIN 300	300	24/25	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR 6DAYS SPAIN 300	300	24/25	731XK	L	S	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR 6DAYS SPAIN 300	300	24/25	1738XBH	L	F00,0	*270	108	3	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR EDICION LIMITADA 80 AANIVERSARIO	300	22	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR EDICION LIMITADA 80 AANIVERSARIO	300	22	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR EDICION LIMITADA 80 AANIVERSARIO	300	22	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR EDICION LIMITADA 80 AANIVERSARIO	300	22	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR EDICION LIMITADA 80 AANIVERSARIO	300	22	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR HARD ENDURO ALFREDO GOMEZ REPLICA 300	300	24/25	731XK	L	S	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR HARD ENDURO ALFREDO GOMEZ REPLICA 300	300	24/25	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR HARD ENDURO ALFREDO GOMEZ REPLICA 300	300	24/25	1738XBH	L	F00,0	*270	108	3	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR LEGEND	300	23	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR LEGEND	300	23	731XK	L	S	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR LEGEND	300	23	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR LEGEND	300	23	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR LEGEND	300	23	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PERSONALIZZATA	300	22/23	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR PERSONALIZZATA	300	22/23	731XK	L	S	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR PERSONALIZZATA	300	22/23	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR PERSONALIZZATA	300	22/23	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PERSONALIZZATA	300	22/23	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR PRO	300	20/21	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR PRO	300	20/21	731XK	L	S	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR PRO	300	20/21	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR PRO	300	20/21	1613SPK11	L	KF	*320	108	5,0	6	6,5								

RIEJU	MR PRO	300	20/21	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR 300 i	300	26	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR 300 i	300	26	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR 300 i	300	26	1738XBH	L	F00,0	*270	108	3	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR 300 i PRO	300	22/26	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR 300 i PRO	300	22/26	1738XBH	L	F00,0	*270	108	3	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR 300 i PRO	300	22/26									1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR 300 i RACING	300	20/26	731XK	L	S	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR 300 i RACING	300	20/26	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR 300 i RACING	300	20/26	1738XBH	L	F00,0	*270	108	3	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR RANGER 300	300	20/25	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
RIEJU	MR RANGER 300	300	20/25	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR RANGER 300	300	20/25	1738XBH	L	F00,0	*270	108	3	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR RANGER 300	300	20/25									1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR SIX DAYS ARGENTINA 300	300	24	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR SIX DAYS ARGENTINA 300	300	24	1738XBH	L	F00,0	*270	108	3	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR SIX DAYS ARGENTINA 300	300	24									1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR SIX DAYS ITALY	300	21/22	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR SIX DAYS ITALY	300	21/22	731XK	L	S	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR SIX DAYS ITALY	300	21/22	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR SIX DAYS ITALY	300	21/22	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR SIX DAYS ITALY	300	21/22	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR SIX DAYS FRANCE	300	22/23	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
RIEJU	MR SIX DAYS FRANCE	300	22/23	731XK	L	S	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
RIEJU	MR SIX DAYS FRANCE	300	22/23	1613K11	L	KF	*320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
RIEJU	MR SIX DAYS FRANCE	300	22/23	1613SPK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MR SIX DAYS FRANCE	300	22/23	1613XK11	L	KF	*320	108	5,0	6	6,5								
RIEJU	MARATHON	450	09	276X / 276	L	F00,0	250	118	3,0	6	6,5	372X / 372	R	S	240	115	4,0	6	6,5
RIEJU	MARATHON	450	09	675X / 675	L	S	250	118	3,0	6	6,5								
RIEJU	MARATHON	450	09	719	L	SO	*270	118	3,0	6	6,5								
RIEJU	MRX	450	05	276X / 276	L	F00,0	250	118	3,0	6	6,5	372X / 372	R	S	240	115	4,0	6	6,5
RIEJU	MRX	450	05	675X / 675	L	S	250	118	3,0	6	6,5								
RIEJU	MRX	450	05	719	L	SO	*270	118	3,0	6	6,5								
RIEJU	AVENTURA 500	500	23/25	--X	L/R	F00,0	298	-	-	-	-	-X	R	S	240	-	-	-	-
RIEJU	XPLOA 557	557	25	--	L/R	F00,0	320	-	-	-	-	-	R	S	260	-	-	-	-
RIEJU	XPLOA 707	707	25/27	--X	L/R	F10,7	320	112	5,0	5	8,5	-X	R	S	-	-	-	-	-
ROMET	ADV PRO	125	17	2017G	L	F10,8	265	50	4,0	4	8,5	-	-	S	-	-	-	-	-
ROYAL ALLOY	GP CBS 12" wheels	125	17/21	-X	L	S	220	-	4,0	3	-	-X	L	S	220	-	-	-	-
ROYAL ALLOY	GP S CBS 12" wheels	125	17/21	-X	L	S	220	-	-	-	-	-X	L	S	220	-	-	-	-
ROYAL ENFIELD	HIMALAYAN / ABS	411	16/24	1876	L	S	300	64	5,0	6	10,5	1978	R	S	240	110	5,0	6	8,5
ROYAL ENFIELD	SCRAM ABS	411	22/24	1876	L	S	300	64	5,0	6	10,5	1978	R	S	240	110	5,0	6	8,5
ROYAL ENFIELD	HIMALAYAN 450	450	23/25	2192	L	S	320	-	6	5	8,5	2191	R	S	270	110	4,5	6	8,5
ROYAL ENFIELD	BULLET TRIALS WORK	499	20	-	-	-	-	-	-	-	-	1978	L	S	240	110	5,0	6	8,5
ROXON	DUEL R SM / S SM	50	04	219	L	S	290	108	3,5	6	6,5	014 / 014X	R	S	200	62	4,0	3	8,5
ROXON	DUEL TT	50	06	614	L	S	259	108	3,5	6	6,5	014 / 014X	R	S	200	62	4,0	3	8,5
ROXON	DUEL TT	50	06	828	L	T	260	108	4,0	6	7,5								
ROXON	DUEL TT S	50	04	614	L	S	259	108	3,5	6	6,5	079	R	S	180	62	3,5	3	10,5
ROXON	DUEL TT S	50	04	828	L	T	260	108	4,0	6	7,5								
SACHS BIKE	MADASS 2T	50	04/06	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
SACHS BIKE	MADASS 2T	50	04/06	-	L	F00,0	260	90	4,0	6	MH	8022	R	T	220	57	4,0	6	6,5
SACHS BIKE	MADASS 4T	50	06/09	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
SACHS BIKE	MADASS 4T	50	06/09	-	L	F00,0	260	90	4,0	6	MH	8022	R	T	220	57	4,0	6	6,5
SACHS BIKE	RC S	50	04	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
SACHS BIKE	RC S	50	04	-	L	F00,0	260	90	4,0	6	MH	8022	R	T	220	57	4,0	6	6,5
SCORPA	50 SM-R RED ONE	50	21/26	2416X	L	S	300	107,3	3,5	5	10,0	089X / 089	R	S	180	62	3,8	3	10,5
SCORPA	50 SM-R RACING	50	21/26	2416X	L	S	300	107,3	3,5	5	10,0	089X / 089	R	S	180	62	3,8	3	10,5
SCORPA	SM	50	14/15	2196	L	S	300	108	4	6	6,5	351	R	S	180	62	3,5	3	10,5
SCORPA	SC FACTORY	125	19/20	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	125	19/20	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	125	19/20									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC FACTORY	125	21/22	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC FACTORY	125	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	125	21/22									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SC-R	125	19	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SC-R	125	19	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC-R	125	19									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SCR	125	23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SCR	125	23	715SP	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SCR	125	23									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY / RACING	125	17/18	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5

SCORPA	SC FACTORY / RACING	125	17/18	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SCORPA	T-RIDE	125	14/18	193	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
SCORPA	T-RIDE	125	14/18	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
SCORPA	TWENTY	125	14/17	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	TWENTY	125	14/17	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA	TWENTY	125	14/17									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	TY	125	16	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	TY	125	16/17	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA	TY	125	16/17									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	TY ADVENTURE	125	20/21	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	TY ADVENTURE	125	20/21	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA	TY ADVENTURE	125	20/21									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	TY CLASSIC	125	18/19	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	TY CLASSIC	125	18/19	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA	TY CLASSIC	125	18/19									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	TY LONG RIDE	125	20/21	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	TY LONG RIDE	125	20/21	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA	TY LONG RIDE	125	20/21									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC FACTORY / RACING	250	17/18	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY / RACING	250	17/18	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC FACTORY / RACING	250	17/18									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	250	19/20	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	250	19/20	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC FACTORY	250	19/20									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	250	21/22	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC FACTORY	250	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	250	21/22									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SC-R	250	19	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SC-R	250	19	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC-R	250	19									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SCR	250	23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SCR	250	23	715SP	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	T-RIDE F	250	06	840 / 840X	L	T/S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
SCORPA	T-RIDE F	250	06	193	L	S	260	108	3,5	6	6,5								
SCORPA	TWENTY	250	14/17	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA	TWENTY	250	14/17	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SCORPA	SR	280	14	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SR	280	14	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA	SR	280	14									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	T-RIDE	280	14/18	840X / 193	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
SCORPA	294	294	95	197	L	S	185	72	3,5	6	15,8	259	R	S	150	45	3,0	5	6,5
SCORPA	SC FACTORY	300	19/22	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC FACTORY	300	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY	300	19/21									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SC FACTORY / RACING	300	17/18	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA	SC FACTORY / RACING	300	17/18	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SCORPA	SC-R	300	19	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA	SC-R	300	19	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SC-R	300	19									650SP	R	S	150	45	3,0	4	6,5
SCORPA	SCR	300	23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA	SCR	300	23	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SCORPA	TWENTY	300	14/17	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA	TWENTY	300	14/17	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SCRAMBLER DUCATI	FLAT TRACK PRO	803	15/17	1517	L	F00,0	330	78	5,0	5	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SCRAMBLER DUCATI	FLAT TRACK PRO	803	15/17	2004G / 2004XG	L	F00,0	330	78	5,0	5	8,5								
SHERCO	E-KID ENDURO	E	16/18	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERCO	E-KID TRIAL	E	16/18	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERCO	0,5 KID	50	05/06	670	L	S	173	-	2,8	4	15,7	-	-	-	-	-	-	-	-
SHERCO	CUP REPLICA SM	50	07	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	CUP REPLICA SM	50	07	2196	L	S	300	108	4	6	6,5								
SHERCO	ENDURO	50	02	398	L	S	240	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
SHERCO	ENDURO	50	02									076	R	S	220	66	3,5	6	6,5
SHERCO	ENDURO	50	06/08	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	ENDURO	50	06/08	193	L	S	260	108	3,5	6	6,5								
SHERCO	ENDURO CH. FRANCE	50	06	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	ENDURO CH. FRANCE	50	06	193	L	S	260	108	3,5	6	6,5								
SHERCO	FACTORY SE-R	50	19/21	840X	L	S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	FACTORY SE-RS	50	19/21	840X	L	S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	FACTORY SM-R	50	19/21	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	FACTORY SM-R	50	19/21	2196	L	S	300	108	4	6	6,5								

SHERCO	FACTORY SM-RS	50	19/21	840X	L	S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	FRENCH CHAMPION	50	05	398	L	S	240	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
SHERCO	HRD ENDURO	50	02/06	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
SHERCO	IPONE LIMITED SERIE SM	50	05	398	L	S	240	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
SHERCO	IPONE SUPER MOTARD	50	06	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	IPONE SUPER MOTARD	50	06	2196	L	S	300	108	4	6	6,5								
SHERCO	IPONE REPLICA SM	50	06	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	IPONE REPLICA SM	50	06	193	L	S	260	108	3,5	6	6,5								
SHERCO	RED ONE SM-R	50	19/21	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	RED ONE SM-R	50	19/21	2196	L	S	300	108	4	6	6,5								
SHERCO	RED ONE SM-RS	50	19/21	840X	L	S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	S MOTARD	50	12/13	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	S MOTARD	50	12/13	2196	L	S	300	108	4	6	6,5								
SHERCO	SE 0,5	50	09	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SE 0,5	50	09	193	L	S	260	108	3,5	6	6,5								
SHERCO	SE	50	12	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SE	50	12	193	L	S	260	108	3,5	6	6,5								
SHERCO	SE / SE R / SE RS	50	15/18	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
SHERCO	SHARK ENDURO	50	06	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SHARK ENDURO	50	06	193	L	S	260	108	3,5	6	6,5								
SHERCO	SHARK ENDURO L. S.	50	05	398	L	S	240	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
SHERCO	SILVER SM-R	50	19/21	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	SILVER SM-R	50	19/21	2196	L	S	300	108	4	6	6,5								
SHERCO	SILVER SM-RS	50	19/21	840X	L	S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SE-R FACTORY	50	25/26	840X / 840	L	T/S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SE-R FACTORY	50	25/26	193	L	S	260	108	3,5	6	6,5								
SHERCO	50 SE-RS FACTORY	50	25/26	840X / 840	L	T/S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SE-RS FACTORY	50	25/26	193	L	S	260	108	3,5	6	6,5								
SHERCO	50 SM-R SILVER	50	14/20	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-R SILVER	50	14/20	2196	L	S	300	108	4	6	6,5								
SHERCO	50 SM-R SILVER	50	21/26	2416X	L	S	300	107,3	3,5	5	10,0	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-R BLACKMOON	50	25/26	2416X	L	S	300	107,3	3,5	5	10,0	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-R FACTORY	50	25/26	2416X	L	S	300	107,3	3,5	5	10,0	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-RS PINK	50	25/26	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-RS PINK	50	25/26	2196	L	S	300	108	4	6	6,5								
SHERCO	50 SM-RS FACTORY	50	25/26	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-RS FACTORY	50	25/26	2196	L	S	300	108	4	6	6,5								
SHERCO	50 SM-RS BLACKMOON	50	25/26	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-RS BLACKMOON	50	25/26	2196	L	S	300	108	4	6	6,5								
SHERCO	50 SM-RS SILVER	50	22/26	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	50 SM-RS SILVER	50	22/26	2196	L	S	300	108	4	6	6,5								
SHERCO	SM	50	07/12	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SM	50	07/12	2196	L	S	300	108	4	6	6,5								
SHERCO	SM	50	02	398	L	S	240	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
SHERCO	SM	50	02									076	R	S	220	66	3,5	6	6,5
SHERCO	SM CHAMPIONE FRANCE	50	06	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SM CHAMPIONE FRANCE	50	06	2196	L	S	300	108	4	6	6,5								
SHERCO	SM CUP	50	06	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SM CUP	50	06	193	L	S	260	108	3,5	6	6,5								
SHERCO	SM-RS AMERICA	50	19/20	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	SM-RS AMERICA	50	19/20	2196	L	S	300	108	4	6	6,5								
SHERCO	URBAN STREET VERSION	50	10/11	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	URBAN STREET VERSION	50	10/11	2196	L	S	300	108	4	6	6,5								
SHERCO	ST	75	14/15	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	ST	75	14/15	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST	75	14/15									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL 0,8	80	07/09	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL 0,8	80	07/09	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL 0,8	80	07/09									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	125 2T SE FACTORY	125	23/27	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	125 2T SE FACTORY	125	23/27	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	125 2T SE FACTORY	125	23/27	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	125 4T SE-RS FACTORY	125	25/26	840X / 840	L	T/S	260	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	125 4T SE-RS FACTORY	125	25/26	193	L	S	260	108	3,5	6	6,5								
SHERCO	125 2T SM	125	20/26	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	125 2T SM	125	20/26	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	125 2T SM	125	20/26	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	125 2T SM FACTORY	125	25/26	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	125 2T SM FACTORY	125	25/26	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	125 2T SM FACTORY	125	25/26	1326XBH	L	F00,0	*270	120	3,0	4	10,5								

SHERCO	125 4T SM-RS BLACKMOON	125	25/26	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	125 4T SM-RS BLACKMOON	125	25/26	2196	L	S	300	108	4	6	6,5								
SHERCO	125 4T SM-RS FACTORY	125	25/26	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	125 4T SM-RS FACTORY	125	25/26	2196	L	S	300	108	4	6	6,5								
SHERCO	CITY CORP ENDURO	125	05/06	398	L	S	240	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
SHERCO	CITYCORP SM	125	07/08	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	CITYCORP SM	125	07/08	2196	L	S	300	108	4	6	6,5								
SHERCO	FST	125	19/20	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	FST	125	19/20	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	FST	125	19/20									650SP	R	S	150	45	3,0	4	6,5
SHERCO	SC 2T	125	19	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SC 2T	125	19	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SC FACTORY 2T	125	19/20	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SC FACTORY 2T	125	19/20	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SC FACTORY 2T	125	19	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SC FACTORY 2T	125	19	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE FACTORY 2T	125	19/20	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE FACTORY 2T	125	20	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE FACTORY 2T	125	20	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE	125	09/11	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SE	125	09/11	193	L	S	260	108	3,5	6	6,5								
SHERCO	SE FACTORY 2T	125	19/22	1269XSP / 1269X	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE RACING 2T	125	19/22	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	1497X / 1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE RACING 2T	125	19/20	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE RACING 2T	125	19/20	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-R 2T FACTORY / RACING	125	17/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	125	17/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	125	18	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-R 2T FACTORY / RACING	125	18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 2T SIX DAY	125	17/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-SD 2T SIX DAY	125	17/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-SD 2T SIX DAY	125	17/18	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 2T SIX DAY	125	17/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SM	125	09	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SM	125	09	2196	L	S	300	108	4	6	6,5								
SHERCO	SM	125	19	1326X	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	ST / FACTORY / RACING	125	09/18	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	ST / FACTORY / RACING	125	09/18	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SHERCO	ST 20Th Anniversary	125	19/21	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	ST 20Th Anniversary	125	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	ST 20Th Anniversary	125	19/21									650SP	R	S	150	45	3,0	4	6,5
SHERCO	125 2T ST FACTORY	125	19/26	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	125 2T ST FACTORY	125	19/26	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	125 2T ST FACTORY	125	19/26									650SP	R	S	150	45	3,0	4	6,5
SHERCO	125 2T ST-F FACTORY	125	24/26	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	125 2T ST-F FACTORY	125	24/26	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	125 2T ST-F FACTORY	125	24/26									650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST RACING	125	19/21	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	ST RACING	125	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	ST RACING	125	19/21									650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST-R	125	19/21	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	ST-R	125	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST-R	125	19/21									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	STR	125	22/23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	STR	125	22/23	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO		125	22/23									650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	125	00/01	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5
SHERCO	TRIAL	125	02/08	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	125	02/08	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	125	02/08									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	125 2T TY ADVENTURE	125	22/26	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	125 2T TY ADVENTURE	125	22/26	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TY CLASSIC	125	19/21	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TY CLASSIC	125	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	125 2T TY LIMITED EDITION	125	24/26	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	125 2T TY LIMITED EDITION	125	24/26	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	125 2T TY LONG RIDE	125	22/26	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	125 2T TY LONG RIDE	125	22/26	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	XY	125	14	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	XY	125	14	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5

SHERCO	XY	125	14									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	X-RIDE	125	16/21	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
SHERCO	ENDURO	200	00/01	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5
SHERCO	TRIAL	200	02	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	200	02	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	200	02									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	ENDURO i	250	06/08	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	FST	250	19	715X / 715	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SHERCO	FST	250	19	715SP	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	SC 2T / SCF 4T	250	19	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SC 2T / SCF 4T	250	19									1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SC FACTORY 2T	250	20	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SC FACTORY 2T	250	20	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF FACTORY 4T	250	20	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF FACTORY 4T	250	20	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE i / SE F - FR / SX i - F R	250	09/10	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SE i / SE i R	250	12/13	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4	9,5
SHERCO	SE i / SE i R	250	12/13	1269XSP	L	S	256	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4	9,5
SHERCO	SE i / SE i R	250	12/13	1326KK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE i / SE i R	250	12/13	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE 2T / SEF 4T	250	14/15	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE 2T / SEF 4T	250	14/15	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE FACTORY 2T	250	19/21	1269XSP / 1269X	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE FACTORY 2T	250	22/23	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	250 2T SE FACTORY	250	24/27	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	250 2T SE FACTORY	250	24/27	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	250 2T SE FACTORY	250	24/27	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	250 2T SE XTREM	250	26	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	250 2T SE XTREM	250	26	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	250 2T SE XTREM	250	26	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	SE RACING 2T	250	19/22	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	1497X / 1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	250	14/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	250	14/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	250	14/18	1326KK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-R 2T FACTORY / RACING	250	14/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 2T / 4T SIX DAYS	250	17/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-SD 2T / 4T SIX DAYS	250	17/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R		220	112,1	4,0	4	10,5
SHERCO	SE-SD 2T / 4T SIX DAYS	250	17/18	1326KK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 2T / 4T SIX DAYS	250	17/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	250 4T SEF FACTORY	250	26/27	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	250 4T SEF FACTORY	250	26/27	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	250 4T SEF FACTORY	250	26/27	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	SEF FACTORY 4T	250	19/20	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T	250	19/21	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T	250	19/20	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T / RACING / FACTORY	250	14/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T / RACING / FACTORY	250	14/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T / RACING / FACTORY	250	14/18	1326KK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SEF-R 4T / RACING / FACTORY	250	14/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	TRIAL ST / ST FACTORY / RACING	250	12/18	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	TRIAL ST / ST FACTORY / RACING	250	12/18	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SHERCO	TRIAL ST 20Th Anniversary	250	19/21	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL ST 20Th Anniversary	250	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL ST 20Th Anniversary	250	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	250 2TST FACTORY	250	19/26	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	250 2TST FACTORY	250	19/26	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	250 2TST FACTORY	250	19/26									650SP	R	S	150	45	3,0	4	6,5
SHERCO	250 2T ST-F FACTORY	250	24/26	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	250 2T ST-F FACTORY	250	24/26	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	250 2T ST-F FACTORY	250	24/26									650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL ST FAJARDO REPLICA	250	21	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL ST FAJARDO REPLICA	250	21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL ST FAJARDO REPLICA	250	21	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL ST RACING	250	19/21	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL ST RACING	250	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL ST RACING	250	19/21									650SP	R	S	150	45	3,0	4	6,5
SHERCO	250 2T ST-E FACTORY	250	26	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	250 2T ST-E FACTORY	250	26	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	250 2T ST-E FACTORY	250	26									650SP	R	S	150	45	3,0	4	6,5
SHERCO	STR	250	22/23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5

SHERCO	STR	250	22/23	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	STR	250	22/23									650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	250	00/01	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5
SHERCO	TRIAL	250	02/09	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	250	02/09	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	250	02/09									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	ST	272	09/15	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	ST	272	09/15	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST	272	09/15									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TECHNISCHE X-RIDE	290	12/13	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	TECHNISCHE X-RIDE	290	12/13	193	L	S	260	108	3,5	6	6,5								
SHERCO	TRIAL	290	00/01	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5
SHERCO	TRIAL	290	02/08	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	290	02/08	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	290	02/08									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	X-RIDE	290	11/13	193	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SHERCO	X-RIDE	290	14/21	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
SHERCO	ST	294	09/12	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	ST	294	09/12	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST	294	13/17	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	ST	294	13/17	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SHERCO	300 SE 2T MARIO ROMA FACTORY	300	24	2357X	L	F00,0	260	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	300 SE 2T MARIO ROMA FACTORY	300	24	1326X	L	KF	*270	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	300 SE 2T MARIO ROMA FACTORY	300	24	1326XBH	L	KF	*270	120	3,0	4	10,5								
SHERCO	300 SE 2T RACING	300	19/22	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	300 SE 2T RACING	300	19/22	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	300 SE 2T RACING	300	19/22	1326X	L	KF	*270	120	3,0	4	10,5								
SHERCO	300 SE 2T RACING	300	19/22	1326XBH	L	KF	*270	120	3,0	4	10,5								
SHERCO	300 2T SE RACING	300	23/26	2357X	L	F00,0	260	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	300 2T SE RACING	300	23/26	1326X	L	KF	*270	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	300 2T SE RACING	300	23/26	1326XBH	L	KF	*270	120	3,0	4	10,5								
SHERCO	300 2T SE XTREM	300	25/26	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	300 2T SE XTREM	300	25/26	1326X	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	300 2T SE XTREM	300	25/26	1326XBH	L	KF	*270	120	3,0	4	10,5								
SHERCO	FST	300	19/20	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	FST	300	19/20	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	FST	300	19/20									650SP	R	S	150	45	3,0	4	6,5
SHERCO	SC 2T / SCF 4T	300	19	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SC 2T / SCF 4T	300	19	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SC FACTORY 2T	300	20	1269XSP / 1269X	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF FACTORY 4T	300	20	1269XSP / 1269X	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF-R 4T	300	16	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF-R 4T	300	16	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF-R 4T	300	16	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SCF-R 4T	300	16	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE 2T	300	14/15	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE 2T	300	14/15	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	300 4T SEF FACTORY	300	26/27	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	300 4T SEF FACTORY	300	26/27	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	300 4T SEF FACTORY	300	26/27	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	SE FACTORY 2T	300	19/21	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE FACTORY 2T	300	19/21	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE FACTORY 2T	300	22/23	1269X	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE FACTORY 2T	300	22/23	1269XSP	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	300 2T SE FACTORY	300	24/27	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	300 2T SE FACTORY	300	24/27	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	300 2T SE FACTORY	300	24/27	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	SE i F / SE i R	300	09/11	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SE-R	300	12/16	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4	9,5
SHERCO	SE-R	300	12/16	1269XSP	L	S	256	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4	9,5
SHERCO	SE-R	300	12/16	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-R	300	12/16	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-R 2T	300	19/21	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T	300	19/21	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T / RACING / FACTORY	300	14/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T / RACING / FACTORY	300	14/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-R 2T / RACING / FACTORY	300	14/18	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-R 2T / RACING / FACTORY	300	14/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 2T / 4T SIX DAYS	300	17/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-SD 2T / 4T SIX DAYS	300	17/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5

SHERCO		SE-SD 2T / 4T SIX DAYS	300	17/18	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO		SE-SD 2T / 4T SIX DAYS	300	17/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO		SEF 4T	300	14/17	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO		SEF 4T	300	14/17	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO		SEF FACTORY 4T	300	19/21	1269XSP / 1269X	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO		SEF FACTORY 4T	300	22	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	1497XSP / 1497X	R	S	220	112,1	4,0	4	10,5
SHERCO		SEF-R	300	12/13	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	263X / 263XSP	R	S	220	112	4,0	4	9,5
SHERCO		SEF-R	300	12/13	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO		SEF-R	300	12/13	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO		SEF-R 4T	300	19/21	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	1497X / 1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO		SEF-R 4T / RACING / FACTORY	300	14/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO		SEF-R 4T / RACING / FACTORY	300	14/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO		SEF-R 4T / RACING / FACTORY	300	14/18	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO		SEF-R 4T / RACING / FACTORY	300	14/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO		SEF RACING 4T	300	22	1269X / 1269XSP	L	S	256	120	3,0	4	10,5	1497X / 1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	TRIAL	ST / FACTORY / RACING	300	11/18	715 / 715X	L	S	183,8	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	TRIAL	ST / FACTORY / RACING	300	11/18	715SP	L	S	183,8	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
SHERCO	TRIAL	ST 20Th Anniversary	300	19/21	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL	ST 20Th Anniversary	300	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	ST 20Th Anniversary	300	19/21									650SP	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST FACTORY	300	19/26	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		300 2T ST FACTORY	300	19/26	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST FACTORY	300	19/26									650SP	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST-E FACTORY	300	26	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		300 2T ST-E FACTORY	300	26	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST-E FACTORY	300	26									650SP	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST-F FACTORY	300	24/25	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		300 2T ST-F FACTORY	300	24/25	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST-F FACTORY	300	24/25									650SP	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST-F FACTORY ADAM RAGA REPLICA	300	25	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		300 2T ST-F FACTORY ADAM RAGA REPLICA	300	25	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO		300 2T ST-F FACTORY ADAM RAGA REPLICA	300	25									650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	ST FACTORY RELICA	300	19/22	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL	ST FACTORY RELICA	300	19/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	ST FACTORY RELICA	300	19/22									650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	ST FAJARDO REPLICA	300	21	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL	ST FAJARDO REPLICA	300	21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	ST FAJARDO REPLICA	300	21									650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	ST RACING	300	19/21	715 / 715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TRIAL	ST RACING	300	19/21	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	ST RACING	300	19/21									650SP	R	S	150	45	3,0	4	6,5
SHERCO		STR	300	22/23	715X / 715	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		STR	300	22/23	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SHERCO		STR	300	22/23									650SP	R	S	150	45	3,0	4	6,5
SHERCO		CABESTANY REPLICA	305	12/13	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO		CABESTANY REPLICA	305	12/13	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO		CABESTANY REPLICA	305	12/13									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		ST 3,5	305	14	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO		ST 3,5	305	14	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO		ST 3,5	305	14									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		3.2 TRIAL 4T	320	05/08	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO		3.2 TRIAL 4T	320	05/08	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO		3.2 TRIAL 4T	320	05/08									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO		4,5 i 4T	450	03/05	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO		4,5 i 4T / SE i-F SM	450	05/10	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	683	R	S	240	112	4,0	4	10,5
SHERCO		4,5 i 4T / SE i-F SM	450	05/10	722X	L	F00,0	318	120	5,0	4	8,5								
SHERCO		SE 4,5 i F / SE F / SE i R	450	09/12	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO		SCF 4T	450	19	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO		SCF 4T	450	19	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO		SCF FACTORY 4T	450	20	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO		SCF FACTORY 4T	450	20	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO		450 4T SEF FACTORY	450	26/27	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO		450 4T SEF FACTORY	450	26/27	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO		450 4T SEF FACTORY	450	26/27	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO		SEF 4T	450	1																

SHERCO	SEF-R 4T FACTORY / RACING	450	14/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T FACTORY / RACING	450	14/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T FACTORY / RACING	450	14/18	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SEF-R 4T FACTORY / RACING	450	14/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 4T SIX DAYS	450	17/18	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-SD 4T SIX DAYS	450	17/18	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SE-SD 4T SIX DAYS	450	17/18	1326XK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 4T SIX DAYS	450	17/18	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	RALLY LITE	450	19	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	RALLY LITE	450	19	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	RTR 4T	450	19	1733 / 1733X	L	F00,0	300	127	5,0	6	6,5	683	R	S	240	112	4,0	4	10,5
SHERCO	500 SM FACTORY (478cc)	478	25/26	722X / 722	L	F00,0	320	120	5,0	4	8,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	500 SM FACTORY (478cc)	478	25/26	722SP	L	F00,0	318	120	5,0	4	8,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF 4T	500	19	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF 4T	500	19	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF FACTORY 4T	450	20	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SCF FACTORY 4T	450	20	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	500 4T SEF FACTORY	500	26/27	2357X	L	F00,0	260	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	500 4T SEF FACTORY	500	26/27	1326X	L	F00,0	*270	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	500 4T SEF FACTORY	500	26/27	1326XBH	L	F00,0	*270	120	3,0	4	10,5								
SHERCO	SEF FACTORY 4T	500	19/22	1269X	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF FACTORY 4T	500	19/22	1269XSP	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T	500	19/21	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112,1	4,0	4	10,5
SHERCO	SEF-R 4T	500	19/21	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112,1	4,0	4	10,5
SHERCO	5,1 i 4T	510	03/05	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SE 5,1 i-F SUPER MOTARD	510	06/10	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SE 5,1 i-F SUPER MOTARD	510	06/10	722X	L	F00,0	318	120	5,0	4	8,5								
SHERCO	SE F / SE i / SE R	510	09/12	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SINNIS	TERRAIN ZS	125	17/20	2017G	L	F10,8	265	50	4,0	4	8,5	-	-	-	-	-	-	-	-
SURROM	ULTRA BEE OFF-ROAD	E	24	066 / 066X	L	S	240	101	3,0	6	6,5	066 / 066X	L	S	240	101	3,0	6	6,5
SURROM	ULTRA BEE OFF-ROAD	E	24	1510X	L	F00,0	260	101	3,0	6	6,5								
SURROM	ULTRA BEE OFF-ROAD	E	24	1154X	L	F	*270	101	3,0	6	6,5								
SURROM	ULTRA BEE CARBON	E	24	066 / 066X	L	S	240	101	3,0	6	6,5	066 / 066X	L	S	240	101	3,0	6	6,5
SUZUKI	DR BIG	50	92/02	336	L	S	220	108	3,5	6	6,5	Drum	-	-	-	-	-	-	-
SUZUKI	RMX / SMX	50	97/02	116	L	S	220	-	3,5	6	15,5	117	R	S	185	-	3,5	6	15,5
SUZUKI	RM	65	03/05	1143 / 1143X	L	S	180	79	3,0	4	9,5	1143 / 1143X	R	S	180	79	3,0	4	9,5
SUZUKI	RM	80	86/01	754	L	S	200	100,5	3,5	3	6,5	760	R	S	184	85	3,5	4	6,5
SUZUKI	RM	85	02/04	754	L	S	200	100,5	3,5	3	6,5	760	R	S	184	85	3,5	4	6,5
SUZUKI	RM 17" / 14" Wheels	85	05/23	745 / 745X	L	S	220	100,5	3,0	6	6,5	909 / 909X	R	S	200	85	3,5	4	6,5
SUZUKI	RM L 19" / 16" Wheels	85	05/23	745 / 745X	L	S	220	100,5	3,0	6	6,5	909 / 909X	R	S	200	85	3,5	4	6,5
SUZUKI	DR SUPERMOTO / SM	125	08	1761 / 1761X	L	MD	250	100	3,0	4	MH	676 / 676X	R	S	220	118	4,5	6	6,5
SUZUKI	DR SUPERMOTO / SM	125	08	137 / 137X	L	MDF	250	100	3,0	4	MH								
SUZUKI	DR SUPERMOTO / SM	125	09/12	1280X	L	S	260	118	3,5	6	6,5	676X / 676	R	S	220	118	4,5	6	6,5
SUZUKI	DR SUPERMOTO / SM	125	09/12	1659X	L	F00,0	260	118	3,0	6	6,5								
SUZUKI	DR SUPERMOTO / SM	125	09/12	719	L	SO	*270	118	3,0	6	6,5								
SUZUKI	DR Z	125	99/05	276 / 276X	L	F00,0	250	118	3,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5
SUZUKI	DR Z	125	99/05	675 / 675X	L	S	250	118	3,0	6	6,5								
SUZUKI	DR Z	125	99/05	719	L	SO	*270	118	3,0	6	6,5								
SUZUKI	DR Z L	125	03/19	675 / 675X	L	S	250	118	3,0	6	6,5	Drum	-	-	-	-	-	-	-
SUZUKI	DR Z L	125	03/19	276 / 276X	L	F00,0	250	118	3,0	6	6,5								
SUZUKI	DR Z L	125	03/19	719	L	SO	*270	118	3,0	6	6,5								
SUZUKI	RM	125	99/10	276 / 276X	L	F00,0	250	118	3,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5
SUZUKI	RM	125	99/10	675 / 675X	L	S	250	118	3,0	6	6,5								
SUZUKI	RM	125	99/10	719K01	L	KO	*270	118	3,0	6	6,5								
SUZUKI	RM	125	99/10	1153XK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	RM	125	99/10	1153XBHK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	RM	125	99/10	723K13	L	KF	*320	118	5,0	6	6,5								
SUZUKI	RM	125	99/10	723XK13	L	KF	*318	118	5,0	6	6,5								
SUZUKI	RM	125	99/10	723SPK13	L	KF	*320	118	5,0	6	6,5								
SUZUKI	DR R	250	97/00	276 / 276X	L	F00,0	250	118	3,0	6	6,5	044	R	S	220	118	4,0	4	10,5
SUZUKI	DR R	250	97/00	675 / 675X	L	S	250	118	3,0	6	6,5								
SUZUKI	DR R	250	97/00	719	L	SO	*270	118	3,0	6	6,5								
SUZUKI	DR SB	250	03→	1761 / 1761X	L	MD	250	100	3,0	4	MH	1383 / 1383X	R	S	220	100	4,5	6	10,5
SUZUKI	DR SB	250	03→	137 / 137X	L	MDF	250	100	3,0	4	MH								
SUZUKI	DR Z	250	01/07	276 / 276X	L	F00,0	250	118	3,0	6	6,5	044	R	S	220	118	4,0	4	10,5
SUZUKI	DR Z	250	01/07	675 / 675X	L	S	250	118	3,0	6	6,5								
SUZUKI	DR Z	250	01/07	719K01	L	KO	*270	118	3,0	6	6,5								
SUZUKI	DR Z	250	01/07	1153XK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	DR Z	250	01/07	1153XBHK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	DR Z	250	01/07	723K13	L	KF	*320	118	5,0	6	6,5								

SUZUKI	DR Z	250	01/07	723XK13	L	KF	*318	118	5,0	6	6,5								
SUZUKI	DR Z	250	01/07	723SPK13	L	KF	*320	118	5,0	6	6,5								
SUZUKI	RM	250	99/10	276 / 276X	L	F00,0	250	118	3,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5
SUZUKI	RM	250	99/10	675 / 675X	L	S	250	118	3,0	6	6,5								
SUZUKI	RM	250	99/10	719K01	L	KO	*270	118	3,0	6	6,5								
SUZUKI	RM	250	99/10	1153XK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	RM	250	99/10	1153XBHK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	RM	250	99/10	723K13	L	KF	*320	118	5,0	6	6,5								
SUZUKI	RM	250	99/10	723XK13	L	KF	*318	118	5,0	6	6,5								
SUZUKI	RM	250	99/10	723SPK13	L	KF	*320	118	5,0	6	6,5								
SUZUKI	RM-Z 4T	250	04/06	137 / 137X	L	MDF	250	100	3,0	4	MH	799 / 799X	R	S	240	116	4,0	4	10,5
SUZUKI	RM-Z 4T	250	04/06	1761 / 1761X	L	MD	250	100	3,0	4	MH								
SUZUKI	RM-Z 4T	250	04/06	1150XK01	L	KF	*270	100	3,0	4	MH								
SUZUKI	RM-Z 4T	250	04/06	1150XBHK01	L	KF	*270	100	3,0	4	MH								
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	1048X / 1048	L	F00,0	250	118	3,0	4	9,5								
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	1160XK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	1160XBHK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z 4T	250	19/24	1678X	L	S	270	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI	RM-Z 4T	250	19/24	1160X	L	F00,0	270	118	3,0	4	9,5								
SUZUKI	RM-Z 4T	250	19/24	1160XBH	L	F00,0	270	118	3,0	4	9,5								
SUZUKI	RM-Z 4T	250	19/24	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z 4T	250	19/24	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI	RM-Z 4T	250	19/24	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z250 4T	250	2526	1678X	L	S	270	118	3,0	4	9,5	2350X	R	S	240	122	4,0	4	10,5
SUZUKI	RM-Z250 4T	250	2526	1160X	L	F00,0	270	118	3,0	4	9,5								
SUZUKI	RM-Z250 4T	250	2526	1160XBH	L	F00,0	270	118	3,0	4	9,5								
SUZUKI	RM-Z250 4T	250	2526	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z250 4T	250	2526	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI	RM-Z250 4T	250	2526	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z E 4T VALENTI	250	16	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI	RM-Z E 4T VALENTI	250	16	1048X / 1048	L	F00,0	250	118	3,0	4	9,5								
SUZUKI	RM-Z E 4T VALENTI	250	16	1160XK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RM-Z E 4T VALENTI	250	16	1160XBHK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RM-Z E 4T VALENTI	250	16	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z E 4T VALENTI	250	16	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI	RM-Z E 4T VALENTI	250	16	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	V-STROM ABS	250	17/20	1682X	L	S	290	120	5,0	5	10,5	1670X	R	S	240	120	4,5	5	10,5
SUZUKI	DR-Z 4S 400	400	25/27	2401	L	S	270	118,3	3,5	6	6,5	2403	R	S	240	118	4,5	6	6,5
SUZUKI	DR-Z 4 400 SM	400	25/27	2402	L	F00,0	310	118	4,0	6	6,5	-	R	S	240	118,3	4,6	6	6,5
SUZUKI	DR Z E / DR Z S	400	00/09	1466	L	S	250	118	3,0	6	6,5	676 / 676X	R	S	220	118	4,5	6	6,5
SUZUKI	DR Z E / DR Z S	400	00/09	719K01	L	KO	*270	118	3,0	6	6,5								
SUZUKI	DR Z E / DR Z S	400	00/09	1153XK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	DR Z E / DR Z S	400	00/09	1153XBHK01	L	KF	*270	118	3,0	6	6,5								
SUZUKI	DR Z E / DR Z S	400	00/09	723K13	L	KF	*320	118	5,0	6	6,5								
SUZUKI	DR Z E / DR Z S	400	00/09	723XK13	L	KF	*318	118	5,0	6	6,5								
SUZUKI	DR Z E / DR Z S	400	00/09	723SPK13	L	KF	*320	118	5,0	6	6,5								
SUZUKI	DR-Z 400 SM	400	05/17	1211 / 1211X	L	F00,0	310	118	5,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5
SUZUKI	RM	400	01/02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	-	-	-	-	-	-	-	-
SUZUKI	RM	400	01/02	675 / 675X	L	S	250	118	3,0	6	6,5								
SUZUKI	RM	400	01/02	719	L	SO	*270	118	3,0	6	6,5								
SUZUKI	RMX	450	10/15	1048X / 1048	L	F00,0	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI	RMX	450	10/15	1732X	L	S	250	118	3,0	4	9,5								
SUZUKI	RMX	450	10/12	1160XK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RMX	450	10/12	1160XBHK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RMX	450	10/12	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RMX	450	10/12	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI	RMX	450	10/12	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RMX Z	450	13/17	1048X / 1048	L	F00,0	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI	RMX Z	450	13/17	1732X	L	S	250	118	3,0	4	9,5								
SUZUKI	RMX Z	450	13/17	1160XK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RMX Z	450	13/17	1160XBHK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI	RMX Z	450	13/17	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RMX Z	450	13/17	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI	RMX Z	450	13/17	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI	RM-Z 4T	450	05/17	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI	RM-Z 4T	450	05/17	1048X / 1048	L	F00,0	250	118	3,0	4	9,5								

SUZUKI		RM-Z 4T	450	05/17	1160XK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI		RM-Z 4T	450	05/17	1160XBHK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI		RM-Z 4T	450	05/17	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RM-Z 4T	450	05/17	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI		RM-Z 4T	450	05/17	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RM-Z 4T	450	18/24	1678X	L	S	270	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI		RM-Z 4T	450	18/24	1160X	L	F00,0	270	118	3,0	4	9,5								
SUZUKI		RM-Z 4T	450	18/24	1160XBH	L	F00,0	270	118	3,0	4	9,5								
SUZUKI		RM-Z 4T	450	18/24	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RM-Z 4T	450	18/24	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI		RM-Z 4T	450	18/24	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RM-Z450 4T	450	25/26	1678X	L	S	270	118	3,0	4	9,5	2350X	R	S	240	122	4,0	4	10,5
SUZUKI		RM-Z450 4T	450	25/26	1160X	L	F00,0	270	118	3,0	4	9,5								
SUZUKI		RM-Z450 4T	450	25/26	1160XBH	L	F00,0	270	118	3,0	4	9,5								
SUZUKI		RM-Z450 4T	450	25/26	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RM-Z450 4T	450	25/26	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI		RM-Z450 4T	450	25/26	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RMX E 4T ENDURO	450	15	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI		RMX E 4T ENDURO	450	15	1048X	L	F00,0	250	118	3,0	4	9,5								
SUZUKI		RMX Z	450	10/17	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI		RMX Z	450	10/17	1048X	L	F00,0	250	118	3,0	4	9,5								
SUZUKI		RMX Z	450	10/17	1160XK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI		RMX Z	450	10/17	1160XBHK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI		RMX Z	450	10/17	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RMX Z	450	10/17	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI		RMX Z	450	10/17	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RM-Z E 4T ENDURO	450	15/17	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI		RM-Z E 4T ENDURO	450	15/17	1048X	L	F00,0	250	118	3,0	4	9,5								
SUZUKI		RM-Z E 4T VALENTI	450	16	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI		RM-Z E 4T VALENTI	450	16	1048X / 1048	L	F00,0	250	118	3,0	4	9,5								
SUZUKI		RM-Z E 4T VALENTI	450	16	1160XK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI		RM-Z E 4T VALENTI	450	16	1160XBHK01	L	KF	*270	118	3,0	4	9,5								
SUZUKI		RM-Z E 4T VALENTI	450	16	749K13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		RM-Z E 4T VALENTI	450	16	749XK13	L	KF	*318	118	5,0	4	9,5								
SUZUKI		RM-Z E 4T VALENTI	450	16	749SPK13	L	KF	*320	118	5,0	4	9,5								
SUZUKI		SMX 4T MOTARD	450	15	749X	L	F00,0	318	118	5,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5
SUZUKI		SMX 4T MOTARD	450	15	749 / 749SP	L	F00,0	320	118	5,0	4	9,5								
SUZUKI		SM Z 4T MOTARD	450	18	749X	L	F00,0	318	118	5,0	4	9,5	1294X	R	S	240	110	4,0	6	6,5
SUZUKI		SM Z 4T MOTARD	450	18	749 / 749SP	L	F00,0	320	118	5,0	4	9,5								
SUZUKI		DR R	600	06	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	-	-	-	-	-	-	-	-
SUZUKI		DR R	600	06	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5								
SUZUKI		DR S	650	96/01	674	L	F00,0	290	121	4,5	6	10,5	029	R	S	240	118	4,5	4	10,5
SUZUKI		DR S	650	18/20	-	L	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
SUZUKI		DR 650 SE	650	01 /26	674	L	F00,0	290	121	4,5	6	10,5	2404	R	S	240	118	5	4	10,5
SUZUKI		DR S SE	650	96/01	674	L	F00,0	290	121	4,5	6	10,5	029	R	S	240	118	4,5	4	10,5
SUZUKI	V-STROM	V-STROM ABS	650	07/19	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	ABS	650	07/19	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI		V-STROM 650	650	20/25	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	V-STROM ADVENTURE TOURER ABS	650	18	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	ADVENTURE TOURER ABS	650	18	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	V-STROM	V-STROM STANDARD	650	04/06	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	V-STROM TRAVELLER / ABS	650	07/11	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	TRAVELLER / ABS	650	07/11	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	V-STROM	X / X ABS	650	07/17	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	X / X ABS	650	07/17	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	V-STROM	V-STROM XPEDITION	650	11	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	XPEDITION	650	11	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	V-STROM	V-STROM XT / XT ABS	650	12/19	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	XT / XT ABS	650	12/19	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI		V-STROM 650 XT	650	20/25	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		DR BIG	800	91/96	673	L	F00,0	300	121	4,5	6	10,5	065 / 065X	R	S	250	134,5	4,0	6	10,5
SUZUKI		DR BIG	800	91/96	122 / 122X	L	S	300	121	5,0	6	10,5								
SUZUKI		V-STROM 800	800	24/26	1966G / 1966XG	L/R	F00,0	310	121,5	5	5	10,5	1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 800 DE	800	23/26	1966G / 1966XG	L/R	F00,0	310	121,5	5	5	10,5	1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 800 TECH	800	24/26	1966G / 1966XG	L/R	F00,0	310	121,5	5	5	10,5	1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM	1000	02/11	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM	1000	02/11									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM ABS	1000	20	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM ABS	1000	20																

SUZUKI		V-STROM / ABS	1000	12/19	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5	1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM ADVENTURE ABS	1000	20	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM ADVENTURE ABS	1000	20									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM XT ABS	1000	20	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM XT ABS	1000	20									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM XT ABS	1000	17/19	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM XT ABS	1000	17/19	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1604	R	S	260	141	5,5	4	10,5
SUZUKI	V-STROM ADVENTURE	V-STROM ADVENTURE TOURER / XT / ABS	1000	18/19	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM ADVENTURE	TOURER / XT / ABS	1000	18/19									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 1050 (1037cc)	1037	20/26	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM 1050 (1037cc)	1037	20/26									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 1050DE (1037cc)	1037	23/26	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM 1050DE (1037cc)	1037	23/26									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 1050DE Hamamatsu Edition (1037cc)	1037	26	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM 1050DE Hamamatsu Edition (1037cc)	1037	26									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 1050 TECH (1037cc)	1037	24/26	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM 1050 TECH (1037cc)	1037	24/26									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 1050 TECH Hamamatsu Edition (1037cc)	1037	26	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM 1050 TECH Hamamatsu Edition (1037cc)	1037	26									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 1050 XT (1037cc)	1037	20/23	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM 1050 XT (1037cc)	1037	20/23									1604	R	S	260	141	5,5	4	10,5
SUZUKI		V-STROM 1050 XT EXPLORER (1037cc)	1037	20/23	1966G / 1966XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI		V-STROM 1050 XT EXPLORER (1037cc)	1037	20/23									1604	R	S	260	141	5,5	4	10,5
SWM		OUTLAW ABS	125	19/23	2140X	L	S	300	127	5	6	6,5	302	R	S	220	109	4	6	6,5
SWM		ACE OF SPADES R ABS	125	19/23	2140X	L	S	300	127	5	6	6,5	302	R	S	220	109	4	6	6,5
SWM		FREE YOUR SOUL ABS	125	22	-	L	S	300	98,5	5	5	6,5	-	R	S	220	112	4	4	8,5
SWM		RS R	125	16/18	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM		RS R	125	16/18	910SP	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM		RS R	125	16/18	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM		RS R	125	16/18	1325XK16	L	KF	*270	120	3,0	4	6,5								
SWM		RS R	125	16/18	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
SWM		RS R CBS	125	19/23	1293X	L	S	260	-	3,5	6	6,5	2138X	R	S	220	112	4	6	6,5
SWM		RS R FACTORY	125	16/20	1293X	L	S	260	-	3,5	6	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM		SM R	125	16/17	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM		SM R	125	16/17	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM		SM R	125	16/17	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM		SM R	125	18/23	-	L	S	300	98,5	5	5	6,5	-	R	S	220	112	4	4	8,5
SWM		SM RA	125	18/22	-	L	S	300	98,5	5	5	6,5	-	R	S	220	112	4	4	8,5
SWM		MC S	250	16→	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM		MC S	250	16→	910SP	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM		MC S	250	16→	392	L	S	260	120	3,5	4	6,5								
SWM		MC S	250	16→	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM		MC S	250	16→	1325XK17	L	KF	*270	120	3,0	4	6,5								
SWM		MC S	250	16→	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
SWM		MC S	250	16→	722K11	L	KF	*320	120	5,0	4	6,5								
SWM		MC S	250	16→	722XK11	L	KF	*318	120	5,0	4	6,5								
SWM		MC S	250	16→	722SPK11	L	KF	*320	120	5,0	4	6,5								
SWM		FT R / FT R SUPERMOTARD	300	16/17	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM		FT R / FT R SUPERMOTARD	300	16/17	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM		FT R / FT R SUPERMOTARD	300	16/17	392	L	S	260	120	3,5	4	6,5								
SWM		FT R / FT R SUPERMOTARD	300	16/17	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM		FT R / FT R SUPERMOTARD	300	16/17	1325XK16	L	KF	*270	120	3,0	4	6,5								
SWM		FT R / FT R SUPERMOTARD	300	16/17	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
SWM		FT R / FT R SUPERMOTARD	300	16/17	722K27	L	KF	*320	120	5,0	4	6,5								
SWM		FT R / FT R SUPERMOTARD	300	16/17	722XK27	L	KF	*318	120	5,0	4	6,5								
SWM		FT R / FT R SUPERMOTARD	300	16/17	722SPK27	L	KF	*320	120	5,0	4	6,5								
SWM		RS R	300	15/17	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM		RS R	300	15/17	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM		RS R	300	15/17	392	L	S	260	120	3,5	4	6,5								
SWM		RS R	300	15/17	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM		RS R	300	15/17	1325XK16	L	KF	*270	120	3,0	4	6,5								
SWM		RS R	300	15/17	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
SWM		RS R	300	15/17	722K27	L	KF	*320	120	5,0	4	6,5								
SWM		RS R	300	15/17	722XK27	L	KF	*318	120	5,0	4	6,5								
SWM		RS R	300	15/17	722SPK27	L	KF	*320	120	5,0	4	6,5								
SWM		RS R	300	18/23	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
SWM		RS R	300	18/23	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM		RS R	300	18/23	392	L	S	260	120	3,5	4	6,5								
SWM		RS R	300	18/23	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM		RS S	340	16→	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5

SWM	RS S	340	16→	910SP	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	RS S	340	16→	392	L	S	260	120	3,5	4	6,5								
SWM	RS S	340	16→	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM	RS S	340	16→	1325XK17	L	KF	*270	120	3,0	4	6,5								
SWM	RS S	340	16→	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
SWM	RS S	340	16→	722K11	L	KF	*320	120	5,0	4	6,5								
SWM	RS S	340	16→	722XK11	L	KF	*318	120	5,0	4	6,5								
SWM	RS S	340	16→	722SPK11	L	KF	*320	120	5,0	4	6,5								
SWM	FREE YOUR SOUL	400	22	-	L	S	300	98,5	5	5	6,5	xxxx	R	S	220	112	4	4	8,5
SWM	SM FACTORY	445	18→	-	L	S	-	-	-	-	-	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	SM FACTORY	445	18→									1264X	R	S	240	112	4,0	4	9,5
SWM	SM R	445	18/19	-	L	F00,0	320	-	-	-	-	1264X	R	S	240	112	4,0	4	9,5
SWM	SM R	445	18/19									1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	SM FACTORY	450	18→	-X	L	-	-	-	-	-	-	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	SM FACTORY	450	18→									1264X	R	S	240	112	4,0	4	9,5
SWM	SM R	450	15→	-X	L	-	-	-	-	-	-	-	R	S	-	-	-	-	-
SWM	SM REPLICA	450	18→	-X	L	-	-	-	-	-	-	1264X	R	S	240	112	4,0	4	9,5
SWM	SM REPLICA	450	18→									1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	RS R	500	15/23	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	RS R	500	15/23	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM	RS R	500	15/23	392	L	S	260	120	3,5	4	6,5								
SWM	RS R	500	15/23	1164X	L	F00,0	260	120	3,0	4	6,5								
SWM	RS R	500	15/17	1325XK16	L	KF	*270	120	3,0	4	6,5								
SWM	RS R	500	15/17	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
SWM	RS R	500	15/17	722K27	L	KF	*320	120	5,0	4	6,5								
SWM	RS R	500	15/17	722XK27	L	KF	*318	120	5,0	4	6,5								
SWM	RS R	500	15/17	722SPK27	L	KF	*320	120	5,0	4	6,5								
SWM	SIX DAYS ABS	500	22	X2185	L	S	260	-	3,5	6	6,5	1036 / 1036X	R	S	220	82	4	5	8,5
SWM	SIX6	500	23	X2185	L	S	260	-	3,5	6	6,5	1036 / 1036X	R	S	220	82	4	5	8,5
SWM	SIX6 ADV	500	23	X2185	L	S	260	-	3,5	6	6,5	1036 / 1036X	R	S	220	82	4	5	8,5
SWM	SM-R	500	15/17	1561XG / 1561G	L	F9,0	320	120	5,0	4	8,5	1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	SM-R	500	15/17									1264X	R	S	240	112	4,0	4	9,5
SWM	SM R ABS	500	18/23	2143X / 2143	L	F00,0	320	120	5	4	6,5	1264X	R	S	240	112	4,0	4	9,5
SWM	SM R ABS	500	18/23									1193X / 1193	R	S	240	126	4,0	4	19,0
SWM	SUPERDUAL	600	15/17	-	L	-	-	-	-	-	-	263 / 263X	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL	600	15/17									263SP / 263XSP	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL	600	15/17									464	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL	600	15/17									706	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL GT PACK	600	18→	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	263 / 263X	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL GT PACK	600	18→									263SP / 263XSP	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL GT PACK	600	18→									464	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL GT PACK	600	18→									706	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL T	600	16/20	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	263 / 263X	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL T	600	16/20									263SP / 263XSP	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL T	600	16/20									464	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL T	600	16/20									706	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL 600 T	600	23/24	2312X	L	S	300	120	5	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL 600 T	600	23/24									263SP / 263XSP	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL 600 T	600	23/24									464	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL 600 T	600	23/24									706	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL X	600	17/19	-X	L	S	300	-	-	-	-	263 / 263X	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL X	600	17/19									263SP / 263XSP	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL X	600	17/19									464	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL X	600	17/19									706	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL 600 X	600	23/24	2312X	L	S	300	120	5	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL 600 X	600	23/24									263SP / 263XSP	R	S	220	112	4,0	4	9,5
SWM	SUPERDUAL 600 X	600	23/24									464	R	S	220	126	4,0	4	19,0
SWM	SUPERDUAL 600 X	600	23/24									706	R	S	220	126	4,0	4	19,0
SWM	MC R	650	18→	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
SWM	MC R	650	18→	910SP	L	S	260	120	3,0	4	6,5	263XSP / 263SP	R	S	220	112	4,0	4	9,5
SWM	MC R	650	18→	392	L	S	260	120	3,5	4	6,5	464	R	S	220	126	4,0	4	19,0
SWM	MC R	650	18→	1164X	L	F00,0	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
SWM	MC R	650	18→	1325XK17	L	KF	*270	120	3,0	4	6,5								
SWM	MC R	650	18→	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
SWM	MC R	650	18→	722K11	L	KF	*320	120	5,0	4	6,5								
SWM	MC R	650	18→	722XK11	L	KF	*318	120	5,0	4	6,5								
SWM	MC R	650	18→	722SPK11	L	KF	*320	120	5,0	4	6,5								
SWM	RS R	650	15/16	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
SWM	RS R	650	15/16	392	L	S	260	120	3,5	4	6,5	263XSP / 263SP	R	S	220	112	4,0	4	9,5
SWM	RS R	650	15/16	1164X	L	F00,0	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0

SWM	RS R	650	15/16	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
SWM	RS R	650	15/16	1325XK16	L	KF	*270	120	3,0	4	6,5								
SWM	RS R	650	15/16	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
SWM	RS R	650	17	-	-	-	-	-	-	-	-	263X / 263	R	S	220	112	4,0	4	9,5
SWM	RS R	650	17									263XSP / 263SP	R	S	220	112	4,0	4	9,5
SWM	RS R	650	17									464	R	S	220	126	4,0	4	19,0
SWM	RS R	650	17									706	R	S	220	126	4,0	4	19,0
SWM	SM-R	650	15/16	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
SWM	SM-R	650	15/16									1264X	R	S	240	112	4,0	4	9,5
SWM	SUPER DUAL / GT	650	15/16	1561G / 1561XG	L	F9,0	320	120	5,0	4	8,5	263X / 263	R	S	220	112	4,0	4	9,5
SWM	SUPER DUAL / GT	650	15/16									263XSP / 263SP	R	S	220	112	4,0	4	9,5
SWM	SUPER DUAL / GT	650	15/16									464	R	S	220	126	4,0	4	19,0
SWM	SUPER DUAL / GT	650	15/16									706	R	S	220	126	4,0	4	19,0
SYM	NH-T CBS	125	20/22	1948X	R	S	288	131,5	4,0	5	10,5	1947X	R	S	222	97,5	4,0	5	10,5
SYM	NH-T ABS	200	20/22	1948X	R	S	288	131,5	4,0	5	10,5	1947X	R	S	222	97,5	4,0	5	10,5
SYM	NH-T ABS	300	20/22	1948X	R	S	288	131,5	4,0	5	10,5	1947X	R	S	222	97,5	4,0	5	10,5
TM RACING	EN	80	98/03	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	MX Junior 17" / 14" Wheels	80	19/20	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	SMX Junior 2T 12" Wheels	80	20	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	MX	85	05/12	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	MX	85	05/12	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX	85	05/12	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX	85	13	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	MX Junior 19" / 16" Wheels	85	18	1776X	L	S	220	-	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	MX 85 JUNIOR F:17" / 14" Wheel	85	15/26	1776X	L	S	220	-	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	MX 85 JUNIOR F:19" / 16" Wheel	85	15/26	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	SMX 85 Junior 19" / 16" Wheel	85	18/24	1776X	L	S	220	-	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	SMX 85 Junior 19" / 16" Wheel	85	18/24	1703X	L	SO	*240	64,5	3,0	7	6,5								
TM RACING	SMX 85 JUNIOR 2T F/R: 12" Wheel	85	20/26	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	SMX Junior 2T 12" Wheels	100	20	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	MX 2T 100 JUNIOR F:19" / R:16" Wheels	100	19/26	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	MX 2T 112 JUNIOR Front suspension MUPO F:19" / R:16" Wheels	112	22/26	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	MX 2T 112 JUNIOR Front suspension TECH F:19" / R:16" Wheels	112	22/26	1776X	L	S	220	-	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5
TM RACING	EN	125	02/03	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	EN / MX	125	04/14	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	EN / MX	125	04/14	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN / MX	125	04/14	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 125 FI 2T	125	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	EN 125 FI 2T	125	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 125 FI 2T	125	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 125 ES FI 2T	125	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 125 ES FI 2T	125	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 125 ES FI 2T	125	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 125 ES FI 2T - CORSE	125	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 125 ES FI 2T - CORSE	125	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 125 ES FI 2T - CORSE	125	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN FI 2T / MX 2T	125	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN FI 2T / MX 2T	125	15/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN FI 2T / MX 2T	125	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	M	125	05/09	ND / NA	L	F9,0	270	-	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
TM RACING	MX	125	02/04	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	MX 125 2T	125	12/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 125 2T	125	12/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 2T	125	12/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 2T	125	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	MX 125 2T	125	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 2T	125	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 ES 2T	125	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 125 ES 2T	125	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 ES 2T	125	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 ES FI 2T	125	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 125 ES FI 2T	125	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 ES FI 2T	125	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 ES FI 2T - CORSE	125	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 125 ES FI 2T - CORSE	125	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 125 ES FI 2T - CORSE	125	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX - EN	125	01	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	SM	125	14	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	SMM	125	14	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	SMM 2T	125	18/19	1426X	L	F00,0	318	-	5,0	6	6,5	-	C	S	-	-	-	-	-

TM RACING	SMR	125	05/10	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-
TM RACING	SMR	125	14	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0 4 6,5
TM RACING	SMR 125 Fi 2T	125	22/26	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	SMR 125 Fi 2T REPLICA CHAREYRE Supermotard	125	22/23	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	SMR 125 Fi 2T REPLICA SCHMIDT Supermotard	125	22/23	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	SMR 125 Fi 2T REPLICA VANDI Supermotard	125	22/23	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	SMR 2T / SMR Fi 2T	125	18/21	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN	144	26	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5 4 7,0
TM RACING	EN / MX	144	10/14	1299X	L	F00,0	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0 4 6,5
TM RACING	EN 144 Fi 2T	144	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	EN 144 Fi 2T	144	22/23	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 144 Fi 2T	144	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN Fi 2T / MX 2T	144	14/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN Fi 2T / MX 2T	144	14/21	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN Fi 2T / MX 2T	144	14/21	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX	144	08/09	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5 4 7,0
TM RACING	MX	144	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	MX	144	15/21	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX	144	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 2T 144	144	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	MX 2T 144	144	24/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 2T 144	144	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 144 2T	144	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	MX 144 2T	144	22/23	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 144 2T	144	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	CC Fi ES 2T / EN 2T	250	18/19	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	CC Fi ES 2T / EN 2T	250	18/19	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	CC Fi ES 2T / EN 2T	250	18/19	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN / MX	250	98/01	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-
TM RACING	EN / MX / MX F	250	02/04	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-
TM RACING	EN / EN F / MX / MX F	250	04/14	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0 4 6,5
TM RACING	EN / EN F / MX / MX F	250	04/14	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN / EN F / MX / MX F	250	04/14	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 2T	250	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	EN 250 ES Fi 2T	250	22/23	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 2T	250	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 2T	250	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN 250 ES Fi 2T	250	24/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 2T	250	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 2T - CORSE	250	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN 250 ES Fi 2T - CORSE	250	25/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 2T - CORSE	250	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 4T	250	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	EN 250 ES Fi 4T	250	22/23	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 4T	250	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 4T	250	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN 250 ES Fi 4T	250	24/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 4T	250	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 4T - CORSE	250	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN 250 ES Fi 4T - CORSE	250	25/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN 250 ES Fi 4T - CORSE	250	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN Fi ES Fi 4T	250	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN Fi ES Fi 4T	250	15/21	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN Fi ES Fi 4T	250	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN Fi 4T	250	18/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	EN Fi 4T	250	18/21	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	EN Fi 4T	250	18/21	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES 2T	250	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0 4 6,5
TM RACING	MX 250 ES 2T	250	22/23	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES 2T	250	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES 2T	250	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	MX 250 ES 2T	250	24/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES 2T	250	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES Fi 2T	250	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	MX 250 ES Fi 2T	250	24/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES Fi 2T	250	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES 2T - CORSE	250	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5
TM RACING	MX 250 ES 2T - CORSE	250	25/26	1405X	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX 250 ES 2T - CORSE	250	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5						
TM RACING	MX ES 2T / MX Fi KS 4T	250	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0 4 6,5

TM RACING	MX ES 2T / MX Fi KS 4T	250	15/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX ES 2T / MX Fi KS 4T	250	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 250 ES Fi 4T	250	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	MX 250 ES Fi 4T	250	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 250 ES Fi 4T	250	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 250 ES Fi 4T	250	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 250 ES Fi 4T	250	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 250 ES Fi 4T	250	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 250 ES Fi 4T - CORSE	250	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 250 ES Fi 4T - CORSE	250	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 250 ES Fi 4T - CORSE	250	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMM 2T	250	17/20	1426X	L	F00,0	318	-	5,0	6	6,5	-	R	S	220	-	-	-	-
TM RACING	SMR 2T	250	17/20	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMX Fi 4T	250	17/18	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	SMX Fi 4T	250	19	--X	L	F00,0	305	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	CC F ES 2T	300	19	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	CC F ES 2T	300	19	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	CC F ES 2T	300	19	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN	300	10/13	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	EN / MX	300	06/09	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
TM RACING	EN / MX	300	14	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	EN / MX	300	14	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN / MX	300	14	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 2T	300	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	EN 300 ES Fi 2T	300	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 2T	300	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 2T	300	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 300 ES Fi 2T	300	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 2T	300	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 2T - CORSE	300	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 300 ES Fi 2T - CORSE	300	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 2T - CORSE	300	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 4T	300	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	EN 300 ES Fi 4T	300	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 4T	300	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 4T	300	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 300 ES Fi 4T	300	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 4T	300	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 4T - CORSE	300	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 300 ES Fi 4T - CORSE	300	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 300 ES Fi 4T - CORSE	300	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN ES 2T	300	19/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN ES 2T	300	19/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN ES 2T	300	19/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN Fi 2T / EN Fi 4T	300	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN Fi 2T / EN Fi 4T	300	15/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN Fi 2T / EN Fi 4T	300	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX Fi KS 4T	300	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX Fi KS 4T	300	15/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX Fi KS 4T	300	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT 2T FLAT TRACK	300	17/20	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	FT 2T FLAT TRACK	300	17/20	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT 2T FLAT TRACK	300	17/20	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX ES 2T / MX Fi 4T	300	19/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX ES 2T / MX Fi 4T	300	19/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX ES 2T / MX Fi 4T	300	19/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES 2T	300	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	MX 300 ES 2T	300	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES 2T	300	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES 2T	300	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 300 ES 2T	300	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES 2T	300	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES Fi 2T	300	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 300 ES Fi 2T	300	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES Fi 2T	300	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES 2T - CORSE	300	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 300 ES 2T - CORSE	300	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES 2T - CORSE	300	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES Fi 4T	300	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	MX 300 ES Fi 4T	300	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								

TM RACING	MX 300 ES FI 4T	300	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES FI 4T	300	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 300 ES FI 4T	300	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES FI 4T	300	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES FI 4T - CORSE	300	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 300 ES FI 4T - CORSE	300	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 300 ES FI 4T - CORSE	300	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMM 2T	300	17/20	1426X	L	F00,0	318	-	5,0	6	6,5	-	R	S	-	-	-	-	-
TM RACING	SMR 2T / SMR FI 2T	300	19/21	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMR 300 ES FI 2T	300	22/23	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	SMR 300 ES FI 2T	300	24/26	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMX	300	14	-	L	F00,0	305	-	5,5	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	SMX ES 2T	300	18/20	1961X / 1961	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN / CROSS 4T	400	00/03	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	EN / CROSS 4T	400	00/03	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN / CROSS 4T	400	00/03	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN	450	14/15	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	EN F / MX F	450	05/14	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	EN F / MX F	450	05/14	1405X	L	F00,0	270	-	3,0	6	6,5		S						
TM RACING	EN F / MX F	450	05/14	1405XBH	L	F00,0	270	-	3,0	6	6,5		S						
TM RACING	EN 450 ES FI 4T	450	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	EN 450 ES FI 4T	450	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 450 ES FI 4T	450	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 450 ES FI 4T	450	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 450 ES FI 4T	450	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 450 ES FI 4T	450	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 450 ES FI 4T - CORSE	450	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN 450 ES FI 4T - CORSE	450	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 450 ES FI 4T - CORSE	450	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN FI 4T / MX FI 4T	450	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN FI 4T / MX FI 4T	450	15/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN FI 4T / MX FI 4T	450	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT 450 ES FI 4T FLAT TRACK	450	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	FT 450 ES FI 4T FLAT TRACK	450	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT 450 ES FI 4T FLAT TRACK	450	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT FI FLAT TRACK	450	16	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	FT ES 2T FLAT TRACK	450	17/19	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	FT ES 2T FLAT TRACK	450	17/19	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT ES 2T FLAT TRACK	450	17/19	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT FI 4T FLAT TRACK	450	20/21	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	FT FI 4T FLAT TRACK	450	20/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT FI 4T FLAT TRACK	450	20/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 450 ES FI 4T	450	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	MX 450 ES FI 4T	450	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 450 ES FI 4T	450	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 450 ES FI 4T	450	24/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 450 ES FI 4T	450	24/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 450 ES FI 4T	450	24/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 450 ES FI 4T - CORSE	450	25/26	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX 450 ES FI 4T - CORSE	450	25/26	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 450 ES FI 4T - CORSE	450	25/26	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMK 450 ES FI 4T	450	19/23	1961X / 1961	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	SMK 450 ES FI 4T	450	24/26	1961X / 1961	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMM FI	450	17/18	1426X	L	F00,0	318	-	5,0	6	6,5	-	R	S	-	-	-	-	-
TM RACING	SMR F	450	14	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	SMR FI	450	15/18	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMR FI 4T	450	19/21	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMR 450 ES FI 4T	450	22/23	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	SMR 450 ES FI 4T	450	24/26	1961 / 1961X	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMX FI	450	14	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	SMX FI	450	14	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMX FI	450	14	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMX FI 4T / SMX FI KIT 4T	450	19/21	1961X / 1961	L	F00,0	305	70,5	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMX 450 ES FI 4T	450	22/23	1961X / 1961	L	F00,0	305	70,5	5,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	EN / CROSS 4T	530	03	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM RACING	EN / CROSS 4T	530	03	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN / CROSS 4T	530	03	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN F / MX F	530	04/14	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	EN F / MX F	530	04/14	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 530 ES FI 4T	530	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5

TM RACING	EN 530 ES FI 4T	530	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN 530 ES FI 4T	530	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN FI ES 4T / MX FI KS 4T	530	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	EN FI ES 4T / MX FI KS 4T	530	15/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	EN FI ES 4T / MX FI KS 4T	530	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT ES 2T FLAT TRACK	530	17/19	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	FT ES 2T FLAT TRACK	530	17/19	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT ES 2T FLAT TRACK	530	17/19	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT FI KS 4T FLAT TRACK	530	17/19	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	FT FI KS 4T FLAT TRACK	530	17/19	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	FT FI KS 4T FLAT TRACK	530	17/19	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX FI 4T	530	15/21	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	MX FI 4T	530	15/21	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX FI 4T	530	15/21	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 530 ES FI 4T	530	22/23	1763X	L	S	270	70,5	3,0	6	6,5	2224X	R	S	245	114	4,0	4	6,5
TM RACING	MX 530 ES FI 4T	530	22/23	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	MX 530 ES FI 4T	530	22/23	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SM	530	14	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	SMM FI 4T	530	14	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	SMR FI ES 4T	530	17/20	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMR FI 4T	530	16	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	SMR FI ES 4T	530	17/20	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMX FI 4T	530	10/14	-	-	-	-	-	-	-	-	1765X	R	S	243	114	4,0	4	6,5
TM RACING	SMX FI 4T	530	17	ND / NA	L	F00,0	305	-	5,5	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM RACING	SMX FI KS 4T	530	18/20	--X	L	F00,0	305	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMX FI	660	04/14	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM RACING	SMX FI	660	04/14	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMX FI	660	04/14	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMX FI	660	15	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM RACING	SMX FI	660	15	1405X	L	F00,0	270	-	3,0	6	6,5								
TM RACING	SMX FI	660	15	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TOMOS	SE	50	05	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
TOMOS	SE 4T	125	05/06	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
TOMOS	SM 4T	125	05/06	801	L	T	300	90	4,0	6	6,5	836	R	T	218	62	3,5	3	8,5
TOMOS	SM 4T	125	05/06	1103	L	F00,0	300	90	4,0	6	6,5								
TOMOS	SM 4T	125	05/06	1068	L	F00,0	300	90	4,0	6	6,5								
TORROT	CONTACT TX	E	17	715X	L	S	183,8	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
TORROT	CONTACT TX	E	17	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TORROT	CONTACT TX	E	17									1570X	R	FIM	150	45	3,0	4	6,5
TORROT	MOVAK	E	18	-	-	-	-	-	-	-	-	-	R	S	185	45	3,0	4	6,5
TORROT	KID ENDURO ONE	E	19	-	L	S	160	46	1,8	5	6,5	-	R	S	160	46	1,8	5	6,5
TORROT	KID ENDURO TWO	E	19	-	L	S	160	46	1,8	5	6,5	-	R	S	160	46	1,8	5	6,5
TORROT	KID TWO ENDURO	E	19	-	L	S	160	46	1,8	5	6,5	-	R	S	160	46	1,8	5	6,5
TORROT	KID SUPERMOTARD ONE	E	19	-	L	S	160	46	1,8	5	6,5	-	R	S	160	46	1,8	5	6,5
TORROT	KID SUPERMOTARD TWO	E	19	-	L	S	160	46	1,8	5	6,5	-	R	S	160	46	1,8	5	6,5
TORROT	KID TRIAL ONE	E	19	-	L	S	160	46	1,8	5	6,5	-	R	S	160	46	1,8	5	6,5
TORROT	KID TRIAL TWO	E	19	-	L	S	160	46	1,8	5	6,5	-	R	S	160	46	1,8	5	6,5
TORROT	KID T10 / T12 KIDS	E	17	-	L	S	160	-	-	-	-	-	R	S	160	-	-	-	-
TORROT	KID S10 / S12 KIDS	E	17	-	L	S	160	-	-	-	-	-	R	S	160	-	-	-	-
TORROT	KID E10 / 12 KIDS	E	17	-	L	S	160	-	-	-	-	-	R	S	160	-	-	-	-
TORROT	KID S12 59 M. SIMONCELLI	E	17	-	L	S	160	-	-	-	-	-	R	S	160	-	-	-	-
TRIUMPH	TF 250-C 4T Cross-country	250	26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-C 4T Cross-country	250	26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-C 4T Cross-country	250	26	1725X	L	F00,0	260	-	3,0	6	6,5								
TRIUMPH	TF 250-C 4T Cross-country	250	26	1254X / 1254XBH	L	FO	*270	-	3,0	6	6,5								
TRIUMPH	TF 250-C 4T Cross-country SM Wheel	250	26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-C 4T Cross-country SM Wheel	250	26	1224X	L	FO	*310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-C 4T Cross-country SM Wheel	250	26	2029XG	L	FO	*310	127	5,0	6	6,5								
TRIUMPH	TF 250-C 4T Cross-country SM Wheel	250	26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 250-C 4T Cross-country SM Wheel	250	26	1640SP	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 250-C 4T Cross-country SM Wheel	250	26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 250-E 4T	250	26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-E 4T	250	26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-E 4T	250	26	1725X	L	F00,0	260	-	3,0	6	6,5								
TRIUMPH	TF 250-E 4T	250	26	1254X / 1254XBH	L	FO	*270	-	3,0	6	6,5								
TRIUMPH	TF 250-E 4T SM Wheel	250	26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-E 4T SM Wheel	250	26	1224X	L	FO	*310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-E 4T SM Wheel	250	26	2029XG	L	FO	*310	127	5,0	6	6,5								
TRIUMPH	TF 250-C 4T SM Wheel	250	26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 250-E 4T SM Wheel	250	26	1640SP	L	FO	*320	127	5,0	6	6,5								

TRIUMPH	TF 250-E 4T SM Wheel	250	26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 250-X 4T	250	24/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-X 4T	250	24/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-X 4T	250	24/26	1725X	L	F00,0	260	-	3,0	6	6,5								
TRIUMPH	TF 250-X 4T	250	24/26	1254X / 1254XBH	L	FO	*270	-	3,0	6	6,5								
TRIUMPH	TF 250-X 4T SM Wheel	250	24/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-X 4T SM Wheel	250	24/26	1224X	L	FO	*310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 250-X 4T SM Wheel	250	24/26	2029XG	L	FO	*310	127	5,0	6	6,5								
TRIUMPH	TF 250-X 4T SM Wheel	250	24/26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 250-X 4T SM Wheel	250	24/26	1640SP	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 250-X 4T SM Wheel	250	24/26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	SCRAMBLER 400 X	400	24/26	2096 / 2096X	L	S	320	204	5	5	8,25	2365 / 2365X	L	S	230	110,3	4,5	6	6,5
TRIUMPH	SCRAMBLER 400 XC	400	25/26	-	-	-	-	-	-	-	-	2365 / 2365X	L	S	230	110,3	4,5	6	6,5
TRIUMPH	TRACKER 400	400	26	1645 / 1645X	L	S	300	90	5	6	10,25	2365 / 2365X	L	S	230	110,3	4,5	6	6,5
TRIUMPH	TRACKER 400	400	26	1705 / 1705X	L	F00,0	300	90	5	6	10,25								
TRIUMPH	TF 450-C Cross-country	450	26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-C Cross-country	450	26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-C Cross-country	450	26	1725X	L	F00,0	260	-	3,0	6	6,5								
TRIUMPH	TF 450-C Cross-country	450	26	1254X / 1254XBH	L	FO	*270	-	3,0	6	6,5								
TRIUMPH	TF 450-E Cross-country SM Wheel	450	26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-E Cross-country SM Wheel	450	26	1224X	L	FO	*310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-E Cross-country SM Wheel	450	26	2029XG	L	FO	*310	127	5,0	6	6,5								
TRIUMPH	TF 450-E Cross-country SM Wheel	450	26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-E Cross-country SM Wheel	450	26	1640SP	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-E Cross-country SM Wheel	450	26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-E	450	25/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-E	450	25/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-E	450	25/26	1725X	L	F00,0	260	-	3,0	6	6,5								
TRIUMPH	TF 450-E	450	25/26	1254X / 1254XBH	L	FO	*270	-	3,0	6	6,5								
TRIUMPH	TF 450-E SM Wheel	450	25/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-E SM Wheel	450	25/26	1224X	L	FO	*310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-E SM Wheel	450	25/26	2029XG	L	FO	*310	127	5,0	6	6,5								
TRIUMPH	TF 450-E SM Wheel	450	25/26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-E SM Wheel	450	25/26	1640SP	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-E SM Wheel	450	25/26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-RC	450	25/26	140X	L	S	260	-	3,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-RC	450	25/26	140	L	S	260	-	3,5	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-RC	450	25/26	1725X	L	F00,0	260	-	3,0	6	6,5								
TRIUMPH	TF 450-RC	450	25/26	1254X / 1254XBH	L	FO	*270	-	3,0	6	6,5								
TRIUMPH	TF 450-RC SM Wheel	450	25/26	1733X / 1733	L	FO	*300	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-RC SM Wheel	450	25/26	1224X	L	FO	*310	127	5,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
TRIUMPH	TF 450-RC SM Wheel	450	25/26	2029XG	L	FO	*310	127	5,0	6	6,5								
TRIUMPH	TF 450-RC SM Wheel	450	25/26	1640X / 1640	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-RC SM Wheel	450	25/26	1640SP	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TF 450-RC SM Wheel	450	25/26	2025XG / 2025G	L	FO	*320	127	5,0	6	6,5								
TRIUMPH	TT	600	00/04	1755G / 1755XG	L/R	F14,5	310	78	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	TIGER	800	10/20	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER	800	10/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER ABS	800	11/20	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER ABS	800	11/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER SE	800	14	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER SE	800	14	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER SPORT 800	800	25/26	1675G / 1675XG	L/R	F00,0	310	82,5	5,0	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH	TIGER XC	800	10/17	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259 / 1259X	R	S	255	105	5,0	4	10,5
TRIUMPH	TIGER XC	800	10/17	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XC ABS	800	11/17	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XC ABS	800	11/17	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XC ABS	800	18	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1704 / 1704X	R	S	255	105	5,5	4	10,5
TRIUMPH	TIGER XC ABS	800	18									1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCa	800	15/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCa	800	15/20	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XCa ABS	800	15/16	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCa ABS	800	17/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1745 / 1745X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCR / XR	800	15/16	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCR / XR	800	15/16	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XCR ABS	800	15/16	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCR ABS	800	15/16	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XCx	800	14/20	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255				

TRIUMPH		TIGER XCx ABS	800	14/16	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER XCx ABS	800	17/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1745 / 1745X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XCx LOW ABS	800	16	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XCx LOW ABS	800	17/18	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XR ABS	800	15/18	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XR ABS	800	15/18	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER XR ABS	800	18/20	1843G	L/R	F00,0	305	82,5	4,5	5	10,5	1745	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XR LOW ABS	800	16	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XR LOW ABS	800	16	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER XRt	800	15/20	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XRt	800	15/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER XRt ABS	800	15/17	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XRt ABS	800	18/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1745 / 1745X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XRx	800	15/20	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XRx	800	15/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER XRx ABS	800	15/17	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1707X / 1707	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XRx ABS	800	15/17	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER XRx ABS	800	18/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1745 / 1745X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER XRx LOW / ABS	800	18/20	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1745 / 1745X	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER 850 SPORT (888cc)	888	21/25	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 ABS / GT / GT LOW (888cc)	888	19	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1331	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER 900 ABS / GT / GT LOW (888cc)	888	20/23	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 ALPINE Edition (888cc)	888	26	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 BOND EDITION (888cc)	888	22	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 DESERT Edition (888cc)	888	26	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 GT LRH / GT PRO (888cc)	888	19	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1331	R	S	255	105	6,0	4	10,5
TRIUMPH		TIGER 900 GT / TIGER 900 GT PRO (888cc)	888	20/26	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 RALLY (888cc)	888	20/25	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 RALLY Aragon Edition (888cc)	888	23/24	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 900 RALLY PRO (888cc)	888	20/26	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	2038 / 2038X	R	S	255	103	5,5	4	10,5
TRIUMPH		TIGER 1200 GT ABS (1160cc)	1160	22/24	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1960 / 1960X	R	S	282	103	5	4	10,5
TRIUMPH		TIGER 1200 GT EXPLORER (1160cc)	1160	22/25	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1960 / 1960X	R	S	282	103	5	4	10,5
TRIUMPH		TIGER 1200 GT PRO (1160cc)	1160	22/25	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1960 / 1960X	R	S	282	103	5	4	10,5
TRIUMPH		TIGER 1200 RALLY EXPLORER (1160cc)	1160	22/25	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1960 / 1960X	R	S	282	103	5	4	10,5
TRIUMPH		TIGER 1200 RALLY PRO (1160cc)	1160	22/25	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1960 / 1960X	R	S	282	103	5	4	10,5
TRIUMPH	SCRAMBLER	STEVE MCQUEEN SPECIAL EDITON ABS	1200	21/22	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1704 / 1704X	L	S	255	105	5,5	4	10,5
TRIUMPH	SCRAMBLER	STEVE MCQUEEN SPECIAL EDITON ABS	1200	21/22									1707 / 1707X	L	S	255	105	6	4	10,5
TRIUMPH		SCRAMBLER 1200 X	1200	24/26	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1704 / 1704X	L	S	255	105	5,5	4	10,5
TRIUMPH		SCRAMBLER 1200 X	1200	24/26									1707 / 1707X	L	S	255	105	6	4	10,5
TRIUMPH	SCRAMBLER	XC ABS / XE ABS	1200	19/23	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1704 / 1704X	L	S	255	105	5,5	4	10,5
TRIUMPH	SCRAMBLER	XC ABS / XE ABS	1200	19/23									1707 / 1707X	L	S	255	105	6	4	10,5
TRIUMPH	SCRAMBLER	XE Bond Edition ABS	1200	20/21	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1704 / 1704X	L	S	255	105	5,5	4	10,5
TRIUMPH	SCRAMBLER	XE Bond Edition ABS	1200	20/21									1707 / 1707X	L	S	255	105	6	4	10,5
TRIUMPH	SCRAMBLER	XE CHROME EDITION	1200	23	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1704 / 1704X	L	S	255	105	5,5	4	10,5
TRIUMPH	SCRAMBLER	XE CHROME EDITION	1200	23									1707 / 1707X	L	S	255	105	6	4	10,5
TRIUMPH	SCRAMBLER	XE GOLD LINE ABS	1200	22/23	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1704 / 1704X	L	S	255	105	5,5	4	10,5
TRIUMPH	SCRAMBLER	XE GOLD LINE ABS	1200	22/23									1707 / 1707X	L	S	255	105	6	4	10,5
TRIUMPH	SCRAMBLER	XT ABS	1200	19/20	1882G / 1882XG	L/R	F00,0	320	82,5	4,5	5	10,5	1704 / 1704X	L	S	255	105	5,5	4	10,5
TRIUMPH	SCRAMBLER	XT ABS	1200	19/20									1707 / 1707X	L	S	255	105	6	4	10,5
TRIUMPH		TIGER ALPINE ABS	1215	19/21	1843G	L/R	F00,0	305	82,5	4,5	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER ABS	1215	18/21	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER DESERT ABS	1215	19/21	1843G	L/R	F00,0	305	82,5	4,5	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER EXPLORER / ABS / XC / ABS	1215	12/17	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER EXPLORER / ABS / XC / ABS	1215	12/17	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER EXPLORER XCA / XR / ABS	1215	15/17	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER EXPLORER XCA / XR / ABS	1215	15/17	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER EXPLORER XCx / XRx / ABS	1215	15/17	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER EXPLORER XCx / XRx / ABS	1215	15/17	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER EXPLORER XRt / ABS	1215	15/17	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER EXPLORER XRt / ABS	1215	15/17	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH		TIGER XC ABS / XCA / XCx ABS	1215	18	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER XR ABS / XRt ABS / XRx ABS	1215	18	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER XRx LOW ABS	1215	18	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER XC / XCa / XCx / ABS	1215	19/20	1843G	L/R	F00,0	305	82,5	4,5	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER XR / XRt / XRx / ABS	1215	19/20	1843G	L/R	F00,0	305	82,5	4,5	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TIGER XRx LOW ABS	1215	19/20	1843G	L/R	F00,0	305	82,5	4,5	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TROPHY / ABS / SE / ABS	1215	12/18	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TRIUMPH		TROPHY / ABS / SE / ABS	1215	12/18	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5								
TRRS		ON-E KIDS ELECTRICA 16" Wheel	E	20/27	1447X	L	S	160	-	1,8	6	5,0	1447X	R	S	160	-	1,8	6	5,0
TRRS		ON-E KIDS ELECTRICA 20" Wheel	E	20/27	1447X	L	S	160	-	1,8	6	5,0	1447X	R	S	160	-	1,8	6	5,0

TRRS	ONE RR 80	80	24/27	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE RR 80	80	24/27	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 125 R 2T	125	20/26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 125 R 2T	125	20/26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 125 RR 2T	125	18/26	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 125 RR 2T	125	18/26	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 125 2T	125	17/24	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 125 2T	125	17/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD 125 2T	125	18/22	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD 125 2T	125	18/22	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 125 2T	125	1724	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 125 2T	125	23/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK ONE 125 R 2T	125	26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 125 R 2T	125	26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK 125 RR 2T	125	17/25	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK 125 RR 2T	125	17/25	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 250 2T (248cc)	248	15/24	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 250 2T (248cc)	248	15/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD SERIES 250 2T (248cc)	248	18/26	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD SERIES 250 2T (248cc)	248	18/26	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 250 R 2T (248cc)	248	20/26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 250 R 2T (248cc)	248	20/26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE RR 250 2T (248cc)	248	18/26	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE RR 250 2T (248cc)	248	18/26	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 250 2T (248cc)	248	1724	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 250 2T (248cc)	248	17/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK ONE 250 R 2T (248cc)	248	26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 250 R 2T (248cc)	248	26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK 250 RR 2T (248cc)	248	19/25	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK 250 RR 2T (248cc)	248	19/25	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 280 2T (272cc)	272	15/24	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 280 2T (272cc)	272	15/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 280 R 2T (272cc)	272	20/26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 280 R 2T (272cc)	272	20/26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD SERIES 280 2T (272cc)	272	18/26	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD SERIES 280 2T (272cc)	272	18/26	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 280 RR 2T (272cc)	272	15/26	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 280 RR 2T (272cc)	272	15/26	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 280 2T (272cc)	272	17/24	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 280 2T (272cc)	272	17/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK ONE 280 R 2T (272cc)	272	26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 280 R 2T (272cc)	272	26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK 280 RR 2T (272cc)	272	19/25	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK 280 RR 2T (272cc)	272	19/25	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 300 2T (294cc)	294	15/24	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 300 2T (294cc)	294	15/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD SERIES 300 2T (294cc)	294	18/26	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE GOLD SERIES 300 2T (294cc)	294	18/26	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 300 R 2T (294cc)	294	20/26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 300 R 2T (294cc)	294	20/26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	ONE 300 RR 2T (294cc)	294	15/26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	ONE 300 RR 2T (294cc)	294	15/26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK ONE 300 2T (294cc)	294	17/24	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 300 2T (294cc)	294	17/24	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK ONE 300 R 2T (294cc)	294	26	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK ONE 300 R 2T (294cc)	294	26	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TRRS	XTRACK 300 RR 2T (294cc)	294	19/25	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
TRRS	XTRACK 300 RR 2T (294cc)	294	19/25	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
UM	DSR ADVENTURE TT	125	16/20	-	L	S	280	-	-	-	-	-	R	S	220	-	-	-	-
UM	DSR ADVENTURE TT	125	21/23	2196	L	S	300	108	4	6	6,5	2203 / 2203X	R	S	220	64	3,5	3	8,5
UM	DSR ADVENTURE TT GRAND TOURER	125	21/23	2196	L	S	300	108	4	6	6,5	2203 / 2203X	R	S	220	64	3,5	3	8,5
UM	DSR ADVENTURE TT TOURER	125	21/23	2196	L	S	300	108	4	6	6,5	2203 / 2203X	R	S	220	64	3,5	3	8,5
UM	DSR ADVENTURE TT URBAN	125	21/23	2196	L	S	300	108	4	6	6,5	2203 / 2203X	R	S	220	64	3,5	3	8,5
UM	DSR EX	125	16/23	2206X	L	S	260	108	4,5	6	6,5	2203X / 2203	R	S	220	64	3,5	3	8,5
UM	DSR SUPERMOTARD	125	16/23	2196	L	S	300	108	4	6	6,5	2203 / 2203X	R	S	220	64	3,5	3	8,5
VENT	BAJA / BAJA RR	50	19/21	-X	L	S	250	-	-	-	-	-X	R	S	220	-	-	-	-
VENT	DERAPAGE	50	19/21	-X	L	S	290	-	-	-	-	-X	R	S	220	-	-	-	-
VENT	DERAPAGE RR	50	19/21	-X	L	S	300	-	-	-	-	-X	R	S	220	-	-	-	-
VENT	BAJA / BAJA RR	125	19/21	-X	L	S	250	-	-	-	-	-X	R	S	220	-	-	-	-
VENT	DERAPAGE	125	19/21	-X	L	S	290	-	-	-	-	-X	R	S	220	-	-	-	-

VENT	DERAPAGE RR	125	19/21	-X	L	S	300	-	-	-	-	-X	R	S	220	-	-	-	-
VENT	TRIAL	125	19/21	-X	L	S	250	-	-	-	-	-X	R	S	220	-	-	-	-
VENT	SCRAMBLER	125	19/21	-X	L	S	320	-	-	-	-	-X	R	S	220	-	-	-	-
VERTEMATI	CROSS C	500	01/04	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
VERTEMATI	CROSS C	500	01/04	724K27	L	KF	*320	101	5,0	6	6,5								
VERTEMATI	CROSS C	500	01/04	724XK27	L	KF	*318	101	5,0	6	6,5								
VERTEMATI	CROSS C	500	01/04	2013XGK27	L	KF	*320	101	5,0	6	6,5								
VERTEMATI	CROSS C	500	01/04	724SPK27	L	KF	*320	101	5,0	6	6,5								
VERTIGO	MINI VANDAL 16" & 20"	50	17/20	1447X	L	S	160	-	1,8	6	5,0	1447X	R	S	160	-	1,8	6	5,0
VERTIGO	JAIME BUSTO REPLICA	125	21/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	JAIME BUSTO REPLICA	125	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO	125	22/23	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO	125	22/23	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RS	125	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO RS	125	24	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RSR	125	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO RSR	125	24	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL	125	18/21	715X	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL	125	18/21	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R	125	18/19	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R	125	18/19	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL R2	125	20	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R2	125	20	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL R3	125	21/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R3	125	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	JAIME BUSTO REPLICA	200	21/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	JAIME BUSTO REPLICA	200	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO	200	22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO	200	22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL	200	20/21	715X	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL	200	20/21	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R2	200	20	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R2	200	20	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL R3	200	21/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R3	200	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RS	225	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO RS	225	24	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RSR	225	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO RSR	225	24	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	DOUGIE LAMPKIN REPLICA	250	18/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	DOUGIE LAMPKIN REPLICA	250	18/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	JAIME BUSTO REPLICA	250	21/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	JAIME BUSTO REPLICA	250	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO	250	22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO	250	22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RS	250	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO RS	250	24	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RSR	250	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO RSR	250	24	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	TITANIUM R	250	18/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	TITANIUM R	250	18/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VANDAL R / VANDAL S	250	17	715X / 715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VANDAL R / VANDAL S	250	17									1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL	250	18/21	715X	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL	250	18/21	715SP	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R	250	18/19	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R	250	18/19	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL R2	250	20	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R2	250	20	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL R3	250	21/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL R3	250	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	DOUGIE LAMPKIN REPLICA	280	18/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	DOUGIE LAMPKIN REPLICA	280	18/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	JAIME BUSTO REPLICA	280	21/22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	JAIME BUSTO REPLICA	280	21/22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO	280	22	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO	280	22	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RS	280	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	NITRO RS	280	24	715SP	L	S	183,8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	NITRO RSR	280	24	715X	L	S	183,8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5

VERTIGO		NITRO RSR	280	24	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		VERTICAL	280	20/21	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		VERTICAL	280	20/21	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL	R2	280	20	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL	R2	280	20	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		VERTICAL R3	280	21/22	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		VERTICAL R3	280	21/22	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT	CAMO WORKS	299	14/16	715X / 715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT	CAMO WORKS	299	14/16									1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT	EVO 2 / VANDAL S / R	299	17	715X / 715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT	EVO 2 / VANDAL S / R	299	17									1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT	ICE HELL / TITANIUM R	299	14/17	715X / 715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT	ICE HELL / TITANIUM R	299	14/17									1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT	TITANIUM R	299	18/22	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT	TITANIUM R	299	18/22	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT	VERTICAL	299	16/19	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT	VERTICAL	299	16/19	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		DOUGIE LAMPKIN REPLICA	299	18/22	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		DOUGIE LAMPKIN REPLICA	299	18/22	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		JAIME BUSTO REPLICA	299	21/22	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		JAIME BUSTO REPLICA	299	21/22	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		NITRO	299	22	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		NITRO	299	22	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		NITRO RS	299	24	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		NITRO RS	299	24	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		NITRO RSR	299	24	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		NITRO RSR	299	24	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		VERTICAL	299	18/21	715X	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		VERTICAL	299	18/21	715SP	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL	R	299	18/19	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL	R	299	18/19	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VERTICAL	R2	299	20	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	VERTICAL	R2	299	20	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO		VERTICAL R3	299	21/22	715X	L	S	183.8	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO		VERTICAL R3	299	21/22	715SP	L	S	183.8	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VMOTO		EN	492	98/01	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VMOTO		EN / MSM	495	98/01	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VMOTO		CROSS / ENDURO	500	98/02	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VMOTO		MX EX	503	00/01	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VMOTO		MX EN	503	00/02	-	-	-	-	-	-	-	-	422 / 422X	L	S	220	115	4,0	6	6,5
VMOTO		MX EN	503	00/02									422XSP	L	S	220	115	4,0	6	6,5
VMOTO		EN / MSME / SMR C	530	02	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VOGE		300 DS	300	21/23	-X	R	-	300	-	-	-	-	-X	R	S	220	-	-	-	-
VOGE		300 RALLY	300	22/25	-X	L	S	265	-	-	6	-	-X	R	S	220	-	-	6	-
VOGE		500DS (471cc)	471	23	-X	L/R	S	298	-	-	-	-	-X	R	S	240	-	-	-	-
VOGE		500DSX (471cc)	471	23	-X	L/R	S	298	-	-	-	-	-X	R	S	240	-	-	-	-
VOGE		525DSX (494cc)	494	23/25	-X	L/R	S	298	-	-	-	-	-X	R	S	240	-	-	-	-
VOGE		AD ABS	500	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOGE		DS	500	20/23	-X	L/R	-	298	-	-	-	-	-X	R	S	240	-	-	-	-
VOGE		DSX	500	22/23	-X	L/R	-	298	-	-	-	-	-X	R	S	240	-	-	-	-
VOGE		625 DSX (581cc)	581	25	-	L/R	S	298	-	-	-	-	-	R	S	240	-	-	-	-
VOGE		DS ABS	650	21/23	-	L/R	S	298	-	-	-	-	-	L	S	240	-	-	-	-
VOGE		DSX ABS	650	21/23	-	L/R	S	298	-	-	-	-	-	L	S	240	-	-	-	-
VOGE		DS800 RALLY (798cc)	800	25/26	-	L/R	F00,0	310	138	4,5	6	6,25	-	R	S	240	-	-	-	-
VOGE		DS800 X RALLY (798cc)	800	26	-	L/R	F00,0	310	138	4,5	6	6,25	-	R	S	240	-	-	-	-
VOGE		900 DSX (895cc)	895	23/25	2346	L/R	F00,0	305	-	4,5	5	10,5	2347	R	S	265	-	5	5	10,5
VOR		MX	350	01	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VOR		MX	350	01	-	-	-	-	-	-	-	-	326	L	S	220	110	5,0	6	6,5
VOR		EN / SMR C	400	00/02	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VOR		EN / SMR C	400	00/02	-	-	-	-	-	-	-	-	326	L	S	220	110	5,0	6	6,5
VOR		EN / SMC / SMR C	450	01/02	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VOR		EN / SMC / SMR C	450	01/02	-	-	-	-	-	-	-	-	326	L	S	220	110	5,0	6	6,5
VOR		RC	503	01	-	-	-	-	-	-	-	-	288	L	S	220	110	4,0	6	6,5
VOR		RC	503	01	-	-	-	-	-	-	-	-	326	L	S	220	110	5,0	6	6,5
XISPA		X R	125	08/09	715 / 715X	L	S	183.8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA		X R	125	08/09	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA		X R	125	08/09									1570X	R	FIM	150	45	3,0	4	6,5
XISPA		XISPA	250	08/12	715 / 715X	L	S	183.8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA		XISPA	250	08/12	715SP	L	S	183.8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA		XISPA	250	08/12									1570X	R	FIM	150	45	3,0	4	6,5

XISPA	XPA R	280	08/12	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA	XPA R	280	08/12	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA	XPA R	280	08/12									1570X	R	FIM	150	45	3,0	4	6,5
XISPA	XPA	300	10/11	715 / 715X	L	S	183,8	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA	XPA	300	10/11	715SP	L	S	183,8	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA	XPA	300	10/11									1570X	R	FIM	150	45	3,0	4	6,5
YAMAHA	TY-E 2.0	E	22/23	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
YAMAHA	CR Z	50	91/95	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	CR Z	50	91/95	727 / 727X	L	SO	*180	40,6	3,5	3	10,5								
YAMAHA	DT L.C.	50	06	614	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
YAMAHA	DT L.C.	50	08	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
YAMAHA	DT R	50	00/02	163	L	S	230	112	4,0	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	DT R	50	03/08	350	L	S	240	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
YAMAHA	DT R	50	03/08	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
YAMAHA	DT X / DT SM	50	07/11	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
YAMAHA	DT X / DT SM	50	07/11									836	R	T	218	62	3,5	3	8,5
YAMAHA	RS SPY	50	96/00	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	YZ 65 F:14" / R:12" Wheel	65	18/26	1787X	L	S	198	100,2	3,0	3	6,5	757X	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 65 F:14" / R:12" Wheel	65	18/26									1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ GYTR 14" / 12" Wheels	65	23/24	1787X	L	S	198	100,2	3,0	3	6,5	757X	R	S	190	84	3,0	4	6,5
YAMAHA	YZ GYTR 14" / 12" Wheels	65	23/24									1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ / YZ LW	80	93/01	745 / 745X	L	S	220	100,5	3,0	6	6,5	757 / 757X	R	S	190	84	3,0	4	6,5
YAMAHA	YZ / YZ LW	80	93/01									1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ LW	80	02/05	745 / 745X	L	S	220	100,5	3,0	6	6,5	-	-	-	-	-	-	-	-
YAMAHA	YZ 17" / 14" Wheels	85	93/19	1599	L	S	220	100,5	3,0	3	6,5	757 / 757X	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 17" / 14" Wheels	85	93/19	1907X	L	S	220	100,5	3,0	3	6,5	1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 17" / 14" Wheels	85	20/21	1907X	L	S	220	100,5	3,0	3	6,5	1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 17" / 14" Wheels	85	20/21	1599	L	S	220	100,5	3,0	3	6,5	757 / 757X	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 19" / 16" Wheels	85	93/19	1599	L	S	220	100,5	3,0	3	6,5	757 / 757X	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 19" / 16" Wheels	85	93/19	1907X	L	S	220	100,5	3,0	3	6,5	1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 85 F:19" / R:16" Wheel	85	20/26	1907X	L	S	220	100,5	3,0	3	6,5	1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ 85 F:19" / R:16" Wheel	85	20/26	1599	L	S	220	100,5	3,0	3	6,5	757X / 757	R	S	190	84	3,0	4	6,5
YAMAHA	YZ GYTR 19" / 16" Wheels	85	23/24	1907X	L	S	220	100,5	3,0	3	6,5	1908XSP	R	S	190	84	3,0	4	6,5
YAMAHA	YZ GYTR 19" / 16" Wheels	85	23/24	1599	L	S	220	100,5	3,0	3	6,5	757X / 757	R	S	190	84	3,0	4	6,5
YAMAHA	BRAZIL XTZ LANDER	125	03/10	039	L	S	245	86	4,0	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	BRAZIL XTZ Z	125	11	039	L	S	245	86	4,0	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	BRAZIL XTZ X	125	08/14	059	L	S	220	86	4,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	CRYPTON X	125	05/08	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
YAMAHA	DT	125	88/07	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	DT	125	88/07									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA	DT R	125	88/05	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	DT R	125	88/05									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA	DT RE	125	88/04	390	L	S	230	86	3,5	6	6,5	-	-	-	-	-	-	-	-
YAMAHA	DT RE	125	05/06	1807 / 1807X	L	S	220	115	4,5	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	DT X	125	05/06	294 / 294X	L	F00,0	298	132	5,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	DT X	125	05/06	294G / 294XG	L	F00,0	298	132	5,0	6	8,5	422XSP	R	S	220	115	4,0	6	6,5
YAMAHA	DT X	125	05/06	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	DT X SUPERMOTARD	125	05/06	1727 / 1727X	L	S	298	132	5,0	6	8,5	1807 / 1807X	R	S	220	115	4,5	6	8,5
YAMAHA	DT X SUPERMOTARD	125	05/06	294 / 294X	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	DT X SUPERMOTARD	125	05/06	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	MAXSTER	125	01/04	1099	L	S	245	80	4,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
YAMAHA	TT R	125	00/03	399	L	S	220	92	3,0	4	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	TT R LWE / TT R LEM	125	18/23	399	L	S	220	92	3,0	4	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	TW	125	99/05	785	R	S	220	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	WR	125	92/97	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	WR	125	92/97	719	L	SO	*270	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	WR	125	01/12	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	WR	125	01/12	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	WR	125	05/07	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR	125	05/07	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR	125	05/07	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR	125	05/07	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR	125	05/07	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR R	125	09/17	1482X / 1482	L	S	240	86	4,0	6	6,5	1807X / 1807	R	S	220	115	4,5	6	8,5
YAMAHA	WR X SUPERMOTARD	125	09/17	1727 / 1727X	L	S	298	132	5,0	6	8,5	1807 / 1807X	R	S	220	115	4,5	6	8,5
YAMAHA	WR X / WR X SM	125	09/17	294 / 294X	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	WR X / WR X SM	125	09/17	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	XTR	125	05/12	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
YAMAHA	XTR	125	05/12	335	L	S	240	108	3,5	6	6,5	082	R	T	218	62	3,5	3	8,5

YAMAHA	XT X	125	05	614	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
YAMAHA	XT X	125	05									836	R	T	218	62	3,5	3	8,5
YAMAHA	XT X	125	07/11	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
YAMAHA	XT X	125	07/11									836	R	T	218	62	3,5	3	8,5
YAMAHA	XYZ 125	125	03/10	785	L	S	220	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	YZ 2T	125	92/97	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	YZ 2T	125	92/97	719	L	SO	*270	118	3,0	6	6,5	422XSP	R	S	220	115	4,0	6	6,5
YAMAHA	YZ 2T	125	98/00	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T	125	98/00	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	01/02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T	125	01/02	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	01/02	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	03/16	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	125	03/16	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	125	05/07	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	05/07	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	05/07	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	08/16	719K05	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	08/16	1153XK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	08/16	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	05/07	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	05/07	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	05/07	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	08/16	723K14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	08/16	723XK14	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	08/16	723SPK14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	17/18	1153X	L	F00,0	270	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	125	17/18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	125	17/18	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	17/18	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	17/18	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	17/18	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	19/21	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	125	19/21	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	125	19/21	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 2T	125	19/21	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	19/21	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	125	19/21	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 125	125	22/26	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 125	125	22/26	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 125	125	22/26	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 125	125	22/26	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T 125	125	22/26	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 125 70th Anniversary Edition	125	26	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 125 70th Anniversary Edition	125	26	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 125 70th Anniversary Edition	125	26	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 125 70th Anniversary Edition	125	26	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T 125 70th Anniversary Edition	125	26	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	125	24	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 50 Anniversary Edition	125	24	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 50 Anniversary Edition	125	24	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	125	24	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	125	24	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	125	24	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T GYTR	125	24	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T GYTR	125	24	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T GYTR	125	24	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 2T GYTR	125	24	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T GYTR	125	24	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T GYTR	125	24	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	125	22/25	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	125	22/25	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	125	22/25	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	125	22/25	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	125	22/25	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ X 2T	125	19/22	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 2T	125	19/22	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 2T	125	19/22	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ X 2T	125	23	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ X 2T	125	23	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5

YAMAHA		YZ X 2T	125	23	719	L	S	270	118	3,0	6	6,5								
YAMAHA		TW 200 E	200	98/25	785	L	S	220	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA		WR	200	92/05	900	L	S	245	115	4,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA		WR	200	92/05									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA		WR R	200	93→	900	L	S	245	115	4,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA		WR R	200	93→									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA		TW 225 E	225	02/03	785	L	S	220	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA		XT 225 SEROW	225	86/07	785	L	S	220	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	BRAZIL	TT R	230	08/21	059	L	S	220	86	4,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	BRAZIL	XTZ LANDER	250	07/18	039	L	S	245	86	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA	BRAZIL	XTZ Z ADVENTURE TÉNÉRÉ	250	11/18	039	L	S	245	86	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA		SEROW	250	04→	422 / 422X	L	S	220	115	4,0	6	6,5	-	-	-	-	-	-	-	-
YAMAHA		SEROW	250	04→	xxxXSP	L	S	220	115	4,0	6	6,5								
YAMAHA		TRICKER	250	05/07	ND / NA	L	-	220	87	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA		TT	250	00→	-	-	-	-	-	-	-	-	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA		TT	250	00→									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA		TT R	250	93/03	900	L	S	245	115	4,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA		TT R	250	93/03									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA		WR	250	92/98	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA		WR	250	92/98	719	L	SO	*270	118	3,0	6	6,5	422XSP	R	S	220	115	4,0	6	6,5
YAMAHA		WR	250	99/00	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA		WR	250	99/00	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA		WR	250	01/02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA		WR	250	01/02	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA		WR	250	01/02	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA		WR	250	05/07	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA		WR	250	05/07	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA		WR	250	05/07	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA		WR	250	05/07	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA		WR	250	05/07	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA		WR	250	05/07	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR	250	05/07	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA		WR	250	05/07	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F	250	01/02	276X / 276	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA		WR F	250	01/02	675X / 675	L	S	250	118	3,0	6	6,5								
YAMAHA		WR F	250	01/02	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA		WR F	250	03/18	276X / 276	L	F00,0	250	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA		WR F	250	03/18	675X / 675	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA		WR F	250	05/18	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA		WR F	250	05/18	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA		WR F	250	05/18	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA		WR F	250	05/18	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F	250	05/18	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA		WR F	250	05/18	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F	250	19	276X / 276	L	F00,0	250	118	3,0	6	6,5	1927X / 1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA		WR F	250	19	675X / 675	L	S	250	118	3,0	6	6,5								
YAMAHA		WR F	250	19	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA		WR F	250	19	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA		WR F	250	19	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA		WR F	250	19	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F	250	19	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA		WR F	250	19	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F	250	20/23	1153X	L	F00,0	270	118	3,0	6	6,5	1927X / 1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA		WR F	250	20/23	1153XBH	L	F00,0	270	118	3,0	6	6,5								
YAMAHA		WR F	250	20/23	719	L	S	270	118	3,0	6	6,5								
YAMAHA		WR F	250	20/23	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F	250	20/23	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA		WR F	250	20/23	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F Version 2	250	18	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA		WR F Version 2	250	18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA		WR F Version 2	250	18	719	L	S	270	118	3,0	6	6,5								
YAMAHA		WR F Version 2	250	18	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F Version 2	250	18	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA		WR F Version 2	250	18	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F Version 2	250	19	1153X	L	F00,0	270	118	3,0	6	6,5	1927X / 1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA		WR F Version 2	250	19	1153XBH	L	F00,0	270	118	3,0	6	6,5								
YAMAHA		WR F Version 2	250	19	719	L	S	270	118	3,0	6	6,5								
YAMAHA		WR F Version 2	250	19	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA		WR F Version 2	250	19	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA		WR F Version 2	250	19	723SPK13	L	KF	*320	118	5,0	6	6,5								

YAMAHA	WR F GP LIMITED EDITION	250	17/18	276X / 276	L	F00,0	250	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP LIMITED EDITION	250	17/18	675X / 675	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP LIMITED EDITION	250	17/18	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	17/18	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	17/18	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	17/18	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	17/18	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	17/18	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	19	276X / 276	L	F00,0	250	118	3,0	6	6,5	1927X / 1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP LIMITED EDITION	250	19	675X / 675	L	S	250	118	3,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	19	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	19	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	19	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	19	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	19	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F GP LIMITED EDITION	250	19	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR / WR R	250	01/02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	WR / WR R	250	01/02	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	WR / WR R	250	01	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR / WR R	250	01	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR / WR R	250	01	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR / WR R	250	01	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR / WR R	250	01	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR / WR R	250	01	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR / WR R	250	02/07	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	WR / WR R	250	02/07	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR / WR R	250	02/07	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR / WR R	250	02/07	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR / WR R	250	02/07	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR / WR R	250	02/07	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR / WR R	250	02/07	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR / WR R	250	02/07	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR25R	250	14/18	276X	L	F00,0	250	118	3,0	6	6,5	1746X	R	S	230	115	4,0	6	6,5
YAMAHA	WR25R	250	14/18	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR25RB	250	12	276X	L	F00,0	250	118	3,0	6	6,5	1746X	R	S	230	115	4,0	6	6,5
YAMAHA	WR25RB	250	12	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR25RL / WR25RLC CA	250	20	276X	L	F00,0	250	118	3,0	6	6,5	1746X	R	S	230	115	4,0	6	6,5
YAMAHA	WR25RL / WR25RLC CA	250	20	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR R	250	08/17	276X	L	F00,0	250	118	3,0	6	6,5	1746X	R	S	230	115	4,0	6	6,5
YAMAHA	WR R	250	08/17	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR R	250	18	276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	WR R	250	18	719	L	SO	*270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR R	250	19/21	276X / 276	L	F00,0	250	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	WR R	250	19/21	719	L	SO	*270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	WR R	250	22	1153X / 1153XBH	L	F00,0	270	118	3,0	6	6,5	1927X / 1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	WR X	250	98/03	276 / 276X	L	F00,0	250	118	3,0	6	6,5	-	-	-	-	-	-	-	-
YAMAHA	WR X	250	98/03	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	WR X	250	98/03	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR X	250	08/14	1455X / 1455	L	F00,0	300	132	5,0	6	8,5	1746X	R	S	230	115	4,0	6	6,5
YAMAHA	XG TRICKER	250	04/06	785	L	S	220	86	3,5	6	6,5	-	R	S	-	-	-	-	-
YAMAHA	XT	250	08/21	039	L	S	245	86	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA	XT SEROW	250	08	039	L	S	245	86	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA	XT 250 X	250	06/08	785	L	S	220	86	3,5	6	6,5	-	R	S	-	-	-	-	-
YAMAHA	XT 250 X	250	09→	039	L	S	245	86	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA	XTZ ABS	250	19/20	039	L	S	245	86	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA	XTZ LANDER X	250	07/11	039	L	S	245	86	4,0	6	6,5	1189	R	S	203	84,2	4,5	3	10,5
YAMAHA	YZ 2T	250	01/02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T	250	01/02	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	01/02	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	03/18	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	250	03/18	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	250	05/07	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	05/07	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	05/07	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	08/18	719K05	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	08/18	1153XK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	08/18	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	05/07	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	05/07	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	05/07	723SPK13	L	KF	*320	118	5,0	6	6,5								

YAMAHA	YZ 2T	250	08/18	723K14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	08/18	723XK14	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	08/18	723SPK14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	19/21	276X / 276	L	F00,0	250	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	250	19/21	675X / 675	L	S	250	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	250	19/21	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	19/21	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	19/21	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	19/21	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 250	250	22/26	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 250	250	22/26	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 250	250	22/26	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 2T 250	250	22/26	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 250	250	22/26	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T 250	250	22/26	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	250	24	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 50 Anniversary Edition	250	24	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 50 Anniversary Edition	250	24	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	250	24	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	250	24	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T 50 Anniversary Edition	250	24	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 250 70th Anniversary Edition	250	26	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 250 70th Anniversary Edition	250	26	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T 250 70th Anniversary Edition	250	26	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 2T 250 70th Anniversary Edition	250	26	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T 250 70th Anniversary Edition	250	26	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T 250 70th Anniversary Edition	250	26	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	250	22/25	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	250	22/25	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	250	22/25	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	250	22/25	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T MONSTER ENERGY RACING EDITION	250	22/25	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	01/02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	01/02	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	01/02	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	03/16	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	03/16	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	05/06	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	05/06	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	05/06	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	719K05	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	1153XK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	05/06	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	05/06	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	05/06	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	723K14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	723XK14	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	723SPK14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	17/18	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	17/18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	17/18	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	17/18	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	17/18	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	17/18	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	19/20	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	19/20	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	19/20	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	19/20	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	19/20	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	19/20	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 250 F 4T	250	21/26	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 250 F 4T	250	21/26	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 250 F 4T	250	21/26	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 250 F 4T	250	21/26	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 250 F 4T	250	21/26	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 250 F 4T	250	21/26	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 250 F 4T	250	27	1153X	L	F00,0	270	118	3,0	6	6,5	-X	R	S	220	-	-	-	-
YAMAHA	YZ 250 F 4T	250	27	1153XBH	L	F00,0	270	118	3,0	6	6,5	-XSP	R	S	220	-	-	-	-
YAMAHA	YZ 250 F 4T	250	27	719	L	S	270	118	3,0	6	6,5								

YAMAHA	YZ 250 F 4T	250	27	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 250 F 4T	250	27	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 250 F 4T	250	27	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	250	24	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 50 Anniversary Edition	250	24	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 50 Anniversary Edition	250	24	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	250	24	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	250	24	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	250	24	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 250 70th Anniverary Edition	250	26	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 250 70th Anniverary Edition	250	26	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 250 70th Anniverary Edition	250	26	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T 250 70th Anniverary Edition	250	26	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 250 70th Anniverary Edition	250	26	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T 250 70th Anniverary Edition	250	26	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	250	21/25	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T MONSTER ENERGY	250	21/25	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T MONSTER ENERGY	250	21/25	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	250	21/25	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	250	21/25	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	250	21/25	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	16/18	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	YZ FX 4T	250	16/18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ FX 4T	250	16/18	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ FX 4T	250	16/18	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	16/18	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	16/18	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	19/21	1153X	L	F00,0	270	118	3,0	6	6,5	1929X / 1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ FX 4T	250	19/21	1153XBH	L	F00,0	270	118	3,0	6	6,5								
YAMAHA	YZ FX 4T	250	19/21	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ FX 4T	250	19/21	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	19/21	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	19/21	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ FX 4T Front floating Standard disc 270x3,0	250	22/23	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ FX 4T Front floating Standard disc 270x3,0	250	22/23	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ FX 4T Front fixed Standard disc 270x3,0	250	22/23	719	L	S	270	118	3,0	6	6,5	1929X / 1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ FX 4T Front KiT floating Oversize disc 318x5,0	250	22/23	723XK30	L	KF	*318	118	5,0	6	6,5	1929X / 1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ FX 4T Front KiT floating Oversize disc 320x5,0	250	22/23	723K30	L	KF	*320	118	5,0	6	6,5	1929X / 1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ FX 4T Front KiT floating Oversize disc 320x5,0	250	22/23	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ X 4T	250	16/18	1153X	L	F00,0	270	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 4T	250	16/18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 4T	250	16/18	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ X 2T	250	19/21	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 2T	250	19/21	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 2T	250	19/21	719	L	S	270	118	3,0	6	6,5								
YAMAHA	WR F	400	99/00	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	400	99/00	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T	400	99/00	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	400	99/00	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	400	99/00	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	400	99/00	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	400	99/00	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	400	99/00	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	426	00/01	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	WR F	426	00/01	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	WR F	426	00/01	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	00/01	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	00/01	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	00/01	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	426	00/01	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	426	00/01	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	426	02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	426	02	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	426	02	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	02	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	02	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	02	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	426	02	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	426	02	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	426	02	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F	426	00/02	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5

YAMAHA	YZ F	426	00/02	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F	426	00/02	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ F	426	00/02	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F	426	00/02	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	03/12	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	03/12	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	03/12	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	05/12	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	05/12	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	03/12	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	450	03/12	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	450	13	1347X	L	F00,0	240	118	3,0	6	6,5	789X / 789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	13	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	13	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	13	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	13	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	450	13	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	450	14/16	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	14/16	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	14/16	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	14/16	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	14/16	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	14/16	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	450	14/16	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	450	17/18	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	17/18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	17/18	719	L	S	270	118	3,0	6	6,5								
YAMAHA	WR F	450	17/18	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	450	17/18	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	450	17/18	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	450	19/23	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	19/23	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	19/23	719	L	S	270	118	3,0	6	6,5								
YAMAHA	WR F	450	24	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	WR F	450	24	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	WR F	450	24	719	L	S	270	118	3,0	6	6,5								
YAMAHA	WR F ESPECIAL DAKAR	450	09/12	1209XK10	L	KF	*300	118	4,5	6	6,5	789X / 789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP Limited Edition	450	17/18	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP Limited Edition	450	17/18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP Limited Edition	450	17/18	719	L	S	270	118	3,0	6	6,5								
YAMAHA	WR F GP Limited Edition	450	17/18	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F GP Limited Edition	450	17/18	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F GP Limited Edition	450	17/18	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F GP Limited Edition	450	19	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP Limited Edition	450	19	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F GP Limited Edition	450	19	719	L	S	270	118	3,0	6	6,5								
YAMAHA	WR F GP Limited Edition	450	19	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F GP Limited Edition	450	19	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F GP Limited Edition	450	19	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	03/15	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	450	03/15	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	450	05/07	719K02	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	05/07	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	05/07	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	08/15	719K05	L	KO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	08/15	1153XK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	08/15	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	05/07	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	05/07	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	05/07	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	08/15	723K14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	08/15	723XK14	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	08/15	723SPK14	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	16/17	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	450	16/17	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	450	16/17	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	16/17	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	16/17	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	16/17	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	18/19	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5

YAMAHA	YZ F 4T	450	18/19	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	450	18/19	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	450	18/19	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	18/19	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	450	18/19	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 450 F 4T	450	20/27	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 450 F 4T	450	20/27	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ 450 F 4T	450	20/27	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ 450 F 4T	450	20/27	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 450 F 4T	450	20/27	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 450 F 4T	450	20/27	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	450	24	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 50 Anniversary Edition	450	24	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 50 Anniversary Edition	450	24	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	450	24	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	450	24	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T 50 Anniversary Edition	450	24	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 450 70tn Anniversary	450	26	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 450 70tn Anniversary	450	26	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T 450 70tn Anniversary	450	26	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T 450 70tn Anniversary	450	26	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T 450 70tn Anniversary	450	26	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T 450 70tn Anniversary	450	26	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	450	21/25	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T MONSTER ENERGY	450	21/25	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YZ F 4T MONSTER ENERGY	450	21/25	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	450	21/25	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	450	21/25	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T MONSTER ENERGY	450	21/25	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	16/18	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	YF FX 4T	450	16/18	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YF FX 4T	450	16/18	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YF FX 4T	450	16/18	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	16/18	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	16/18	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	19/20	1153X	L	F00,0	270	118	3,0	6	6,5	1927X	R	S	245	115	4,0	6	6,5
YAMAHA	YF FX 4T	450	19/20	1153XBH	L	F00,0	270	118	3,0	6	6,5	1927XSP	R	S	245	115	4,0	6	6,5
YAMAHA	YF FX 4T	450	19/20	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YF FX 4T	450	19/20	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	19/20	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	19/20	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	21	1153X	L	F00,0	270	118	3,0	6	6,5	1929X	R	S	240	115	4,0	6	6,5
YAMAHA	YF FX 4T	450	21	1153XBH	L	F00,0	270	118	3,0	6	6,5	1929XSP	R	S	240	115	4,0	6	6,5
YAMAHA	YF FX 4T	450	21	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YF FX 4T	450	21	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	21	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YF FX 4T	450	21	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR	500	92→	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	WR	500	92→									xxxXSP	R	S	220	115	4,0	6	6,5
YAMAHA	TT R	600	98/07	314	L	S	267	118	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TT R	600	98/07									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA	TT RE	600	03/07	314	L	S	267	118	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TT RE	600	03/07									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA	TT S	600	93/01	314	L	S	267	118	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TT S	600	93/01									422XSP	R	S	220	115	4,0	6	6,5
YAMAHA	XT 4 VALVES	600	87/03	054	L	S	267	132	4,5	6	6,5	1997	R	S	220	86	5	6	6,5
YAMAHA	XT E	600	95/03	321 / 321X	L	S	282	132	5,0	6	8,5	1997	R	S	220	86	5	6	6,5
YAMAHA	XT R	660	04/16	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XT R	660	04/16	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	XT R	660	04/16	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	XT Z TÉNÉRÉ	660	91/01	321 / 321X	L	S	282	132	5,0	6	8,5	1997	R	S	220	86	5	6	6,5
YAMAHA	XT Z / ZA TÉNÉRÉ / ABS	660	08/16	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XT Z / ZA TÉNÉRÉ / ABS	660	08/16	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	XT Z / ZA TÉNÉRÉ / ABS	660	08/16	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	XT Z URBAN EXPLORER	660	14	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XT Z URBAN EXPLORER	660	14	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	XT Z URBAN EXPLORER	660	14	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	XT X	660	04/16	1226	L	F14,0	320	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	TÉNÉRÉ 700 (Original outside diameter: 282mm)	700	19/25	1711X / 1711XG	L/R	F00,0	282	133	4,5	5	8,5	1451X / 1451	R	S	245	132	5,0	5	10,5
YAMAHA	TÉNÉRÉ 700 (Original outside diameter: 282mm)	700	19/25	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5								

YAMAHA		TÉNÉRÉ 700 (Original outside diameter: 282mm)	700	19/25	2018G / 2018XG	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 (Original outside diameter: 282mm)	700	19/25	1858G / 1858XG	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 EXPLORE (Original outside diameter: 282mm)	700	24/25	1711X / 1711XG	L/R	F00,0	282	133	4,5	5	8,5	1451X / 1451	R	S	245	132	5,0	5	10,5
YAMAHA		TÉNÉRÉ 700 EXPLORE (Original outside diameter: 282mm)	700	24/25	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 EXPLORE (Original outside diameter: 282mm)	700	24/25	2018G / 2018XG	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 EXPLORE (Original outside diameter: 282mm)	700	24/25	1858G / 1858XG	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 EXTREME (Original outside diameter: 282mm)	700	24/25	1711X / 1711XG	L/R	F00,0	282	133	4,5	5	8,5	1451X / 1451	R	S	245	132	5,0	5	10,5
YAMAHA		TÉNÉRÉ 700 EXTREME (Original outside diameter: 282mm)	700	24/25	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 EXTREME (Original outside diameter: 282mm)	700	24/25	2018G / 2018XG	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 EXTREME (Original outside diameter: 282mm)	700	24/25	1858G / 1858XG	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 RALLY (Original outside diameter: 282mm)	700	20/25	1711X / 1711XG	L/R	F00,0	282	133	4,5	5	8,5	1451X / 1451	R	S	245	132	5,0	5	10,5
YAMAHA		TÉNÉRÉ 700 RALLY (Original outside diameter: 282mm)	700	20/25	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 RALLY (Original outside diameter: 282mm)	700	20/25	2018G / 2018XG	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 RALLY (Original outside diameter: 282mm)	700	20/25	1858G / 1858XG	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 WORLD RAID (Original outside diameter: 282mm)	700	19/25	1711X / 1711XG	L/R	F00,0	282	133	4,5	5	8,5	1451X / 1451	R	S	245	132	5,0	5	10,5
YAMAHA		TÉNÉRÉ 700 WORLD RAID (Original outside diameter: 282mm)	700	19/25	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 WORLD RAID (Original outside diameter: 282mm)	700	19/25	2018G / 2018XG	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 WORLD RAID (Original outside diameter: 282mm)	700	19/25	1858G / 1858XG	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 WORLD RALLY (Original outside diameter: 282mm)	700	24/25	1711X / 1711XG	L/R	F00,0	282	133	4,5	5	8,5	1451X / 1451	R	S	245	132	5,0	5	10,5
YAMAHA		TÉNÉRÉ 700 WORLD RALLY (Original outside diameter: 282mm)	700	24/25	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 WORLD RALLY (Original outside diameter: 282mm)	700	24/25	2018G / 2018XG	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		TÉNÉRÉ 700 WORLD RALLY (Original outside diameter: 282mm)	700	24/25	1858G / 1858XG	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		XTZ TÉNÉRÉ	750	12	902X / 902	L/R	F00,0	310	132	5,0	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA		XTZ TÉNÉRÉ	750	12	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5								
YAMAHA		XTZ TÉNÉRÉ	750	12	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		TRACER 900 / GT ABS	847	18/21	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA		TRACER 900 / GT ABS	847	18/21	2018G / 2018XG	L/R	F00,0	298	132	4,5	5	8,5								
YAMAHA		SUPER TÉNÉRÉ XT Z ABS	1200	10/17	902X / 902	L/R	F00,0	310	132	5,0	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA		SUPER TÉNÉRÉ XT Z ABS	1200	10/17	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5								
YAMAHA		SUPER TÉNÉRÉ XT Z ABS	1200	10/17	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		SUPER TÉNÉRÉ XT Z ABS	1200	18/21	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA		SUPER TÉNÉRÉ SUPER TÉNÉRÉ XT Z WORLDCROSSER	1200	11/17	902X / 902	L/R	F00,0	310	132	5,0	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA		SUPER TÉNÉRÉ XT Z WORLDCROSSER	1200	11/17	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5								
YAMAHA		SUPER TÉNÉRÉ XT Z WORLDCROSSER	1200	11/17	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		SUPER TÉNÉRÉ SUPER TÉNÉRÉ XT ZE ABS	1200	14/17	902X / 902	L/R	F00,0	310	132	5,0	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA		SUPER TÉNÉRÉ XT ZE ABS	1200	14/17	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5								
YAMAHA		SUPER TÉNÉRÉ XT ZE ABS	1200	14/17	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5								
YAMAHA		SUPER TÉNÉRÉ XT ZE ABS	1200	18/21	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA		SUPER TÉNÉRÉ XT ZE RAID EDITION ABS	1200	18/21	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA		SUPER TÉNÉRÉ ZE ABS	1200	22	1858XG / 1858G	L/R	F00,0	310	132	4,5	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
ZERO		DS DUAL SPORT	E	10/17	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		DS ZF 7.2 11,0 kW / POLICIAL	E	18/21	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		DS ZF 14.4 11,0 kW	E	18/23	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		DS ZF 14.4 11 kW Power Tank	E	19/23	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		DSR BLACK FOREST EDITION	E	20/21	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		DSR MAX ADVENTURE	E	17/19	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		DSR ZF 14,4 kW	E	18/23	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		DSR ZF 14,4 kW Power Tank	E	18/23	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		FX ZF 7,2	E	20/24	-	L	S	240	105,5	4,5	4	8,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		FXE ZF 7.2	E	21/23	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		FXE ZF 7.2 11,0 kW	E	21/24	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		FXS ZF 7.2 11 kW SUPERMOTO	E	17/21	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		FXS ZF 7.2 33 kW SUPERMOTO	E	17/21	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO		MX	E	10/13	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZONTES		G1-125	125	20/25	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		G1-125 X	125	21/25	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		G1 125 X LCD	125	23/24	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		GK125	125	23/25	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		GK125 X	125	23/25	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		U 125	125	20/25	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		U1 125	125	20/24	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		T1 ABS	310	18/22	1962	R	S	300	180	5,0	5	10,5	1963	R	S	230	90	4,5	5	10,5
ZONTES		T2 ABS	310	19/23																

ZONTES	703 F Bumper version, Right side w/ABS sensor plate, F:19" / R:17" Wheel	703	24/26	-	R	F00,0	310	131	4,5	5	10,5								
ZONTES	703 F ETC Bumper version, Left side, F:19" / R:17" Wheel	703	27	-	L	F00,0	310	131	4,5	5	10,5	-	R	S	265	90	4,5	5	8,5
ZONTES	703 F ETC Bumper version, Right side w/ABS, F:19" / R:17" Wheel	703	27	-	R	F00,0	310	131	4,5	5	10,5								
ZONTES	703 F ETC, Left side F:21" / R:18" Wheel	703	27	-	L	F00,0	310	131	4,5	5	10,5	-	R	S	265	90	4,5	5	8,5
ZONTES	703 F ETC Right side w/ABS sensor plate, F:21" / R:18" Wheel	703	27	-	R	F00,0	310	131	4,5	5	10,5								
ZONTES	703 F Left side, F:21" / R:18" Wheel	703	24/26	-	L	F00,0	310	131	4,5	5	10,5	-	R	S	265	90	4,5	5	8,5
ZONTES	703 F Right side w/ABS sensor plate, F:21" / R:18" Wheel	703	24/26	-	R	F00,0	310	131	4,5	5	10,5								
ZONTES	703 T Left side	703	25/26	-	L	F00,0	300	131	5	5	10,5	2349	R	S	240	90	4,5	5	10,5
ZONTES	703 T Right side w/ABS sensor plate	703	25/26	2348 / 2348X	R	F00,0	300	131	5	5	10,5	2349	R	S	240	90	4,5	5	10,5
ZONTES	703 T ETC Left side	703	27	-	L	F00,0	300	131	5	5	10,5	2349	R	S	240	90	4,5	5	10,5
ZONTES	703 T ETC Right side w/ABS sensor plate	703	27	2348 / 2348X	R	F00,0	300	131	5	5	10,5	2349	R	S	240	90	4,5	5	10,5

ATV - QUADS - UTV - SSV (SIDE BY SIDE) - UTX - BUGGIES

AEON	COBRA Hi PERFORMANCE	50	16/20	Drum	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-
AEON	OVERLAND	200	16/17	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
AEON	COBRA	220	06/11	1825 / 1825X	L/R	S	172	63,7	4	4	10,5	-	-	S	-	-	-	-	-
AEON	OVERLAND	300	06/07	1825 / 1825X	L/R	S	172	63,7	4	4	10,5	-	-	S	-	-	-	-	-
AEON	COBRA	350	10/11	1825 / 1825X	L/R	S	172	63,7	4	4	10,5	-	-	S	-	-	-	-	-
AEON	COBRA 2x4 SX	400	10/15	1825 / 1825X	L/R	S	172	63,7	4	4	10,5	-	-	S	-	-	-	-	-
AEON	CROSSLAND 2x4 / 4x4	400	12/13	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
AEON	CROSSLAND RX 2x4	400	16/17	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
AEON	OVERLAND	600	10/11	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
ADLY	100V 2T Kids up to 12 years	100	17/20	Drum	-	-	-	-	-	-	-	--	-	S	-	-	-	-	-
ADLY	500S 4T	500	07/20	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-	-
ADLY	600U 4T	565	17/20	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-	-
ADLY	GK 4T BUGGY	125	03/20	Drum	-	-	-	-	-	-	-	1869	R	S	200,00	58,2	4	4	8,5
ARCTIC CAT	4x4 AUTO YOUTH	50	06/08	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
ARCTIC CAT	DVX SPORT 4T	50	06/08	1011 / 1011X	-	S	180	58	4,0	3	10,5	1011 / 1011X	-	S	180	58	4,0	3	10,5
ARCTIC CAT	2x4 4T YOUTH	90	04/05	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-
ARCTIC CAT	2x4 4T YOUTH	90	06	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
ARCTIC CAT	DVX	90	06/14	1011 / 1011X	-	S	180	58	4,0	3	10,5	1011 / 1011X	-	S	180	58	4,0	3	10,5
ARCTIC CAT	DVX NH / NH ALTEERRA	90	16/17	Drum	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-
ARCTIC CAT	DVX SE	90	09	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
ARCTIC CAT	REVERSE GEAR UTILITY	90	10/14	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
ARCTIC CAT	2x4 UTILITY	150	09/14	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
ARCTIC CAT	2x4 UTILITY	250	98/09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 UTILITY	250	98/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 UTILITY	250	01/08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 UTILITY	250	01/08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	DVX SPORT	250	06/08	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S	220	88	4,0	5	10,5
ARCTIC CAT	2x4 / 4x4	300	98→	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 / 4x4	300	98→	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	2x4 AUTO	300	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 AUTO	300	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	2x4 UTILITY MID SIZE	300	10/14	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	-
ARCTIC CAT	4x4 UTILITY	300	98/05	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 UTILITY	300	98/05	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	ALTEERRA 2x4	300	16/19	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT	ATV	300	10/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	ATV	300	10/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	DVX	300	09/14	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S	220	88	4,0	5	10,5
ARCTIC CAT	ATV	350	12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	ATV	350	12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO UTILITY	366	08/09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO UTILITY	366	08/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	SE	366	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	SE	366	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	2x4 / 4x4 ALL MODELS	375	98/04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 / 4x4 ALL MODELS	375	98/04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	2x4 / UTILITY	400	98/04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 / UTILITY	400	98/04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	2x4 AUTO UTILITY	400	04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 AUTO UTILITY	400	04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 ALL MODELS	400	98/04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 ALL MODELS	400	98/04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 FI 5	400	05	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 FI 5	400	05	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO ACT	400	04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO ACT	400	04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5

ARCTIC CAT	4x4 AUTO	LE UTILITY	400	05/07	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO	LE UTILITY	400	05/07	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO	TBX UTILITY	400	04/06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO	TBX UTILITY	400	04/06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO TRV	FI 5	400	05	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO TRV	FI 5	400	05	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO TRV	MULTIRIDER	400	06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO TRV	MULTIRIDER	400	06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO TRV	PLUS MULTIRIDER	400	07	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO TRV	PLUS MULTIRIDER	400	07	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO TRV	UTILITY	400	00/08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO TRV	UTILITY	400	00/08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO TRV	VP UTILITY	400	05/06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO TRV	VP UTILITY	400	05/06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		ALTERRA 2x4 / 4x4	400	16/18	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT		ATV CORE / MID SIZE	400	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		DVX SPORT 2x4	400	04/08	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
ARCTIC CAT		DVX TS SPORT	400	06/07	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
ARCTIC CAT		TRV	400	09	1384X	L/R	S	202	95	3,5	4	8,5	PE1384 / 1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		TRV	400	09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV	400	13	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV H1	400	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		TRV H1	400	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		i / i SE	425	12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		i / i SE	425	12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		ATV CORE / MID SIZE	450	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		Hi / H1 Efi	450	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		Hi / H1 Efi	450	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		i / TRV / i TRV / i XC	450	11/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		i / TRV / i TRV / i XC	450	11/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		i GT	450	12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		i GT	450	12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		I XC	450	13	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		2x4 / 4x4 All models	454	98/04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		2x4 / 4x4 All models	454	98/04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		2x4 / 4x4	500	98/04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		2x4 / 4x4	500	98/04	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	G/BOX UTILITY	500	98/09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	G/BOX UTILITY	500	98/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	UTILITY	500	98/08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	LE UTILITY	500	05/06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	LE UTILITY	500	05/06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	TBX UTILITY	500	04/06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	TBX UTILITY	500	04/06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	TRV MULTIRIDER	500	05/08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 AUTO or MANUAL	TRV MULTIRIDER	500	05/08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		ALTERRA	500	16/18	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT		ATV MID SIZE	500	13/14	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		ATV MID SIZE	500	13/14	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		Fi 5 / TRV	500	05	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		Fi 5 / TRV	500	05	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV COREL / 2 UP	500	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV COREL XT MID SIZE	500	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		ALTERRA XT EPS	550	16/18	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT		ALTERRA TRV / XT EPS	550	17/18	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT		CRUISER	550	11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		CRUISER	550	11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		GT TRV / i / i GT / i LTD	550	11/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		GT TRV / i / i GT / i LTD	550	11/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		GT S TRV	550	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		GT S TRV	550	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		Hi Efi / Hi Efi LE	550	09/10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		Hi Efi / Hi Efi LE	550	09/10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		i GT TRV	550	11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		i GT TRV	550	11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		i PROWLER / XT	550	09/15	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT		i PROWLER / XT	550	09/15	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT		MID SIZE / MID SIZE LTD	550	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		MID SIZE XT	550	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		S / S LTD	550	10	1384X	L/R	S	202	95	3,5	4	8,5	PE1384 / 1384X	-	S	202	95	3,5	4	8,5

ARCTIC CAT		S / S LTD	550	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV	550	11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		TRV	550	11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV Efi / TRV Efi LE	550	09/10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		TRV Efi / TRV Efi LE	550	09/10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV LTD	550	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		4x4	650	05	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		4x4	650	05	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		4x4	650	10	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT		4x4	650	10	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT		H1 4x4 AUTO UTILITY	650	04/08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		H1 4x4 AUTO UTILITY	650	04/08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		H1 4x4 AUTO LE UTILITY	650	07	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		H1 4x4 AUTO LE UTILITY	650	07	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		H1 4x4 SE AUTO UTILITY	650	06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		H1 4x4 SE AUTO UTILITY	650	06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		H1 4x4 TBX AUTO UTILITY	650	07	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		H1 4x4 TBX AUTO UTILITY	650	07	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		H1 4x4 TRV AUTO	650	08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		H1 4x4 TRV AUTO	650	08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H1 4x4 TRV AUTO	PLUS MULTIRIDER	650	07	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H1 4x4 TRV AUTO	PLUS MULTIRIDER	650	07	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H1 4x4 TRV AUTO	PLUS LE MULTIRIDER	650	07	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H1 4x4 TRV AUTO	PLUS LE MULTIRIDER	650	07	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		H1 / H1 MUDPRO	650	10/11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		H1 / H1 MUDPRO	650	10/11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		H1 PROWLER	650	06/07	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT		H1 PROWLER	650	06/07	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT		H1 TRV 4 x 4 AUTO	650	08/09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		H1 TRV 4 x 4 AUTO	650	08/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		PROWLER 4x4 AUTO	650	07/08	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT		PROWLER 4x4 AUTO	650	07/08	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT		PROWELER XT	650	05	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		PROWELER XT	650	05	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		PROWLER XT H1	650	06/09	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT		PROWLER XT H1	650	06/09	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT		SUPER DUTY DIESEL	650	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		SUPER DUTY DIESEL	650	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TBX / TRV	650	09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		TBX / TRV	650	09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV DIESEL	650	06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		TRV DIESEL	650	06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		TRV V2 AUTO LE TS UTILITY	650	06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		TRV V2 AUTO LE TS UTILITY	650	06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		XT 4x4 AUTO M4	650	08	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT		XT 4x4 AUTO M4	650	08	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT		V2 4x4 AUTO UTILITY	650	04/06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		V2 4x4 AUTO UTILITY	650	04/06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		V2 4x4 AUTO LE UTILITY	650	04/05	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		V2 4x4 AUTO LE UTILITY	650	04/05	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT		ALTERRA TRV VALUE	700	16/18	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT		ALTERRA XT EPS	700	16/18	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT		ATV DIESEL / LTD / XT	700	12/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT		DIESEL UTILITY / Efi UTILITY	700	07/08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT		DIESEL UTILITY / Efi UTILITY	700	07/08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	Efi	4x4 AUTO M4 / TRV LE	700	08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	Efi	4x4 AUTO M4 / TRV LE	700	08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	Efi	4x4 LE / SE UTILITY	700	06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	Efi	4x4 LE / SE UTILITY	700	06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	Efi	CRUISER	700	11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	Efi	CRUISER	700	11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	Efi	i MUDPRO LTD - TBX LTD	700	11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-						

ARCTIC CAT	H1 TBX Efi - S / S LTD	700	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i MUDPRO / i MUDPRO	700	11/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	i MUDPRO / i MUDPRO	700	11/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i XTX	700	12	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	i XTX	700	12	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT	PROWLER HDX	700	11/16	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT	PROWLER HDX	700	11/16	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT	PROWLER XT / XTX	700	08/15	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	PROWLER XT / XTX	700	08/15	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT	SUPER DUTY DIESEL	700	10/11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	SUPER DUTY DIESEL	700	10/11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TBX	700	13	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV	700	09→	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV	700	09→	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV CRUISER / GT	700	11/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV CRUISER / GT	700	11/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV DIESEL	700	06	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV DIESEL	700	06	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H1	700	09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H1	700	09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	700	09/10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	700	09/10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV XT	700	13/14	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT	XTX	700	10/11	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX	700	10/11	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT	XTX H1 Efi	700	09	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX H1 Efi	700	09	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT	XTX LE	700	08	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX LE	700	08	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT	ALLTERRA TRV XT EPS	1000	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
ARCTIC CAT	ALTERRA XT EPS	1000	17/18	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT	ATV 4x4	1000	10	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	ATV 4x4	1000	10	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT	GT / H2 MUDPRO Efi	1000	11/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	GT / H2 MUDPRO Efi	1000	11/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H2 TRV	1000	09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H2 TRV	1000	09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i MUDPRO	1000	12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	i MUDPRO	1000	12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i XTZ	1000	12	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT	i XTZ	1000	12	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT	MUDPRO	1000	10/13	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT	MUDPRO	1000	10/13	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT	MUDPRO LTD	1000	12/13	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	MUDPRO LTD	1000	12/13	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	THUNDERCAT / H2 / H3	1000	08/10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	THUNDERCAT / H2 / H3	1000	08/10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	THUNDERCAT H2 LE	1000	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	THUNDERCAT H2 LE	1000	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H2 Efi	1000	10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H2 Efi	1000	10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV CRUISER	1000	11	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV CRUISER	1000	11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	1000	09/10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	1000	09/10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	XTZ H2 Efi	1000	09	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT	XTZ H2 Efi	1000	09	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV	PROWLER HDX	500	18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
ARCTIC CAT SSV	PROWLER HDX / LTD / XT	500	14	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV	PROWLER HDX / LTD / XT	500	14	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV	PROWLER HDX / LTD / XT	500	15/17	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
ARCTIC CAT SSV	PROWLER	550	09/15	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER	550	09/15	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	PROWLER HI Efi	550	09	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER HI Efi	550	09	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	PROWLER XT i	550	10/14	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XT i	550	10/14	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	PROWLER 4x4 M4	650	08	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER 4x4 M4	650	08	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	PROWLER H1	650	07/08	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-

ARCTIC CAT SSV		PROWLER H1	650	07/08	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV		PROWLER XT H1	650	06/09	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT SSV		PROWLER XT H1	650	06/09	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV		PROWLER / HDX	700	17/18	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	
ARCTIC CAT SSV		PROWLER CREW	700	18	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	
ARCTIC CAT SSV		PROWLER HDX / HDX CREW	700	16/17	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	
ARCTIC CAT SSV		PROWLER HDX	700	11/16	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV		PROWLER HDX	700	11/16	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV		PROWLER HDX LTD	700	14	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV		PROWLER HDX LTD	700	14	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV		PROWLER XT / XTX i	700	08/14	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT SSV		PROWLER XT / XTX i	700	08/14	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV		PROWLER XTX HI LE	700	08/09	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT SSV		PROWLER XTX HI LE	700	08/09	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	WILDCAT	SPORT LTD EPS	700	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	SPORT TRAIL XT EPS	700	16/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	TRAIL / TRAIL XT HOMO EU	700	16/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV		PROWLER XT	1000	16/18	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	
ARCTIC CAT SSV		PROWLER H2	1000	09/15	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV		PROWLER H2	1000	09/15	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV		PROWLER XT / XTZ	1000	09/15	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV		PROWLER XT / XTZ	1000	09/15	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV	WILDCAT	4 LTD	1000	14	1420X	L/R	S	253	95	3,5	4	8,5	1384X / xxxxx	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT	4 LTD	1000	14	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	WILDCAT	4X	1000	13/14	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	4X	1000	13/14	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	WILDCAT	H2	1000	12/14	1805	L/R	S	252	95	5	4	8,5	1806	-	S	202,00	95	5	4	8,5
ARCTIC CAT SSV	WILDCAT	i X EPS H. EU	1000	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	i X EPS RG	1000	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	i X LTD RG / i X4 RG	1000	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	i GT	1000	12	1420X	L/R	S	253	95	3,5	4	8,5	1384X / xxxxx	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT	i GT	1000	12	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	WILDCAT	LIMITED	1000	12/15	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT	LIMITED	1000	12/15	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV	WILDCAT	LTD	1000	13/14	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	LTD	1000	13/14	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	WILDCAT	RG PRO XX / TURBO	1000	16/17	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	RG PRO 4XX	1000	16/17	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	X	1000	13	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	X	1000	13	1514	L/R	F00,0	253	95	4,5	4	8,5								
ARCTIC CAT SSV	WILDCAT	X	1000	14	1420X	L/R	S	253	95	3,5	4	8,5	1384X / xxxxx	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT	X	1000	14	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	WILDCAT	X EPS	1000	18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV	WILDCAT	X LTD RG / X RG	1000	18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	
ARCTIC CAT SSV		XTZ	1000	10/14	1420X	L/R	S	253	95	3,5	4	8,5	1384X / xxxxx	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV		XTZ	1000	10/14	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV		XTZ H2 PROWLER	1000	09	1420X	L/R	S	253	95	3,5	4	8,5	1384X / xxxxx	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV		XTZ H2 PROWLER	1000	09	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
BOMBARDIER		OUTLANDER H2o	200	04/05	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER		RALLY	200	05/07	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	L	S	200,00	-	-	4	-
BOMBARDIER		OUTLANDER H2o 2x4 / 4x4	330	04/05	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER		OUTLANDER	400	03/04	1018 / 1018X	L/R	S	205	-	4	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER		OUTLANDER H2o / MAX	400	03/06	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER		OUTLANDER MAX XT	400	03/06	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER		QUEST 4x4 ALL MODELS	500	02	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER		DS / DS BAJA / DS X	650	00/06	608	L/R	S	165	48,3	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
BOMBARDIER		OUTLANDER	650	06	-	-	-	-	-	-	-	-	282	-	S	196	81	4,0	4	8,5
BOMBARDIER	OUTLANDER	Ho Efi 4x4 / XT 4x4	650	06	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER	OUTLANDER	MAX Ho Efi 4x4 / XT 4x4	650	06	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER		QUEST	650	02	608	L/R	S	165	48,3	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
BOMBARDIER		QUEST 2x4 7582	650	02/04	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER		QUEST MAX	650	03	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER		QUEST XT 4x4	650	02	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER		TRAXTER MAX	650	02	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER		TRAXTER MAX	650	04	608	L/R	S	165	48,3	4,0	4	8,5	-	-	-	-	-	-	-	
BOMBARDIER		OUTLANDER	650	06	-	-	-	-	-	-	-	-	282	-	S	196	81	4,0	4	8,5
BOMBARDIER	OUTLANDER	Efi / Efi XT	800	06/07	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER	OUTLANDER	Ho Ef 4x4 / MAX Ho Efi 4x4	800	06	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER	OUTLANDER	Ho Efi 4x4 XT	800	06	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER	OUTLANDER	MAX / MAX XT	800	06/07	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5

BOMBARDIER		QUEST MAX / STD / XT	800	04/05	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER		TRAXTER 4x4 / FOOTSHIFT	800	01	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
BOMBARDIER		TRAXTER AUTOSHIFT	800	01/05	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
BOMBARDIER		TRAXTER MAX	800	03/05	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
BOMBARDIER		TRAXTER XL 4x4	800	01/04	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
CAN-AM		DS / DS PRO / DS X 2x4 4T	90	08/15	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	1499 / 1499X	-	S	180	36	3,7	4	6,5
CAN-AM		DS / DS PRO 2x4	90	15/17	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	Drum	-	-	-	-	-	-	-
CAN-AM		DS X 2x4 4T	90	08/14	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	1499 / 1499X	-	S	180	36	3,7	4	6,5
CAN-AM		RALLY	200	07	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	L	S	200,00	-	-	4	-
CAN-AM		DS	250	07/15	608	L/R	S	165	48,3	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
CAN-AM	OUTLANDER	MAX STD 4x4	400	07/14	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX XT 4x4	400	07/13	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	STD 4x4	400	07/14	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	XT 4x4	400	07/14	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	L Efi / L MAX	450	15→	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	STD / PRO - MAX STD / DPS	450	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM		DS 2x4 / Efi	450	08/15	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3	10,5
CAN-AM		DS X 2x4 / Efi	450	08/09	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3	10,5
CAN-AM		DS Xxc / Xxm	450	09/15	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3	10,5
CAN-AM	OUTLANDER	4x4	500	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLADER	4x4 DPS / STD / XT	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	Efi DPS 4x4 / MAX XT 4x4	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	Efi / L Efi / L MAX Efi / MAX Efi	500	15→	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	Efi STD / Efi XT	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX Efi STS / MAX Efi XT	500	13/15	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLADER	MAX 4x4 DPS	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX Efi DPS	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX Efi STD / MAX Efi XT	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX STD 4x4	500	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX XT	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX XT 4x4	500	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX STD / DPST 4x4	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	STD 4x4	500	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	STD 4x4	500	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	XT 4x4	500	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM		RENEGADE 4x4 / Efi	500	07/15	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM		RENEGADE STD	500	12/15	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	DPS / DPS ABS	570	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	MAX DOS / XT	570	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	PRO	570	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	X mr LIGHT	570	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM		RENAGE / STD / X xc / X mr	570	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM		DS X	650	07	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	282	-	S	196	81	4,0	4	8,5
CAN-AM	OUTLANDER	6x6 DPS FB / MAX PRO	650	16/18	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CAN-AM	OUTLANDER	DPS 4x4 / STD 4x4 / XT 4x4	650	13/14	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX Efi STD / DPS	650	13/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX DPS / STD / XT 4x4	650	13/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX STD / XT 4x4	650	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX XT / XT-P	650	17/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	MAX XT-P	650	12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX WIN	650	17/18	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CAN-AM	OUTLANDER	PRO	650	16/17	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	STD / DPS	650	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	STD / XT 4x4	650	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	XT 4x4	650	13/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM		RENEGADE X xc / ABS	650	17/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	MAX DPSTT-P	800	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX LTD 4x4 / STD 4x4	800	07/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX R DPS / STD / XT-P 4x4	800	13/14	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX R Efi / MAX R XT	800	09/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX R X-TP	800	12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	MAX XT	800	07/08	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	R 4x4	800	13	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	R DPS 4x4	800	13	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	R Efi	800	09	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	R STD	800	12/15	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	R Xmr	800	11/12	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	R XT	800	09/11	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	R XT	800	12/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	R Xxc	800	11	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5

CAN-AM	OUTLANDER	STD / XT 4x4	800	07/08	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	XT 4x4	800	07/08	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM	OUTLANDER	XT-P 4x4	800	12→	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM		RENEGADE Efi / 4x4	800	07/08	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM		RENEGADE R Efi	800	09/11	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM		RENEGADE R STD	800	12/15	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM		RENEGADE R X	800	09/10	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM		RENEGADE R Xxc	800	11	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM		RENEGADE R Xxc	800	12/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM		RENEGADE X Efi 4x4	800	08	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM		RENEGADE 850 / X xc	800	16/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM		OUTLANDER MAX	850	16/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM		OUTLANDER MAX XT-P	850	15/17	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM		6x6 XT FB	850	16/17	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CAN-AM	OUTLANDER	6x6 PRO	1000	17/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	DPS / LTD / STD / XT 4x4	1000	12/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	Efi	1000	12/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX DPS / XT / XT-P	1000	13	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	MAX PRO / MAX R LTD	1000	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	MAX XT-P / MAX R XT-P	1000	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	PRO	1000	16/17	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	R Xmr / R XT-P	1000	16/18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM	OUTLANDER	STD	1000	12/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	Xmr 4x4	1000	13/18	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	XT / XT-P	1000	12/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	XT-P 4x4	1000	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM	OUTLANDER	XMR 4x4	1000	13/14	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM		RENEGADE STD / Xxc	1000	12/17	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM		RENEGADE R X xc / X mr	1000	12/18	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM SSV		DEFENDER All models	427	17/19	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV		TRAXTER BASE HD5 T	427	17/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV		TRAXTER HD5 T	427	18/19	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV		COMMANDER / R	799	11/15	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV		COMANDER DPS	799	16/17	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM SSV		COMMANDER R STD / R XT	799	11/15	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV		COMMANDER XT / DPS	799	11/15	1501 / 1501X	L/R	S	214	115,5	4	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
CAN-AM SSV		DEFENDER / DEFENDER DPS	799	16	2049 / 2049X	L/R	S	220	115	4,5	4	9	2049 / 2049X	L/R	S	220,00	115	4,5	4	9
CAN-AM SSV		DEFENDER HD10	976	17→	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV		DEFENDER HD8	799	17→	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV		DEFENDER XT / XT CAB	799	16	2049 / 2049X	L/R	S	220	115	4,5	4	9	2049 / 2049X	L/R	S	220,00	115	4,5	4	9
CAN-AM SSV		DEFENDER PRO T1	799	16/17	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	L/R	S	214	116	4,5	4	11,5
CAN-AM SSV		MAVERICK TRAIL R DPS	799	18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM SSV	TRAXTER	BASE HD8 T	799	20/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER	DPS HD8	799	20/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER	HD8	799	17/19	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER	HD8 T	799	18/19	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER	MAX DPS HD8	799	20/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER	R DPS / R STD T	799	18	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CAN-AM SSV	TRAXTER	R PRO T	799	18	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CAN-AM SSV	TRAXTER	R PRO T PURE MAGNESIUM	799	18	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CAN-AM SSV	TRAXTER	XU HD8 T	799	20/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	MAVERICK	X3	900	19	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248	-	4,5	4	9
CAN-AM SSV	MAVERICK	X3 FLOATING OVERSIZE	900	19	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 FIXED OVERSIZE	900	19	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX	900	19	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248	-	4,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX FLOATING OVERSIZE	900	19	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX FIXED OVERSIZE	900	19	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX TURBO	900	17	2049 / 2049X	L/R	S	220	115	4,5	4	9	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM SSV	MAVERICK	X3 MAX TURBO	900	19	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248	-	4,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX TURBO FLOATING OVERSIZE	900	19	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX TURBO FIXED OVERSIZE	900	19	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX TURBO R	900	19	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248	-	4,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX TURBO R FLOATING OVERSIZE	900	19	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 MAX TURBO R FIXED OVERSIZE	900	19	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 TURBO	900	19	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248	-	4,5	4	9
CAN-AM SSV	MAVERICK	X3 TURBO FLOATING OVERSIZE	900	19	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 TURBO FIXED OVERSIZE	900	19	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 TURBO R	900	19	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248	-	4,5	4	9
CAN-AM SSV	MAVERICK	X3 TURBO R FLOATING OVERSIZE	900	19	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK	X3 TURBO R FIXED OVERSIZE	900	19	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9

CAN-AM SSV	DEFENDER	976	16	2049 / 2049X	L/R	S	220	115	4,5	4	9	2049 / 2049X	L/R	S	220,00	115	4,5	4	9
CAN-AM SSV	DEFENDER DPS	976	16	2049 / 2049X	L/R	S	220	115	4,5	4	9	2049 / 2049X	L/R	S	220,00	115	4,5	4	9
CAN-AM SSV	DEFENDER MAX HD10	976	18→	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV	DEFENDER HD10	976	17→	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV	DEFENDER XT / XT CAB	976	16/18	2049 / 2049X	L/R	S	220	115	4,5	4	9	2049 / 2049X	L/R	S	220,00	115	4,5	4	9
CAN-AM SSV	TRAXTER MAX DPS HD10 T	976	20/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER PRO DPS HD10	976	19/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER XT HD10	976	18/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER XU HD10 T	976	20/21	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	L/R	S	220,00	-	4,5	4	9
CAN-AM SSV	COMMANDER STD / XT Efi	1000	11/15	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV	COMMANDER DPS	1000	13/15	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV	COMMANDER LTD	1000	12/15	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV	COMMANDER X	1000	11/13	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV	COMMANDER XT	1000	11/15	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV	COMMANDER XT-P	1000	14/15	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV	COMMANDER MAX XT / DPS	1000	14	-	L/R	S	-	-	-	-	-	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM SSV	DEFENDER / DPS / XT / CAB	1000	16	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
CAN-AM SSV	MAVERICK MAX STD / XRS / DPS	1000	14	-	L/R	S	-	-	-	-	-	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM SSV	MAVERICK R-XMR / R-XXC / R-STD	1000	14	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM SSV	MAVERICK R-XRS / R-XRS DPS	1000	14	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM SSV	MAVERICK R-XXC	1000	14	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
CAN-AM SSV	MAVERICK R X XC	1000	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
CAN-AM SSV	MAVERICK TRAIL DPS	1000	18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	8,5
CAN-AM SSV	MAVERICK R TURBO X DS	1000	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
CAN-AM SSV	MAVERICK R / X RS	1000	13	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5
CAN-AM SSV	MAVERICK X3	1000	17	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248,00	-	4,5	4	9
CAN-AM SSV	MAVERICK n bm19p	1000	17	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 FIXED OVERSIZE	1000	17	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO - STD	1000	18	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248,00	-	4,5	4	9
CAN-AM SSV	MAVERICK X3 MAX FLOATING OVERSIZE	1000	18	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX FIXED OVERSIZE	1000	18	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO R - STD	1000	18	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248,00	-	4,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO R FLOATING OVERSIZE	1000	18	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO R FIXED OVERSIZE	1000	18	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO XDS DPS	1000	18	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248,00	-	4,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO XDS DPS FLOATING OVERSIZE	1000	18	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO XDS DPS FIXED OVERSIZE	1000	18	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO R - XRS DPS	1000	18	1887	L/R	S	261	-	4,5	4	9	1888	L/R	S	248,00	-	4,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO R - XRS DPS FLOATING OVERSIZE	1000	18	2154	L/R	FO	*282	139	7,5	4	9	2155	L/R	FO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK X3 MAX TURBO R - XRS DPS FIXED OVERSIZE	1000	18	2225	L/R	SO	*282	139	7,5	4	9	2226	L/R	SO	*268	139	7,5	4	9
CAN-AM SSV	MAVERICK XT / XT CAMU	1000	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
CAN-AM SSV	TRAXTER HD10	1000	17/19	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER MAX HD10	1000	18/19	1889 / 1889X	L/R	S	220	-	4,5	4	9	1889 / 1889X	R	S	220,00	-	4,5	4	9
CAN-AM SSV	TRAXTER MAX XT PURE MAGNESIUM	1000	18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	8,5
CAN-AM SSV	TRAXTER PRO T PURE MAGNESIUM	1000	18	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM SSV	TRAXTER X3	1000	17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
CAN-AM SSV	TRAXTER XT / XT CAMO	1000	18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	8,5
CAN-AM SSV	TRAXTER XT PURE MAGNESIUM	1000	18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
CANNONDALE	FX	400	01	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
CANNONDALE	BLAZE / CANNIBAL	440	02	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
CANNONDALE	GLAMIS	440	03	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
CANNONDALE	MOTO / SPEED	440	02	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
CF MOTO	CFORCE 450S T3	400	17	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 450S TRACTOR	400	17/18	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 450L / S	400	17/21	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	L/R	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE HO EPS	400	16	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 520L / S EPS	500	17/19	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 520S EPS	500	20/21	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 520L	500	19	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 550	500	17/18	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 550L	500	19	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 550 T3 / TRACTOR	500	17/18	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE HO EPS	500	16/18	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 600L EPS	580	20/21	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	L/R	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE 820L / LE	800	17/20	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	L/R	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE EPS	800	16	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE L	800	17	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	-	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE XC EPS	850	18/21	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	L/R	S	150	44,3	7,5	4	10,5
CF MOTO	CFORCE / EPS	1000	19/21	1668G	L/R	F22.0	220	72	4,0	4	10,5	1669	L/R	S	150	44,3	7,5	4	10,5
CF MOTO SSV	UFORCE 550 T1	500	17/21	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-

CF MOTO SSV	ZFORCE 550 / EX T1	500	16/21	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-
CF MOTO SSV	ZFORCE / TRAIL	500	16	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CF MOTO SSV	UFORCE T1	800	17/21		L/R								L/R	S				
CF MOTO SSV	Z FORCE / EPS / TRAIL	800	16/17	-	L/R	-	-	-	-	-	-	-	-	S	-	-	-	-
CF MOTO SSV	Z FORCE EPS / EX EPS	800	16	-	L/R	-	-	-	-	-	-	-	-	S	-	-	-	-
CF MOTO SSV	Z FORCE EX T1	800	16/21	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-
CF MOTO SSV	UFORCE	1000	19/21		L/R								L/R	S				
CF MOTO SSV	Z FORCE	1000	19/20	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-
CF MOTO SSV	Z FORCE EX EPS	1000	19/21		L/R								L/R	S				
CF MOTO SSV	Z FORCE EX T1	1000	16/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-
CF MOTO SSV	Z FORCE SPORT EPS	1000	20/21		L/R								L/R	S				
CF MOTO SSV	Z FORCE Z8	1000	13	-	L/R	F22,0	220	72	3,5	4	10,5	-	-	S	-	-	-	-
CORVUS SSV	ADVENTURE T900	839	13/18	1626	L/R	S	256	94	4,0	4	8,5	1627	L/R	S	220	90	4,0	4
CORVUS SSV	ADVENTURE T900	839	19/21	1861	L/R	S	256	90	4,0	4	8,5	1627	L/R	S	220	90	4,0	4
CORVUS SSV	ADVENTURE T900 XC	839	20/21	1861	L/R	S	256	90	4,0	4	8,5	1627	L/R	S	220	90	4,0	4
CORVUS SSV	TERRAINDX4 BASIC	993	19/21	1861	L/R	S	256	90	4,0	4	8,5	1627	L/R	S	220	90	4,0	4
CPI	50 / SX	50	-	-	-	-	-	-	-	-	-	1408X	-	S	190	36	3,5	4
CPI	90	90	-	-	-	-	-	-	-	-	-	1408X	-	S	190	36	3,5	4
CPI	SSX REVERSE	110	-	-	-	-	-	-	-	-	-	1408X	-	S	190	36	3,5	4
DAELIM	ET	300	05/12	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
DDR	DRX2	50	-	1415X / 1415	L/R	S	165	59,2	3,5	3	10,5	1416X	-	S	180	41,2	4,0	3
DDR	DRX2	70	-	1415X / 1415	L/R	S	165	59,2	3,5	3	10,5	1416X	-	S	180	41,2	4,0	3
DDR	DRX2	90	-	1415X / 1415	L/R	S	165	59,2	3,5	3	10,5	1416X	-	S	180	41,2	4,0	3
DDR	DXR	200	04/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220,00	58,5	4	4
DDR	DXR	250	04/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220,00	58,5	4	4
GAS GAS	WILD H.P.	50	02/07	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	H.P.	125	07/08	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	H.P.	200	08	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	WILD H.P.	240	03/05	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	KS RV	250	06	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	WILD H.P.	250	02/08	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	WILD H.P.	300	02/05	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	WILD H.P. REVERSE	300	06	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	H.P.	450	02/09	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	WILD H.P.	500	05	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GAS GAS	WILD H.P.	515	08/09	815	L/R	S	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6
GOES	XS	50	08/15	2099	L/R	S	155	36	3,5	4	6,5	Drum	-	T	-	-	-	-
GOES	XS	70	17/20	Drum	-	-	-	-	-	-	-	-	-	S	-	-	-	-
GOES	450	450	07/09	1406X	L/R	S	170	48	4,0	3	10,5	1407X	-	S	240	108	4,0	4
GOES	450 MAX IRON	450	17/20	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-
GOES	MAX COBALT	550	17/20	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-
HONDA	TRX	250	06	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1016	-	S	190	72	4,0	3
HONDA	TRX	250	14	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	S	-	-	-	-
HONDA	TRX EX SPORTRAX	250	93/12	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	-	-	-	-	-
HONDA	TRX R FOURTRAX	250	86/13	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4
HONDA	TRX X	250	86/07	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4
HONDA	TRX X	250	08/19	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	Drum	-	-	-	-	-	-
HONDA	TRX X9	250	09	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4
HONDA	TRX EX	300	93/08	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4
HONDA	TRX EX FOURTRAX	300	09/12	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1098	-	S	220	60	4,0	3
HONDA	TRX EX SPORTRAX	300	01	-	-	-	-	-	-	-	-	1098	-	S	220	60	4,0	3
HONDA	TRX X	300	09/11	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1098	-	S	220	60	4,0	3
HONDA	TRX X9	300	09	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4
HONDA	TRX EX	400	99/09	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	101 / 101X	-	S	220	105	5,0	4
HONDA	TRX X9	400	09/14	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	101 / 101X	-	S	220	105	5,0	4
HONDA	TRX	420	07/11	1396X	L/R	S	185	75,3	4,2	4	10,5	-	-	-	-	-	-	-
HONDA	TRX 2WD FOURTRAX ES	420	07/09	1396X	L/R	S	185	75,3	4,2	4	10,5	-	-	-	-	-	-	-
HONDA	TRX 4WD FOURTRAX AUTO	420	07/11	1396X	L/R	S	185	75,3	4,2	4	10,5	1028	-	S	170	46	6,0	5
HONDA	TRX 4WD FOURTRAX ES	420	07/11	1396X	L/R	S	185	75,3	4,2	4	10,5	-	-	-	-	-	-	-
HONDA	TRX FOURTRAX A.P. STEERING	420	09/11	1396X	L/R	S	185	75,3	4,2	4	10,5	1028	-	S	170	46	6,0	5
HONDA	TRX ER AC	450	07/14	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	S	-	-	-	-
HONDA	TRX ER SPORTRAX	450	04/14	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1016	-	S	190	72	4,0	3
HONDA	TRX ER7 / ER8 / ER9	450	04/09	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	S	-	-	-	-
HONDA	TRX R SPORTRAX	450	04/12	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1016	-	S	190	72	4,0	3
HONDA	TRX R4 / R5 / R6 / R7 / R8 / R9	450	04/09	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	S	-	-	-	-
HONDA	FOREMAN 4x4 FOURTRACK	475	18/19	-	L/R	S	190	-	-	-	-	Drum	-	-	-	-	-	-
HONDA	FOREMAN RUBICON 4x4	475	18/19	-	L/R	S	190	-	-	-	-	-	-	S	170,00	-	-	-
HONDA	TRX FOREMAN 4x4	520	20	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
HONDA	TRX FOREMAN RUBICON AT	520	20	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
HONDA	RINCON	650	-	Drum	-	-	-	-	-	-	-	1028	-	S	170	46	6,0	5

HONDA	TRX RINCON	650	03/06	Drum	-	-	-	-	-	-	-	1028	-	S	170	46	6,0	5	6,5
HONDA	FOURTRAX RINCON	675	06/21	1027	L/R	S	180	75	4,0	4	10,5	1028	-	S	170	46	6,0	5	6,5
HONDA	TRX XX / TRX XX A	700	07/12		L/R	S	173,5	53,2	3,0	3	10,5	2010	-	S	200,00	64	4,5	5	10,5
HONDA	TRX XX IRIS	700	08	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	2010	-	S	200,00	64	4,5	5	10,5
HONDA SSV	PIONEER	500	15/20	-	L/R	S	-	-	-	-	-	-	-	-	-	-	-	-	-
HONDA SSV	PIONEER	700	14/20	-	L/R	S	-	-	-	-	-	-	-	-	-	-	-	-	-
HONDA SSV	MUV BIG RED 2WD / 4WD	700	08/13	2000	L/R	S	200	84,2	7	4	10,5	2000	L/R	S	200,00	84,2	7	4	10,5
HONDA SSV	PIONEER	1000	21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
HONDA SSV	SXS M3 4x4 PIONEER	1000	16/20	2048	L/R	S	210	103,2	4,5	4	10,5	2048	L/R	S	210,00	103,2	4,5	4	10,5
HONDA SSV	SXS M3LE 4x4 PIONEER LE	1000	19/20	2048	L/R	S	210	103,2	4,5	4	10,5	2048	L/R	S	210,00	103,2	4,5	4	10,5
HONDA SSV	SXS M3P 4x4 PIONEER EPS	1000	16/20	2048	L/R	S	210	103,2	4,5	4	10,5	2048	L/R	S	210,00	103,2	4,5	4	10,5
HONDA SSV	SXS M5 4x4 PIONEER-5	1000	16/18	2048	L/R	S	210	103,2	4,5	4	10,5	2048	L/R	S	210,00	103,2	4,5	4	10,5
HONDA SSV	SXS M5D 4x4 PIONEER-5 DELUXE	1000	16/21	2048	L/R	S	210	103,2	4,5	4	10,5	2048	L/R	S	210,00	103,2	4,5	4	10,5
HONDA SSV	SXS M5LE 4x4 PIONEER-5 LE	1000	17/20	2048	L/R	S	210	103,2	4,5	4	10,5	2048	L/R	S	210,00	103,2	4,5	4	10,5
HONDA SSV	SXS M5P 4x4 PIONEER-5	1000	16/21	2048	L/R	S	210	103,2	4,5	4	10,5	2048	L/R	S	210,00	103,2	4,5	4	10,5
HONDA SSV	TALON R / TALON X	1000	19/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
HYOSUNG	TE RAPIER	450	06/09	1406X	L/R	S	170	48	4,0	3	10,5	1407X	-	S	240	108	4,0	4	10,5
KAWASAKI	KFX	50	07/17	-	L/R	S	-	-	-	-	-	1507 / 1507X	-	S	180	58	4,0	3	10,5
KAWASAKI	KFX	90	07/17	-	L/R	S	-	-	-	-	-	1507 / 1507X	-	S	180	58	4,0	3	10,5
KAWASAKI	KLF A	220	01/02	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KFX MOJAVE	250	04	-	-	-	-	-	-	-	-	1423X	-	S	235	-	4,7	4	11,5
KAWASAKI	KSF A1-A18 MOJAVE	250	87/04	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5
KAWASAKI	BRUTE FORCE	300	12/22	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1507 / 1507X	-	S	180	58	4,0	3	10,5
KAWASAKI	LAKOTA UTILITY	300	95/00	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5
KAWASAKI	KEF A1-A6 LAKOTA	300	95/00	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5
KAWASAKI	KEF LAKOTA SPORT	300	01/03	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5
KAWASAKI	KLF C1-C17 BAYOU 4x4	300	89/05	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF A1 - A4 PRAIRIE 4x4	300	99/02	053	L/R	S	200	80	3,5	3	10,5	-	-	S	-	-	-	-	-
KAWASAKI	KVF B1 - B4 PRAIRIE 2x4	300	99/02	053	L/R	S	200	80	3,5	3	10,5	-	-	S	-	-	-	-	-
KAWASAKI	KVF4x4 HARDWOODS HD	360	03/11	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI	KVF B1-B4 2x4 PRAIRIE	360	99/02	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE	360	02/09	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE 4x4	360	03/13	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KFX	400	02/06	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
KAWASAKI	KLF B1-B7 BAYOU 4x4	400	93/99	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE 2x4 / 4x4	400	99/02	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE A1 / A2 / B1	400	97/02	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
KAWASAKI	LT Z	400	03	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
KAWASAKI	KFX R	450	07	1520	L/R	S	163	51	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KFX R	450	08/15	1520	L/R	S	163	51	3,5	4	10,5	1521	R	S	200	70	3,5	4	10,5
KAWASAKI	KVF BRUTE FORCE 4x4	650	05/11	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE 4x4 Efi	650	06/13	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE HARD.	650	05/13	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF FCF	650	12/14	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE 4x4	650	02/03	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	BRUTE FORCE 4x4 i EPS	700	13/17	-	L/R	S	200	-	-	-	-	-	-	-	-	-	-	-	-
KAWASAKI	KFX - KSV - KSV A1	700	03/09	1520	L/R	S	163	51	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KFX V-FORCE	700	04/09	1520	L/R	S	163	51	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF	700	06/07	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI	KVF A1-B1 4x4 PRAIRIE	700	04/08	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI	KVF A2-A9 / KVF B2- B9	700	04/09	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI	KVF D1 TEAM GREEN	700	05/06	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI	BRUTE FORCE 4x4i EPS	750	14/22	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF A8F / B8F TERYX 4x4	750	08/10	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF D8F TERYX 4x4 LE	750	08/10	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF F8F TERYX	750	08/10	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF G9F / NAF / NBF	750	09/13	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF J9FA TERYX Fi 4x4 LE	750	09/13	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF LE SPORT	750	10/13	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF NDF TERYX Fi	750	09/13	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF RDF TERYX Fi 4x4 LE	750	09/13	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF RUV TERYX NRA	750	08/10	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF NAF RUV TERYX 4x4	750	08/10	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF PAF RUV TERYX 4x4 LE	750	08/10	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF SAF RUV TERYX 4x4	750	10/13	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF TAF TERYX 4x4 Fi SGE	750	10/11	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KRF VBF TERYX 4x4 Fi SGE	750	10/11	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF 750 BRUTE FORCE 4x4 Efi	750	05/20	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE i EPS	750	05/12	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE 4x4 Efi	750	05→	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-

KAWASAKI		KVF D8F / D9F / DBF	750	08/11	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-
KAWASAKI SSV		TERYX 4 750 (783cc)	783	14/26	1411X	L/R	S	200	84	5,0	4	10,5	-		R	S	-	-	-
KAWASAKI SSV		TERYX CAMUFLAJE	783	20	-	L/R	S	200	-	-	4	-	-	-	-	-	-	-	-
KAWASAKI SSV		TERYX KRX	783	20	-	L/R	S	200	-	-	4	-	-	-	-	-	-	-	-
KAWASAKI SSV		TERYX LE	783	20	-	L/R	S	200	-	-	4	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE 820	PRO-FX	812	16/20	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV		MULE PRO-FX EPS 820 (812cc)	812	16/26	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FX EPS CAMO	812	16/17	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FX EPS Limited Edition	812	16/20	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FX RANCH Edition	812	17	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FXR	812	18/20	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	MULE PRO-FXT 820 (812cc)	812	15/26	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FXT EPS	812	15/20	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FXT EPS CAMO	812	15/18	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FXT EPS Limited Edition	812	15/18	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE 820	PRO-FXT RANCH Edition	812	16/17	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE PRO	DX	1000	16/17	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE PRO	DX EPS LE	1000	16/20	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE PRO	MULE PRO DXT 1000	1000	16/26	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE PRO	DXT EPS	1000	16/20	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV	MULE PRO	DXT EPS LE	1000	16/17	1981	L/R	S	212	95	5	4	12,9	1981	L/R	S		212,00	95	5
KAWASAKI SSV		TERYX KRX	1000	20	-	L/R	S	-	-	-	4	-	-		L/R	S	-	-	4
KTM		SX / XC	450	08/13	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S		200	76	4,0
KTM		SX	505	08/13	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S		200	76	4,0
KTM		XC	525	08/13	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S		200	76	4,0
KYMCO		MONGOOSE	50	08/09	Drum	-	-	-	-	-	-	-	1507 / 1507X	L/R	S		180	58	4,0
KYMCO		MAXXER	50	17	Drum	-	-	-	-	-	-	-	--	-	S		-	-	-
KYMCO		MXER	50	00/07	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	S		180	58	4,0
KYMCO		MXU / MXU REVERSE	50	05/17	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	S		180	58	4,0
KYMCO		MONGOOSE	70	07/14	Drum	-	-	-	-	-	-	-	1507 / 1507X	L/R	S		180	58	4,0
KYMCO		KXR / S MONGOOSE	90	04/15	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	S		180	58	4,0
KYMCO		MAXXER	90	05/06	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	S		180	58	4,0
KYMCO		MXER	125	02/07	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S		180	58	4,0
KYMCO		MXER	125	02/07									1507 / 1507X	-	S		180	58	4,0
KYMCO		MXU	150	05/17	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S		180	58	4,0
KYMCO		MXU	150	05/17									1507 / 1507X	-	S		180	58	4,0
KYMCO		MXER	150	02/07	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S		180	58	4,0
KYMCO		MXER	150	02/07									1507 / 1507X	-	S		180	58	4,0
KYMCO		KXR MONGOOSE	250	04/09	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		KXR SPORT	250	04	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MAXXER	250	06/13	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1507 / 1507X	-	S		180	58	4,0
KYMCO		MXU	250	04/14	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MXU	250	17	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	-	-	S		180	-	-
KYMCO		MXU 4T E2	250	19	-	L/R	-	-	-	-	-	-	1345 / 1345X	-	S		220,00	89,5	4
KYMCO		MXU R	250	12/13	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1507 / 1507X	-	S		180	58	4,0
KYMCO		URBAN QUAD	250	06	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MAXXER	300	06/13	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MAXXER R	300	10→	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MAXXER S	300	22	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	L	S		220	88	4,0
KYMCO		MONGOOSE	300	06/14	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MXU	300	05	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MXU	300	06/11	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1507 / 1507X	-	S		180	58	4,0
KYMCO		MXU i	300	19/20	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1345 / 1345X	L	S		220,00	89,5	4
KYMCO		MXU i	300	21/23	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MXU R	300	10	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1012 / 1012X	-	S		220	88	4,0
KYMCO		MXU R	300	11/17	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1507 / 1507X	-	S		180	58	4,0
KYMCO		MAXXER 4x4 IRS	375	10/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S		202	95	3,5
KYMCO		MAXXER 4x4 IRS	375	10/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S		202	95	4,0
KYMCO		MXU 4x4 IRS	375	08/12	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S		202	95	3,5
KYMCO		MXU 4x4 IRS	375	08/12	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S		202	95	4,0
KYMCO		MAXXER / PARKING BRAKE	400	09/10	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S		202	95	3,5
KYMCO		MAXXER / PARKING BRAKE	400	09/10	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S		202	95	4,0
KYMCO		MXU / PARKING BRAKE	400	08/17	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S		202	95	3,5
KYMCO		MXU / PARKING BRAKE	400	08/17	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S		202	95	4,0
KYMCO		MAXXER 4x4 IRS	450	11/14	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S		202	95	3,5
KYMCO		MAXXER 4x4 IRS	450	11/14	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S		202	95	4,0
KYMCO		MAXXER i	450	18/20	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	L/R	S		202,00	95	4,0
KYMCO		MAXXER i / PARKING BRAKE	450	09/15	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S		202	95	3,5
KYMCO		MAXXER i / PARKING BRAKE	450	09/15	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S		202	95	4,0
KYMCO		MXU / MXU PARKING BRAKE	450	08/18	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S		202	95	3,5

KYMC0	MXU / MXU PARKING BRAKE	450	08/18	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	MXU i / MXU IRS LE	450	08/17	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MXU i / MXU IRS LE	450	08/17	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	UXV i	450	17/20	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
KYMCO	MXU 4x4	500	05/09	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	1261	-	S	220	79	4,0	4	10,5
KYMCO	MXU 4x4 IRS / MXU 4x4 IRS LE	500	09	1507 / 1507X	L/R	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	-
KYMCO	MTU	500	09/13	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MTU	500	09/13	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	MXU 4x4 CARB MODELS	500	07/09	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU 4x4 CARB MODELS	500	07/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU 4x4 IRS CARB MODELS	500	10/11	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU 4x4 IRS CARB MODELS	500	10/11	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU DX / PARKING BRAKE	500	09/13	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MXU DX / PARKING BRAKE	500	09/13	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	MXU i / DX	500	09/13	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MXU i / DX	500	09/13	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	MXU IRS / PARKING BRAKE	500	09/14	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU IRS / PARKING BRAKE	500	09/14	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU IRIS / MXU i DX	500	17	-	L/R	S	190	-	-	-	-	-	S	200	-	-	-	-	-
KYMCO	UTV i 4x4	500	10/17	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	UTV i 4x4	500	10/17	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	UTV BULL 4x4	500	10/13	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	UTV BULL 4x4	500	10/13	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	UXV i 4x4	500	08/17	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4	500	08/17	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	UXV i 4x4 G TURF	500	15	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 G TURF	500	15	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	UXV i 4x4 HE	500	14	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 HE	500	14	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	UXV i 4x4 LE	500	12/15	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 LE	500	12/15	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	UXV i 4x4 SE	500	12/13	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 SE	500	12/13	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	UXV i 4x4 SP	500	13/14	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 SP	500	13/14	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	UXV i 4x4 TURF	500	14/15	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 TURF	500	14/15	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU	550	22/23	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MXU i / PARKING BRAKE	550	12/17	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	200	-	-	-	-
KYMCO	MXU i / PARKING BRAKE	550	12/17	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU i / MXU i EX	550	12/17	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	200	-	-	-	-
KYMCO	MXU i / MXU i EX	550	12/17	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MXU i LOF / PARKING BRAKE	550	13/15	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	-	-	-	-	-
KYMCO	MXU i LOF / PARKING BRAKE	550	13/15	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO	MTU	700	09/13	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MTU	700	09/13	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	MXU	700	22/23	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO SSV	UXV i	450	15	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
KYMCO SSV	UXV i 4x4	500	08/15	-	L/R	S	-	-	-	-	-	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO SSV	MTU	700	09/13	1384X	L/R	S	202	95	3,5	4	8,5	1384X	L/R	S	202	95	3,5	4	8,5
KYMCO SSV	MTU	700	09/13	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	L/R	S	202	95	4,0	4	8,5
KYMCO SSV	MXU i 4x4 / ESENTIAL	700	18/22	1384X	L/R	S	202	95	3,5	4	8,5	1384X	L/R	S	202	95	3,5	4	8,5
KYMCO SSV	MXU i 4x4 / ESENTIAL	700	18/22	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	L/R	S	202	95	4,0	4	8,5
KYMCO SSV	MXU i 4x4 EX	700	18/19	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO SSV	MXU i 4x4 EX	700	18/19	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO SSV	MXU i 4x4 LOF / i EPS	700	13/17	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO SSV	MXU i 4x4 LOF / i EPS	700	13/17	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO SSV	MXU i 4x4 LOF P. BRAKE	700	13/17	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO SSV	MXU i 4x4 LOF P. BRAKE	700	13/17	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
KYMCO SSV	UXV i TURF / PARKING BRAKE	700	14/18	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO SSV	UXV i TURF / PARKING BRAKE	700	14/18	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-
LINHAI	LH	500	18/19	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
MASSEY FERGUSON	MF 2WD / 4WD	250	04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MASSEY FERGUSON	MF 2WD / 4WD	250	04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MASSEY FERGUSON	MF 2WD / 4WD	300	04	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MASSEY FERGUSON	MF 2WD / 4WD	300	04	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MASSEY FERGUSON	MF 4WD / AUTO 4WD	400	05/09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MASSEY FERGUSON	MF 4WD / AUTO 4WD	400	05/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MASSEY FERGUSON	MF 4WD / AUTO - TBX AUTO	500	05/09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MASSEY FERGUSON	MF 4WD / AUTO - TBX AUTO	500	05/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5

MASSEY FERGUSON	MF / MF 4WD AUTO	650	05/09	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MASSEY FERGUSON	MF / MF 4WD AUTO	650	05/09	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MASSEY FERGUSON	MF 2D / MF 4WD AUTO	700	05/08	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MASSEY FERGUSON	MF 2D / MF 4WD AUTO	700	05/08	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MASSIMO MOTOR	MSU	400	-	1412X	L/R	S	200	72	3,5	4	10,5	1413X	-	S	165	46	5,0	6	7,5
MASSIMO MOTOR	MSU / MSU-4	700	-	1412X	L/R	S	200	72	3,5	4	10,5	1413X	-	S	165	46	5,0	6	7,5
MOTOROMA	LAZER	125	03/07	-	-	-	-	-	-	-	-	1869	L	S	200,00	58,2	4	4	8,5
POLARIS	ACE TM	150	17/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
POLARIS	RANGER	150	17/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
POLARIS	RZR Efi	170	17/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
POLARIS	PHOENIX 2x4	200	06/14	1825 / 1825X	L/R	S	172	63,7	4	4	10,5	Drum	-	-	-	-	-	-	-
POLARIS	PHOENIX	200	05/09	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
POLARIS	PHOENIX	200	10/18	-	L/R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
POLARIS	2x4 / 4x4	250	92/93	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	4x6	250	91/92	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	TRAIL BLAZER	250	05/06	-	L/R	S	182	-	-	-	-	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 4x6	250	91/92	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6	250	91	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6	250	91	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6	250	92/93	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6 M. AXLE BRAKE	250	91/93	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6 M. AXLE BRAKE	250	91/93	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS	TRAIL BLAZER	250	91/98	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	TRAIL BLAZER	250	99/04	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS	TRAIL BLAZER	250	05/06	-	-	-	-	-	-	-	-	1215	-	S	203	83,5	4,0	3	8,5
POLARIS	TRAIL BLAZER 2x4	250	91/92	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	TRAIL BLAZER 4x4	250	91/92	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	TRAIL BLAZER FREEDOM	250	01/04	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS	TRAIL BOSS	250	91/99	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	2x4 / 4x4	300	94/95	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6	300	94	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6 M. AXLE	300	95/02	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	BIG BOSS 6x6 M. AXLE	300	95/02	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS	HAWKEYE 2x4	300	06/09	-	L/R	S	198	-	-	4	-	1216	-	S	206,00	89	4,5	4	8,5
POLARIS	HAWKEYE 4x4	300	06/07	-	L/R	S	198	-	-	4	-	1216	-	S	206,00	89	4,5	4	8,5
POLARIS	SPORTSMAN 4x4	300	08/10	-	L/R	S	198	-	-	4	-	1216	-	S	206,00	89	4,5	4	8,5
POLARIS	XPLOER 4x4	300	96/00	2227	L/R	S	175	73,2	4	4	8,5	-	-	-	-	-	-	-	-
POLARIS	ACE 4x4 Efi	325	15/16	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	HAWKEYE 2x4 Efi	325	15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	MAGNUM 2x4 HDS	325	02	1207	L/R	S	180	73	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS	MAGNUM 4x4	325	01	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	MAGNUM 4x4	325	02	1207	L/R	S	180	73	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS	MAGNUM 4x4 HDS	325	01/02	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS	MAGNUM HAWKEYE 2x4	325	15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	MAGNUM MOOSE 2x4 / 4x4	325	01	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS	SPORTSMAN ACE Efi	325	15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN ACE EURO / HD	325	15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	TRAIL BOSS	325	00/02	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS	XPEDITION	325	02	1207	L/R	S	180	73	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS	ATP 4x4	330	04/05	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS	MAGNUM 2x4 / HDS	330	03/06	265	L/R	S	227	79	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS	MAGNUM 2x4 / HDS	330	03/06	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS	MAGNUM 4x4 / HDS	330	03/06	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS	TRAIL BOSS	330	03/04	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS	TRAIL BOSS	330	05/09	492	L/R	S	183	73	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
POLARIS	TRAIL BOSS / Intl	330	10/13	652 / 652X	L/R	S	227	89	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
POLARIS	TRAIL BLAZER	330	05/09	492	L/R	S	183	73	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
POLARIS	TRAIL BLAZER / Intl	330	10/13	652 / 652X	L/R	S	227	89	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
POLARIS	HAWKEYE H.O. 2x4	400	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS	RANGER H0 4x4	400	10/11	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	SCRAMBLER 2x4 / 4x4	400	98/02	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS	SPORTSMAN	400	01/03	265	L/R	S	227	79	4,0	4	8,5	047	-	S	149	61	4,5	8	5,5
POLARIS	SPORTSMAN	400	01/03	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS	SPORTSMAN	400	04/05	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	SPORTSMAN 4x4	400	08/10	-	L/R	S	198	-	-	4	-	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN HO 4x4	400	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	TRAIL BLAZER	400	03	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS	XPLOER / 4x4	400	01/02	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	XPLOER / 4x4	400	01/02	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS	XPLOER L 4x4	400	95/00	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-

POLARIS		XPLOER L 4x4	400	95/00	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		OUTLAW MXR	450	09/10	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	1500 / 1500X	-	S	227,5	142	4,0	4	8,5
POLARIS		S OUTLAW	450	08/10	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	786 / 786X	L	S	197	76,2	4,0	4	8,5
POLARIS		SPORTSMAN	450	06/07	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS		SPORTSMAN	450	08/20	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		SPORTSMAN 4x4	450	06/07	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		SPORTSMAN HO	450	16/17	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS		DIESEL	455	01	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		DIESEL	455	01	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		DIESEL 4x4 EBS	455	99/00	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		DIESEL 4x4 EBS	455	99/00	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		DIESEL 4x4 Intl	455	99/01	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		DIESEL 4x4 Intl	455	99/01	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		ACE 4x4 Efi	500	17/19	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		ACE SOHC	500	17	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS		ATP HO 4x4	500	04/05	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS		ATV PRO 4x4 PPS	500	02	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS		MAGNUM	500	01/02	652 / 652X	L/R	S	227	89	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS		MAGNUM 4x4	500	99/01	265	L/R	S	227	79	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS		MAGNUM 4x4	500	99/01	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		MAGNUM 2x4 HDS	500	02	265	L/R	S	227	79	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS		MAGNUM 2x4 HDS	500	02	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		MAGNUM 4x4 HDS	500	02/03	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS		OUTLAW	500	06/07	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	1500 / 1500X	-	S	227,5	142	4,0	4	8,5
POLARIS		PREDATOR	500	00/02	363	L/R	S	177,8	63,5	4,0	4	8,5	786 / 786X	L	S	197	76,2	4,0	4	8,5
POLARIS		PREDATOR	500	03/07	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	786 / 786X	L	S	197	76,2	4,0	4	8,5
POLARIS		PREDATOR	500	08	-	L/R	S	-	-	-	-	-	786 / 786X	L	S	197	76,2	4,0	4	8,5
POLARIS		PREDATOR TLD	500	03/07	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	786 / 786X	L	S	197	76,2	4,0	4	8,5
POLARIS		SCRAMBLER 2x4	500	96/00	492	L/R	S	183	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS		SCRAMBLER 2x4	500	01/02	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS		SCRAMBLER 4x4	500	07/08	492	L/R	S	183	73	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
POLARIS		SCRAMBLER 4x4	500	98/04	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
POLARIS		SCRAMBLER 4x4	500	05/09	1207	L/R	S	180	73	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
POLARIS		SCRAMBLER 4x4	500	10/12	652 / 652X	L/R	S	227	89	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
POLARIS		SPORTSMAN	500	98/02	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		SPORTSMAN	500	98/02	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		SPORTSMAN	500	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	SPORTSMAN	4x4 / 6x6	500	96/08	265	L/R	S	227	79	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS	SPORTSMAN	4x4 / 6x6	500	96/08	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS	SPORTSMAN	Efi / Efi INTL	500	07	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS	SPORTSMAN	Efi / TOURING	500	08/09	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	SPORTSMAN	FOREST TRACTOR Efi	500	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS	SPORTSMAN	H.O.	500	09/12	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	H.O. Efi	500	03/07	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	H.O. Efi	500	08	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS	SPORTSMAN	SPORTSMAN / H.O.	500	01/02	265	L/R	S	227	79	4,0	4	8,5	047	-	S	149	61	4,5	8	5,5
POLARIS	SPORTSMAN	SPORTSMAN / H.O.	500	01/02	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS	SPORTSMAN	TOURING H.O. / H.O. INTL	500	08/13	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS	SPORTSMAN	X2 / X2 Efi	500	07/09	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS	SPORTSMAN	WORKER 4x4 / EBS / RSE	500	98/02	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS	SPORTSMAN	WORKER 4x4 / EBS / RSE	500	98/02	265X	L/R	S	227	79	4,2	4	8,5								
POLARIS		XP	500	09	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS		S OUTLAW	525	08/10	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	786 / 786X	L	S	197	76,2	4,0	4	8,5
POLARIS		S OUTLAW IRS	525	08/11	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	1500 / 1500X	-	S	227,5	142	4,0	4	8,5
POLARIS		SPORTSMAN	550	11/14	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	XP	550	09/13	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	EPS / EPS FOREST	550	10/14	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	FOREST	550	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	TOURING Intl	550	13/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	XP TOURING EPS	550	12	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	X2	550	10/14	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	X2 EPS	550	14	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	XP EPS	550	09/14	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS		SPORTSMAN	570	14→	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	6x6	570	17/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS</																				

POLARIS	SPORTSMAN	ACE EURO	570	15/20	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	ACE Efi / Efi EURO / HD Efi / SP	570	15/17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS	SPORTSMAN	Efi	570	11/15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	Efi HD	570	14/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	Efi INC EPS	570	11/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	Efi UTE	570	14/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	Efi X2 EPS	570	14/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	EPS	570	19/20	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	EPS EU SP	570	18	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS	SPORTSMAN	FOREST	570	14/15	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	SP	570	15/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	SP TOURING	570	15/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	T3 / EPS / EPS T3	570	16/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
POLARIS	SPORTSMAN	TOURING Efi EPS	570	14/17	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	TOURING Efi EPS T3	570	14/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	TOURING EPS	570	19/20	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	TOURING SP	570	19/20	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	TOURING TRACTOR	570	15/19	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	TOURING TRACTOR Efi EPS	570	17/20	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	TRACTOR	570	15/16	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	TRAIL	570	19/20	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	X2 EPS	570	19/20	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
POLARIS		FOREST TRACTOR Efi / EPS	570	14/15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS		SPORTSMAN 4x4	600	03/05	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS		MILITARY SPORTSMAN	700	10	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		MVRS 4x4	700	10	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		SPORTSMAN	700	01/02	-	-	-	-	-	-	-	-	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS		SPORTSMAN 4x4 / Efi	700	02/06	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS		SPORTSMAN Efi	700	07	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS		SPORTSMAN MV7	700	02/08	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS		SPORTSMAN X2	700	07/08	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS		FOREST	800	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS		FOREST 6x6	800	11/15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS		MVRS 4x4	800	08/10	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS		SPORTSMAN	800	12/13	1422X	L/R	S	245	134,5	5,0	4	11,0	-	-	S	-	-	-	-	-
POLARIS		SPORTSMAN	800	14	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	BIG BOSS / Efi 6x6 / Efi	800	09/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	Efi	800	05/07	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS	SPORTSMAN	Efi	800	10	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS	SPORTSMAN	Efi / Efi INTL	800	07/13	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	Efi 6x6	800	09/13	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	Efi 6x6 FOREST	800	14	-	L/R	S	-	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	Efi 6x6	800	10/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS	SPORTSMAN	Efi H.O.	800	08	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	FOREST	800	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS	SPORTSMAN	FOREST 6x6	800	11/15	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS	SPORTSMAN	TOURING Efi / Efi INTL	800	08/11	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS	SPORTSMAN	TWIN Efi	800	06	-	-	-	-	-	-	-	-	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS	SPORTSMAN	X2 Efi	800	07	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS	SPORTSMAN	X2 Efi	800	07/09	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS		SPORTSMAN FOREST	850	11/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	S	-	-	-	-	-
POLARIS		FOREST	850	12/15	1422X	L/R	S	245	134,5	5,0	4	11,0	1502X / 1502	-	S	218	105,5	4,7	4	10,5
POLARIS		SCRAMBLER	850	14/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS		SCRAMBLER XP	850	14/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	EPS / XP SPORTSMAN	850	09/13	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	SP / TOURING SP	850	15/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	TOURING EPS	850	10/14	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	TOURING H.O. EPS	850	13/15	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	XP EPS Efi	850	09/14	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	XP TOURING EPS	850	12	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS		ACE Efi EPS	900	16	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS		ACE EPS XC	900	17	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4,0	4	10,5
POLARIS		BRUTUS Diesel HD	900	13/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1825 / 1825X	L/R	S	172,00	63,7	4,0	4	10,5
POLARIS		FOREST	1000	15	1422X	L/R	S	245	134,5	5,0	4	11,0	1502X / 1502	-	S	218	105,5	4,7	4	10,5
POLARIS		SCRAMBLER	1000	14/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS		SCRAMBLER XP	1000	14/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS		SCRAMBLER T3 / EPS	1000	16/17	-	L/R	S	-	-	-	-	-	-	L/R	-	-	-	-	-	-
POLARIS	SPORTSMAN	MD / XP	1000	15/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	XP / EPS / XP EPS T3	1000	16/20	-	L/R	S	-	-	-	-	-	-	L/R	-	-	-	-	-	-
POLARIS	SPORTSMAN	TOURING XP EPS T3	1000	15/20	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0

POLARIS	SPORTSMAN	TOURING TRACTOR	1000	16/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS	SPORTSMAN	XP TRACTOR	1000	16/18	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS SSV	RANGER	48V EV MIDSIZE - INTL	E	13	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	EV	E	10/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	EV AVALANCHE / T3	E	16/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
POLARIS SSV	RANGER	EV LI-ION	E	16/18	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS SSV	RANGER	PPS / PTV 4x4 S 10	E	-	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS SSV	RANGER	PPS / PTV 6x6 S 10	E	-	265	L/R	S	227	79	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
POLARIS SSV	RANGER	PPS / PTV 6x6 S 10	E	-	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS SSV	RANGER	2x4 / 4x4 / 6x6	-	04/05	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV	RANGER	PPS LUH 6x6	-	02	265	L/R	S	227	79	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS SSV	RANGER	PPS LUH 6x6	-	02	265X	L/R	S	227	79	4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS SSV	RANGER	PPS / 2x4 / 4x6 S 10	-	-	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV	RANGER	PPS 2x4 / 4x4 SERIES 11	-	-	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV	RANGER	PPS 6x6 SERIES 11	-	-	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV	RANGER	SERIES 10 / SERIES 11	-	-	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV	RANGER	TM	-	04/05	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV		RANGER XP	-	05	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV		RZR Efi	170	14/21	2068	L/R	S	126,6	47	4	6	6,5	2069	L/R	S	220,00	76	4	5	10,5
POLARIS SSV		RANGER RZR 2x4	170	09/14	-	L/R	S	125	-	-	6	-	-	L/R	S	220,00	-	-	5	-
POLARIS SSV		RANGER, ETX	325	15/16	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV		RANGER	400	10/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	4x4	400	12/14	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4 H.O.	400	10/11	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	All Models	400	11/12	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	MIDSIZE	400	13	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		ACE SOHC	500	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		RANGER	500	05/13	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV		RANGER	500	17→	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS SSV	RANGER	2 HDPE	500	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	2x4 CARB	500	08/09	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	2x4 / 4x4	500	06/07	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	2x4 / 4x4	500	09	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	2x4 / 4x4 Efi	500	08	492	L/R	S	183	73	4,0	4	8,5	-	-	-	-	-	-	-	-
POLARIS SSV	RANGER	499 / ETX / HDPE	500	17	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4	500	08	1082	L/R	S	210	90	4,0	4	6,5	1082	-	S	210	90	4,0	4	6,5
POLARIS SSV	RANGER	4x4 Efi	500	06/07	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4 Efi H.O.	500	09/11	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	4x4 CREW Efi	500	09/12	1207	L/R	S	180	73	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4 CREW	500	11/13	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	6x6 SERIES 10	500	-	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS SSV	RANGER	CREW MIDSIZE	500	13	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	OBEY	500	09	1141	L/R	S	190	-	4,0	4	6,5	1141	-	S	190	-	4,0	4	6,5
POLARIS SSV	RANGER	MIDSIZE	500	13	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		SPORTSMAN X2	550	10	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
POLARIS SSV		ACE Efi / ACE HD Efi	570	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		RANGER	570	14→	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	XP / FULL SIZE CREW	570	16/17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	CREW Efi / CREW FS	570	14/17	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	EPS HDPE	570	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	EU	570	16	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	FULL SIZE	570	15/17	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	FULL SIZE CREW 6x6	570	16→	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	INTL	570	14	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	MIDSIZE / EPS	570	18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
POLARIS SSV	RANGER	MD	570	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		RZR	570	12/13	1475 / 1475X	L/R	S	235	123	4,8	4	11,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV		RZR	570	14/18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV		RZR	570	19	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		RZR Efi / Efi INTL	570	12/13	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		RZR EU	570	15	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		RZR S	570	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		RANGER TM	650	06	-	-	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4	700	05/09	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS SSV	RANGER	4x4 Efi / 4x4 Efi CREW	700	08/09	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4 Efi LE	700	07	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4 XP	700	06	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	4x4 XT Efi / 6x4 Efi	700	08→	492	L/R	S	183	73	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	6x6 Efi	700	06/09	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV		H	800	10/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5

POLARIS SSV	RANGER		800	10/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	2x4	800	08	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	4 EPS	800	12	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	4x4 Efi CREW	800	10/14	-	L/R	S	-	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	CREW	800	12	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	Efi	800	13/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	EV	800	10/11	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-		
POLARIS SSV	RANGER	6x6 / 6x6 Efi	800	10/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	6x6	800	16/17	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	6x6 MD POLAND	800	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	MID SIZE Efi	800	13/14	652 / 652X	L/R	S	227	89	4,0	4	8,5	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	TM 2x4	800	04/06	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-		
POLARIS SSV	RANGER	XP	800	10/12	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV		RZR 4 Efi	800	10/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV		RZR 4 EPS RANGER	800	12	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV		RZR 6x6 MD POLAND	800	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV		RZR / RZR 4 / RZR 4 Efi	800	10/14	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV		RZR Efi	800	08/14	-	L/R	S	-	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV		RZR Efi - EPS	800	12	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV		RZR S Efi / S Efi INTL	800	09/14	-	L/R	S	-	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV		RZR S INTL ISRAEL	800	13	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV		INC EPS MODELS / RANGER	800	08/14	1475 / 1475X	L/R	S	235	123	4,8	4	11,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV		ACE EPS XC	900	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV		RANGER	900	13/19	-	L/R	S	-	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	4x4 D HIPPO MPS	900	11/14	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	CREW	900	10/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	CREW	900	15/19	-	L/R	S	-	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	CREW 1000 6 EPS T3	900	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-		
POLARIS SSV	RANGER	CREW DIESEL	900	14	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	CREW 6P SP	900	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	D CREW DIESEL	900	13/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	D 4x4 DIESEL	900	11/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER	DIESEL	900	11/14	-	L/R	S	-	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	XP	900	13/15	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RANGER	XP EPS / EPS T3 / SAGE T3	900	16/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-		
POLARIS SSV	RANGER	XP EU	900	15	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5	
POLARIS SSV	RANGER		4,00	900	11	-	L/R	S	-	-	-	-	1502 / 1502X	-	S	218	105,5	4,7	4	10,5	
POLARIS SSV	RZR		4,00	900	18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	-	S	227	114	5,0	4	14,3
POLARIS SSV	RZR	4 XP	900	12/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1473 / 1473X	-	S	219	99	5,0	4	14,3	
POLARIS SSV	RZR	50" All models	900	15/18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	-	S	227	114	5,0	4	14,3	
POLARIS SSV	RZR	S 60" All models	900	15/18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	RZR	SSV XP INC EPS	900	11/14	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1473 / 1473X	-	S	219	99	5,0	4	14,3	
POLARIS SSV	RZR	TRAIL	900	17→	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	-	S	227	114	5,0	4	14,3	
POLARIS SSV	RZR	TRAIL S	900	17→	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	-	S	227	114	5,0	4	14,3	
POLARIS SSV	RZR XP	EPS VELOCITY	925	16/17	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3	
POLARIS SSV	RZR XP	TURBO	925	16/18	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3	
POLARIS SSV	RZR XP	TURBO / 4 TURBO	925	16	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3	
POLARIS SSV	RZR XP	TURBO EPS / EPS CR	925	16/18	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3	
POLARIS SSV	RZR XP	TURBO DYNAMIX Edition	925	17/18	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3	
POLARIS SSV	GENERAL	GENERAL	1000	16→	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	4 4x4 2 Seats	1000	17/20	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	DELUXE ABS 2 Seats	1000	19/20	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	DLX / DLX OPT1	1000	20	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	DLX OPT1 4 Seats	1000	20	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	DLX RC	1000	20	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	EPS	1000	17/19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	EPS EU 4 Seats / EPS TR ZUG	1000	19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	EPS DLX	1000	20	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	
POLARIS SSV	GENERAL	EPS PREMIUM	1000	17/18	-	L/R	S	-	-												

POLARIS SSV	RANGER	CREW	1000	19→	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	-	L/R	S	-	-	-	-	-
POLARIS SSV	RANGER	CREW XP 6P	1000	17	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	DIESEL CREW / EU	1000	15	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	DIESEL CREW MD POL	1000	17	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	DIESEL HD EPS T3	1000	16/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
POLARIS SSV	RANGER	DIESEL CREW POLAND	1000	17	-	L/R	-	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	PS	1000	18/19	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	PS HD MD	1000	19	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	PS RC	1000	19	-	L/R	S	-	-	-	-	-	1825 / 1825X	-	S	172,00	63,7	4	4	10,5
POLARIS SSV	RANGER	XP EPS	1000	17/18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP EPS EU-TRACTOR-ZUG	1000	17/19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP EU-TRACTOR-ZUG	1000	17/18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP PS NSTR	1000	17/18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP PS MU	1000	17/19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP PS MUD / XP PS CREW	1000	17/19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP PS CREW MU	1000	17/19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP PS CREW NSTR	1000	17/19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	XP PS NSTR RC	1000	17/19	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RZR	RS1	1000	18→	1495 / 1495X	L/R	S	247,5	-	4,7	4	15,4	1495 / 1495X	-	S	247,5	-	4,7	4	15,4
POLARIS SSV	RANGER	S 4	1000	19→	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	TRAIL	1000	17→	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RZR	XP	1000	14/15	1495 / 1495X	L/R	S	247,5	-	4,7	4	15,4	1495 / 1495X	-	S	247,5	-	4,7	4	15,4
POLARIS SSV	RZR	XP 4 EPS / T3	1000	14/15	1495 / 1495X	L/R	S	247,5	-	4,7	4	15,4	1495 / 1495X	-	S	247,5	-	4,7	4	15,4
POLARIS SSV	RZR	XP 4 EPS / T3	1000	16/18	2003 / 2003X	L/R	S	228	114	4,5	4	14,3	1395 / 1395X	L/R	S	227	114	5,0	4	14,3
POLARIS SSV	RANGER	PPS / UTV 2x4 Series 11	1500	-	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
SUZUKI		LT Z	250	04/10	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		KINGQUAD	400	19/21	-	L/R	S	-	-	-	-	-	Drum							
SUZUKI		LT-A EIGER 2WD AUTO	400	08	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-A F EIGER AUTO	400	02/08	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-A F KING QUAD AS	400	08/10	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-A F KING QUAD Asi	400	11/14	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-A FK2-FK7 EIGER 4WD	400	02/07	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A FK8-FK9-FLO-FL1 EIGER	400	08/12	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A K6 EIGER AUTO	400	06	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-A K2-K4 EIGER 2WD	400	02/04	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-F F KING QUAD FS	400	08/12	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-F F KING QUAD FSi	400	11/14	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-F FK2-FK6 EIGER 4WD	400	02/07	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-F K2-K4 EIGER	400	02/07	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT Z QUADSPORT	400	02/15	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
SUZUKI		LT-A X KING QUAD AXI 4x4	450	07/10	1987	L/R	S	200	90,2	3,5	4	10,5	Drum	-	-	-	-	-	-	-
SUZUKI		LT-A XLO / XZK KING QUAD	450	08	1987	L/R	S	200	90,2	3,5	4	10,5	Drum	-	-	-	-	-	-	-
SUZUKI		LT-A XZ KING QUAD	450	08/09	1684	L/R	S	190	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-R	450	06/12	1020	L/R	S	160	48	3,0	3	10,5	1019	R	S	190	78	4,0	3	10,5
SUZUKI		KING QUAD X	500	19/21	-	L/R	S	-	-	-	-	-	Sealed Oil							
SUZUKI		KING QUAD XP	500	19/21	-	L/R	S	-	-	-	-	-	Sealed Oil							
SUZUKI		KING QUAD XPZ	500	20/21	-	L/R	S	-	-	-	-	-	Sealed Oil							
SUZUKI		LT-A 500 KING QUAD	500	15/24	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A FK2 VISION 4WD	500	02	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A X AXi KING QUAD	500	11/17	1684	L/R	S	190	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A XC AXi KING QUAD S.E.	500	17	1684	L/R	S	190	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A XL KING QUAD	500	11/15	1987	L/R	S	200	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A XLZ KING QUAD	500	11/16	1987	L/R	S	200	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A FK3 to FK7 VINSON 4WD	500	03/07	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A XZ AXi KING QUAD L.E.	500	11/16	1684	L/R	S	190	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A VINSON 4 WD	500	02/07	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-F VINSON MASTER	500	03/07	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A KING QUAD	700	05/07	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A X KING QUAD 4x4	700	05/07	1987	L/R	S	200	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		KING QUAD X	750	19/21	-	L/R	S	-	-	-	-	-	Sealed Oil							
SUZUKI		KING QUAD XP	750	19/21	-	L/R	S	-	-	-	-	-	Sealed Oil							
SUZUKI		KING QUAD XPZ	750	19/21	-	L/R	S	-	-	-	-	-	Sealed Oil							
SUZUKI		LT-A 750 KING QUAD	750	05/24	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A X KING QUAD	750	05/07	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A X KING QUAD	750	18	1987	L/R	S	200	90,2	3,5	4	10,5	-	-	-	-	-	-	-	-
SUZUKI		LT-A X KING QUAD AXI 4x4	750	08/17	1987	L/R	S	200	90,2	3,5	4									

SUZUKI		LT-A XP KING QUAD	750	05/07	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-
SUZUKI		LT-A XZ AXi KING QUAD L.E.	750	08/16	1684	L/R	S	190	90,2	3,5	4	10,5	-	-	-	-	-	-	-
SYM		TRACKRUNNER	200	05/09	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		QUADLANDER	200	12	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		QUADLANDER / S	250	05/09	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		CITYMAX	300	06/07	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		QUADLANDER	300	06	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		QUADLANDER / S	300	14/17	-	L/R	S	175	-	-	-	-	-	-	S	190	-	-	-
SYM		QUADRAIDER	600	06/09	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		QUADRAIDER LE	600	10	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		QUADRAIDER	600	06/09	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
SYM		QUADRAIDER LE	600	14/16	-	L/R	S	220	-	-	-	-	-	-	S	180	-	-	-
TGB		HORNET	50	04	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		HORNET	90	04	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		101 S	100	06	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		QUADBLADE	250	06	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		QUADBLADE	325	07	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		AVENGER	400	07	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		QUADBLADE	400	06	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		OUTBACK	425	07	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		QUADBLADE	425	07	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		BLADE 550 i SE 4x4	503	18	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		TARGET 550 IRIS 4x4	503	18	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		BLADE ECO	561	15/18	--	L/R	S	-	-	-	-	-	--	-	S	-	-	-	-
TGB		BLADE EPS 12" Wheels	1000	15/18	--	L/R	S	200	-	-	-	-	--	L	S	180,00	-	-	-
YAMAHA		UMX AC	90	20/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-
YAMAHA		YFM RAPTOR RA	125	11/13	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA		BANSHEE SP	200	06	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA		YFS BLASTER	200	88/02	Drum	-	-	-	-	-	-	-	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA		YFS BLASTER	200	03/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA		YFS R BLASTER	200	88/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA		YFM BRUIN	250	05	-	-	-	-	-	-	-	-	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA		YFM RAPTOR	250	01/09	264 / 264X	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-
YAMAHA	YFM RAPTOR	BEAR TRACKER	250	00/04	264 / 264X	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-
YAMAHA	YFM RAPTOR	BIG BEAR BW / BX / BY	250	07/11	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA	YFM RAPTOR	BRUIN BT / BV	250	05/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA	YFM RAPTOR	R	250	08/13	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM RAPTOR	RSE / RSE2 Special Edition	250	09	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM RAPTOR	RSP / RSP2 Special Edition	250	08	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM RAPTOR	RX / RY	250	08/09	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA		GRIZZLY 2WD & 4WD	350	18/19	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
YAMAHA	YFM	2WD & 4WD GRIZZLY	350	16/18	-	L/R	S	-	-	-	-	-	Drum	-	-	-	-	-	-
YAMAHA	YFM	ANS / ANT / ANV BRUIN 2x4	350	04/06	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	FAS / FAT / FAV BRUIN 4x4	350	04/06	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	FGIW GRIZZLY 4WD IRS	350	07/10	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	FGIX GRIZZLY 4WD IRS	350	07/10	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	FGIY GRIZZLY 4WD IRS	350	07/10	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	FGIZ GRIZZLY 4WD IRS	350	07/10	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	FWA GRIZZLY 4WD	350	04/14	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	GW / GX GRIZZLY 2WD	350	08/10	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	GY / GZ GRIZZLY 2WD	350	08/10	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	R RAPTOR	350	04/11	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	R SE RAPTOR SE	350	05/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	R SE2 RAPTOR S E2	350	07	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	RAPTOR	350	04/11	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	RAPTOR RBW	350	12/13	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	S / T / V RAPTOR	350	04/10	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	RT	350	05	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	RW / RWV RAPTOR	350	04/10	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	RX / RY / RZ RAPTOR	350	04/10	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4
YAMAHA	YFM	XA WARRIOR	350	90/04	264 / 264X	L/R	S	161	48	3,5	4	10,5	2014	R	S	245	58	4,0	4
YAMAHA	YFM	XN / XNC WARRIOR	350	01	264 / 264X	L/R	S	161	48	3,5	4	10,5	2014	R	S	245	58	4,0	4
YAMAHA	YFM	XP / XPC WARRIOR	350	02	264 / 264X	L/R	S	161	48	3,5	4	10,5	2014	R	S	245	58	4,0	4
YAMAHA	YFM	XR / XRC WARRIOR	350	03	264 / 264X	L/R	S	161	48	3,5	4	10,5	2014	R	S	245	58	4,0	4
YAMAHA	YFM	XS / XSC WARRIOR	350	04	264 / 264X	L/R	S	161	48	3,5	4	10,5	2014	R	S	245	58	4,0	4
YAMAHA	YFM	XV / XW / WOLVERINE 2 WD	350	06/09	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	XV / XW / WOLVERINE 2 WD	350	06/09	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-
YAMAHA	YFM	WOLVERINE	350	90/06	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4
YAMAHA	YFM	X WARRIOR	350	90/04	264 / 264X	L/R	S	161	48	3,5	4	10,5	495	-	S	245	58,5	4,5	4
YAMAHA		YFZ BANSHEE	350	02/11	-	L/R	S	-	-	-	-	-	494 / 494X	-	S	220	58,5	4,0	4

YAMAHA	YFZ A-M BANSHEE	350	90/06	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM AR KODIAK	400	03	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM FAHM / YFM MC	400	00/02	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM FAM / YFM FAN	400	00/02	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM FAP KODIAK	400	00/02	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM FAR / FAS KODIAK AUTO	400	03/04	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM FAT / FAV BIG BEAR	400	05/06	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM FGW GRIZZLY	400	07	264 / 264X	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-	-
YAMAHA	YFM KODIAK 2WD AM / AN	400	00/01	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM KODIAK 4X4 HUNT	400	00/02	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM N / YFM NCP	400	00/02	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	GRIZZLY IRIS / IRIS T3	450	16/17	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA	EPS / EPS HUNTER	450	18/20	-	L/R	S	-	-	-	4	-	-	-	-	-	-	-	-	-
YAMAHA	EPS Alu Diff Lock	450	20/21	-	L/R	S	-	-	-	4	-	-	-	-	-	-	-	-	-
YAMAHA	YFM	450	03/05	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFM	450	06/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFM FAR / YFM FAS KODIAK	450	03/04	1979	L/R	S	200	86,2	3,5	4	10,5	2161 / 2161X	-	S	200	51	4	4	10,5
YAMAHA	YFM FAT / FAHT KODIAK	450	05/06	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM FAV KODIAK	450	05/06	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM FXV / FXW / FXX	450	06/10	1979	L/R	S	200	86,2	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM FXY WOLVERINE	450	06/10	1979	L/R	S	200	86,2	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM FWAD GRIZZLY IRIS	450	11/16	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM FWAD GRIZZLY EPS	450	11/14	1979	L/R	S	200	86,2	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFZ B / YFZ D	450	06/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ BB / YFZ DB	450	12/13	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ BBV Edition	450	06/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ BILL Balance Edition	450	06/07	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ LE Limited Edition	450	04	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFZ SE Limited Edition	450	05	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFZ R	450	09	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ R	450	12/23	264 / 264X	L/R	S	161	48	3,5	4	10,5	2161X / 2161	-	S	200	51	4	4	10,5
YAMAHA	YFZ R SE	450	22/23	264 / 264X	L/R	S	161	48	3,5	4	10,5	2161X / 2161	-	S	200	51	4	4	10,5
YAMAHA	YFZ R / YFZ S / YFZ T	450	03/05	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFZ R RE / YFZ E RSE	450	14	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ RA / RB / RY / RZ	450	09/12	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ R / V	450	06	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ R SPECIAL EDITION	450	19/22	264 / 264X	L/R	S	161	48	3,5	4	10,5	2161 / 2161X	L	S	200	51	4	4	10,5
YAMAHA	YFZ R SE	450	20/22	264 / 264X	L/R	S	161	48	3,5	4	10,5	2161 / 2161X	L	S	200	51	4	4	10,5
YAMAHA	YFZ R SE / YFZ R SEA	450	11/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059X / 1059	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ R SEB / YFZ R SED	450	11/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059X / 1059	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ S / T / V / W / X	450	04/08	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ S	450	09	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ SET Special Edition	450	05	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFZ SEW / YFZ SPV	450	06/08	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ SPX Special Edition	450	06/08	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ V / YFZ W / YFZ X	450	06/08	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFZ Y	450	06/13	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFM GRIZZLY Fi AUTO / EPS	550	09/15	1730	L/R	S	220	95,5	4,0	4	10,5	1731	L/R	S	205,00	98	4,0	4	10,5
YAMAHA	YFM FWA HUNTER	600	01	264 / 264X	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	YFM GRIZZLY	600	-	264 / 264X	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	YFM HUNTING	600	98/01	264 / 264X	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	GRIZZLY SE	660	05	264 / 264X	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-	-
YAMAHA	RR RAPTOR	660	06/09	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM R RAPTOR / SE / L.Edition	660	01/05	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM RAPTOR	660	01/05	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM RN / RP / RR RAPTOR	660	01/05	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM RS / RT RAPTOR	660	01/05	264 / 264X	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58,5	4,0	4	8,5
YAMAHA	YFM RSET	660	05	264 / 264X	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-	-
YAMAHA	YFM GRIZZLY 4x4 METALLIC TITANIUM	660	03	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY AUTO 4x4 WETLANDY FLES	660	04	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY DUCKS UNLIMITED EDITION	660	06	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY FGW / FGX	660	02/08	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY FGXGR / FGXL / FGXR	660	08	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY FPS METALLIC SLVER	660	02	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY FR / FS / FT	660	03/05	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY FWAP / FWAR / FWAS	660	02/08	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY FWAT / FWAV	660	02/08	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY SPECIAL EDITION	660	06	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY HUNTER FAHT	660	05	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY HUNTER FGHW	660	07	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5

YAMAHA	YFM GRIZZLY HUNTER	FGHX	660	08	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY HUNTER	FHP EDITION	660	02	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY HUNTER	HARDWOODS	660	06	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY HUNTER	HARDWOODS HD CAMO	660	04/06	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY HUNTER	REAL TREE HARDWOODS	660	03	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA	YFM GRIZZLY HUNTER	WETLANDS	660	03/05	901	L/R	S	220	107	3,5	4	10,5	1874	-	S	150,00	46,2	7,5	6	6,5
YAMAHA		GRIZZLY FWAD EPS	700	07/20	1730	L/R	S	220	95,5	4,0	4	10,5	1731	L/R	S	205	98	4,0	4	10,5
YAMAHA		GRIZZLY EPS Alu	700	19/21	1730	L/R	S	220	95,5	4,0	4	10,5	1731	L/R	S	205	98	4,0	4	10,5
YAMAHA		GRIZZLY EPS SE	700	07/21	1730	L/R	S	220	95,5	4,0	4	10,5	1731	L/R	S	205	98	4,0	4	10,5
YAMAHA		KODIAK EPS SE	700	16/21	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
YAMAHA	YFM	R / RAA / RV / RW	700	06/12	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFM	R RAPTOR	700	06/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	2161 / 2161X	-	S	200	51	4	4	10,5
YAMAHA	YFM	R RAPTOR	700	15	-	L/R	S	-	-	-	-	-	2161 / 2161X	-	S	200	51	4	4	10,5
YAMAHA	YFM	R RAPTOR	700	16/17	1683	L/R	S	207	102	4,2	4	10,5	1683	-	S	207	102	4,2	4	10,5
YAMAHA	YFM	RAPTOR	700	09/12	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFM	RAPTOR	700	13/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFM	RAPTOR 7" R SEW	700	07/08	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFM	R RAPTOR	700	18/23	264 / 264X	L/R	S	161	48	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM	R SE RAPTOR	700	18/23	264 / 264X	L/R	S	161	48	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM	RAPTOR R SPX	700	07/08	264 / 264X	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA	YFM	RAPTOR RD / RE	700	13/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	-	-	S	-	-	-	-	-
YAMAHA	YFM	RAPTOR SPECIAL EDITION	700	13/19	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFM	RSE SPECIAL EDITION	700	13/14	264 / 264X	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51,5	3,5	4	8,5
YAMAHA	YFM	RX / RY	700	04/08	-	L/R	S	-	-	-	-	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5
YAMAHA		YFZ R	700	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YAMAHA		YFZ R SE	700	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YAMAHA		YFZ SE	700	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YAMAHA SSV		YXR RHINO 4WD	450	05/09	1892	L/R	S	200	72	3,5	4	10,5	1893	R	S	165	46	5,0	6	8,5
YAMAHA SSV	YXR RHINO	FAT / FAV / FAS 4x4	660	04/07	1892	L/R	S	200	72	3,5	4	10,5	1893	R	S	165,00	46	5	6	8,5
YAMAHA SSV	VIKING	STANDARD / EPS	700	18/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA SSV	VIKING	Vi	700	14/16	-	L/R	S	-	-	-	-	-	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	VIKING	YXC E EP	700	15/18	1683	L/R	S	207	102	4,2	4	10,5	1683	L/R	S	207,00	102	4,2	4	10,5
YAMAHA SSV	VIKING	YXC E EP Parking Brake	700	15/18	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA SSV	VIKING	YXM E EPS COMO	700	16	1683	L/R	S	207	102	4,2	4	10,5	1683	L/R	S	207,00	102	4,2	4	10,5
YAMAHA SSV	VIKING	YXM ES EPS SE	700	14/16	1683	L/R	S	207	102	4,2	4	10,5	1683	L/R	S	207,00	102	4,2	4	10,5
YAMAHA SSV	VIKING	YXM FI 4x4 / EPS	700	14	1683	L/R	S	207	102	4,2	4	10,5	1683	-	S	207,00	102	4,2	4	10,5
YAMAHA SSV		YXM E WOLVERINE R	700	16	1683	L/R	S	207	102	4,2	4	10,5	1683	L/R	S	207,00	102	4,2	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	F	700	11/13	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	Fi AUTO Special Edition	700	13	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	Fi AUTO Sport Edition	700	08	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	Fi BASE	700	09	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	Fi UCKS UNLIMITED BASE	700	09	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	F SE	700	12/13	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	F SP Sport Edition	700	11/13	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	FA / FB / FD / FH HUNTER	700	11/13	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	FH HUNTER Edition	700	13	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	FH HUNTER REALTREE	700	13	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV	YXR RHINO 2WD / 4WD	FHY CAMOU	700	09/10	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSEPA Special Editon	700	11	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSEPY Special Edition	700	09/10	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSEY Special Edition	700	09/10	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSP2X Special Edition	700	08	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSP2Y Special Edition	700	09/10	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSPB Special Edition	700	12	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSPD Special Edition	700	13/14	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FSPX Special Edition	700	08	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FX / FX CAMOU	700	08	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	FY CAMOU	700	09/10	1892	L/R	S	200	72	3,5	4	10,5	-	L/R	S	-	-	-	-	-
YAMAHA SSV	YXR RHINO 2WD / 4WD	SE	700	09	1892	L/R	S	200	72	3,5	4	10,5	1902	L/R	S	184	86	3,5	4	10,5
YAMAHA SSV		WOLVERINE X2 ALU	850	18/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA SSV		WOLVERINE X4	850	19/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA SSV		RMAX2 SE	1000	20/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA SSV		RMAX4 SE	1000	20/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA SSV		X2 R-Spec Alu	1000	20/21	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
YAMAHA SSV		YXE WOLVERINE RMAX2	1000	20/21	1903	L/R	S	255	129	5,5	4	10,5	1904	L/R	S	245,00	129	5,5	4	10,5
YAMAHA SSV		YXE WOLVERINE RMAX4	1000	20/21	1903	L/R	S	255	129	5,5	4	10,5	1904	L/R	S	245,00	129	5,5	4	10,5
YAMAHA SSV	YXZ	R	1000	19/21	1903	L/R	S	255	129	5,5	4	10,5	1904	L/R	S	245,00	129	5,5	4	10,5
YAMAHA SSV	YXZ	R EPS / R SE	1000	16/18	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5
YAMAHA SSV	YXZ	R SE	1000	19/20	1903	L/R	S	255	129	5,5	4	10,5	1904	L/R	S	245,00	129	5,5	4	10,5
YAMAHA SSV	YXZ	R SS	1000	16/18	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5

YAMAHA SSV	YZ	R SS	1000	19/21	1903	L/R	S	255	129	5,5	4	10,5	1904	L/R	S	245,00	129	5,5	4	10,5
YAMAHA SSV	YZ	R SS SE	1000	16	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5
YAMAHA SSV	YZ	R SS SE	1000	19/21	1903	L/R	S	255	129	5,5	4	10,5	1904	L/R	S	245,00	129	5,5	4	10,5
YAMAHA SSV		YXM VIKING Fi 4x4 / EPS	1000	16/20	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5